

Riverside, MO 64150 Telephone: 816.231.5580 Fax: 816.231.5641 www.occutec.com

October 22, 2018

Diane Czarnecki
Industrial Hygienist
Facilities Management Division
GSA Public Buildings Service - Heartland Region
U.S. General Services Administration
2300 Main Street, Kansas City, MO 64108

RE: Goodfellow Federal Center
Metals in Settled Dust Sampling – Building 104E
4300 Goodfellow Boulevard
St. Louis, Missouri 63120
OCCU-TEC Project No. 918004.002

Dear Ms. Czarnecki:

Thank you for the opportunity to assist the General Services Administration (GSA) with the metals in settled dust sampling investigation of Building 104E located at the Goodfellow Federal Center (GFC) in St. Louis, Missouri. OCCU-TEC Inc. (OCCU-TEC) understands that the purpose of the investigation was to provide additional sampling data of existing environmental conditions that are present at GFC that could adversely impact the health and safety of building occupants as well as workers at the facility. The following report summarizes the sample collection activities and the laboratory analytical results of samples submitted.

On September 19, 2018, a team of OCCU-TEC personnel including a Missouri licensed lead risk assessor conducted settled dust sampling for the presence of seven of the Resource Conservation and Recovery Act (RCRA) target metals (lead, arsenic, barium, cadmium, total chromium, selenium, and silver) from various surfaces within mechanical rooms, basements, penthouses, stairwells leading to and from basements or penthouses, and the sub-floor below the raised flooring. The purpose of this testing was to further characterize the presence and concentration of target metals in areas of the buildings that have had little or no previous testing.

The proposed sampling scheme, the number of samples, the sample distribution and general methodology was developed by GSA and OCCU-TEC. Specific sample locations were determined by OCCU-TEC personnel while on-site.

Metals in Settled Dust Sampling

Metals in settled dust sampling was conducted within mechanical rooms, basements, penthouses, stairwells leading to and from basements or penthouses, and the sub-floor below raised flooring.

Dust wipe sampling was conducted in accordance with ASTM Standard E1728-16: Standard Practice for Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Lead Determination. ASTM Standard E1728-16 is consistent with the methodology described in the Housing and Urban Development Guidelines and 40 CRF 745.63. The Brookhaven National Laboratory's Surface Wipe Sampling Procedure (IH75190) was also used as a guideline.

Dust wipe sampling for the target metals was conducted on a variety of representative surfaces that have the potential of being disturbed during routine janitorial work, and planned maintenance or renovation projects within the building. A representative surface area of approximately one square foot (1 SF) was measured and delineated with prefabricated, disposable templates. The dust wipe samples were collected using dedicated dust wipe cloths meeting ASTM standards. Each dust wipe cloth was pre-moistened and individually wrapped. Each sample was collected by wiping in a back and forth "S" pattern over a measured sampling area. Then, the wipe was folded over itself and the area was wiped again in a direction perpendicular to the first wipe orientation. The wipe samples were then placed into labeled, clean laboratory-supplied plastic centrifuge tubes with screw on caps. Dust wipe samples were submitted to Scientific Analytical Institute, Inc. (SAI) in Greensboro, North Carolina for Inductively Coupled Plasma (ICP) analysis of metals analysis using Environmental Protection Agency (EPA) method SW846 350B/7420.

Results of the dust wipe samples collected from the building indicate that all the seven (7) samples contained concentrations of target metals above laboratory detection limits. The following table identifies the range of results for each of the seven metals that were analyzed. Samples with a "<" sign indicate that the results were below the reportable limit.

Analysis	Lowest	Highest
	Concentration	Concentration
	(µg/sq. ft.)	(µg/sq. ft.)
Silver	< 0.50	< 2.50
Arsenic	<1.30	< 2.50
Barium	13.00	300.00
Cadmium	0.10	7.30
Total Chromium	< 0.50	240.00
Lead	4.50	1000.00
Selenium	< 2.50	< 50.00

^{*} Please note, these results may indicate higher than expected reporting limits due to interferences from other metals. Please refer to the laboratory reports for specific information.

Many of the samples collected contained target metals above the Brookhaven recommended levels. Based on the results of the sampling, all the subject building areas should be presumed to contain measurable levels of RCRA metals and proper precautions should be taken upon entry and exit of the subject areas to protect workers and limit the spread of dust to the outside environment.

OCCU-TEC appreciates the opportunity to work with GSA on this project. If you have any questions concerning this report, or if we may be of any additional service, please feel free to contact us.

Sincerely,

(b) (6)

Jeff T. Smith Senior Project Manager (b) (6)

Kevin Heriford Project Manager (QA/QC)

Appendices:

A - Sample Summary Table

B - Laboratory Analysis Reports

C - Licenses

Appendix A Sample Summary Table

	Goodfellow Federal Ce	enter - Building # 10	4E - Wipe Sam	nple Data		
Sample Number	Location	Area Description	Analyte	Result	Units	Recommended Limits
			Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	< 1.30	μg/ft²	** 62
			Barium	19.00	μg/ft²	
104E-01	Stairs to Basement	Lower Landing	Cadmium	0.15	μg/ft²	** 31
			Chromium	7.00	μg/ft²	
			Lead	42.00	μg/ft²	** 200/40
			Selenium	< 2.50	μg/ft²	
			Silver	< 2.50	μg/ft²	* 139/9.3
			Arsenic	< 2.50	μg/ft²	** 62
			Barium	200.00	μg/ft²	
104E-02	Basement	Floor	Cadmium	4.50	μg/ft²	** 31
			Chromium	240.00	μg/ft²	
			Lead	1000.00	μg/ft²	** 200/40
			Selenium	< 50.00	μg/ft ²	
			Silver	< 0.50	μg/ft ²	* 139/9.3
			Arsenic	< 1.30	μg/ft ²	** 62
			Barium	67.00	μg/ft ²	
104E-03	Stairs to Penthouse	Top Landing	Cadmium	0.89	μg/ft ²	** 31
1042 03	Stairs to Fermiouse	TOP Landing	Chromium	2.60	μg/ft ²	31
				22.00		** 200/40
			Lead Selenium	< 2.50	μg/ft ²	200/40
			Silver	< 0.50	μg/ft ²	* 139/9.3
				+	μg/ft ²	
			Arsenic Barium	< 2.50 300.00	μg/ft ²	** 62
104E-04	Penthouse	Floor	Cadmium	4.10	μg/ft ²	** 24
104E-04	Penthouse	FIOOI	Chromium	11.00	μg/ft ²	** 31
				100.00	μg/ft ²	** 200/40
			Lead	+ <mark></mark>	μg/ft ²	** 200/40
			Selenium	< 2.50	μg/ft ²	* 420/0.2
			Silver	< 0.50	μg/ft ²	* 139/9.3
			Arsenic	< 1.30	μg/ft ²	** 62
			Barium	72.00	μg/ft²	
104E-05	2nd Floor - Hickory Room	Under Raised Floor	Cadmium	1.50	μg/ft²	** 31
			Chromium	6.70	μg/ft ²	
			Lead	82.00	μg/ft²	** 200/40
			Selenium	< 2.50	μg/ft²	
			Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	< 1.30	μg/ft²	** 62
			Barium	59.00	μg/ft²	
104E-06	2nd Floor - Office P49E1	Under Raised Floor	Cadmium	7.30	μg/ft ²	** 31
			Chromium	9.70	μg/ft ²	
			Lead	79.00	μg/ft ²	** 200/40
			Selenium	< 2.50	μg/ft ²	

Sample Number	Location	Area Description	Analyte		Result	Units	Recommended Limits
			Silver	<	0.50	μg/ft²	* 139/9.3
			Arsenic	<	1.30	μg/ft²	** 62
			Barium		13.00	μg/ft²	
104E-07	2nd Floor Mechanical Room	Floor	Cadmium		0.10	μg/ft²	** 31
			Chromium	<	0.50	μg/ft²	
			Lead		4.50	μg/ft²	** 200/40
			Selenium	<	2.50	μg/ft²	
			Silver	<	0.50	μg/ft²	* 139/9.3
			Arsenic	<	0.25	μg/ft²	** 62
			Barium		0.83	μg/ft²	
104E-08	Field Blank		Cadmium	<	0.05	μg/ft²	** 31
			Chromium	<	0.50	μg/ft²	
			Lead	<	0.25	μg/ft²	** 200/40
			Selenium	<	0.50	μg/ft²	

^{*} Recommended Limits based on Table 3 (BNL Surface Wipe Criteria for Metals) of the Brookhaven Surface Wipe Sampling Procedure (IH75190), Rev 19: 3/4/14

^{**} Recommended Limits based on Attachment 9.3 (Required & Recommended Surface Wipe Criteria) - Brookhaven Surface Wipe Sampling Procedure (IH75190), Rev 23: 6/23/17 Indicates results at or above REL

Appendix B

Laboratory Analytical Reports



Dust Wipe Metals Concentration by Inductively-Coupled Plasma Analysis (ICP)





Client: Occu-Tec, Inc.

100 NW Business Park Ln. Riverside, MO 64150

Project: 918004.002 Building 104E

Attn: Justin Arnold

Lab Order ID: Date Received: 51824367

Date Received:
Date Reported:

09/20/2018 10/05/2018

1 of 3

Page:

Sample ID	Description	Area		Reporting	Concentration	Concentration
Lab Sample ID	Lab Notes	(ft ²)	*Element	Limit (µg)	(µg)	(μg/ft ²)
			Ag	0.50	< 0.50	< 0.50
	Stairs to		As*	1.3	< 1.3	< 1.3
104E-01	Basement		Ba	0.50	19	19
	Lower Landing	1	Cd	0.050	0.15	0.15
			Cr	0.50	7.0	7.0
51924267IDW 1			Pb	1.3	42	42
51824367IPW_1			Se*	2.5	< 2.5	< 2.5
			Ag	2.5	< 2.5	< 2.5
			As*	2.5	< 2.5	< 2.5
104E-02	Basement Floor		Ba	2.5	200	200
		1	Cd	0.050	4.5	4.5
			Cr	25	240	240
5.102.42.67JDW. 2			Pb	25	1000	1000
51824367IPW_2			Se*	50.	< 50.	< 50.
			Ag	0.50	< 0.50	< 0.50
	Stairs to		As*	1.3	< 1.3	< 1.3
104E-03	Penthouse Top		Ba	1.0	67	67
	Landing	g 1	Cd	0.050	0.89	0.89
			Cr	0.50	2.6	2.6
510242671DW 2			Pb	0.25	22	22
51824367IPW_3			Se*	2.5	< 2.5	< 2.5

^{*}As – elevated RL possibly due to high levels of Pd interference

Melissa Ferrell

Analyst

Lab Director

Unless otherwise noted blank sample correction was not performed on analytical results. This report relates only to the samples tested and may not be reproduced, except in full, without the written approval of SAI. MDLs are available upon request. Time-weighted average (TWA) calculations are based on customer supplied data and valid only for samples included in the specified TWA group. Scientific Analytical Institute participates in the AIHA ELPAT program. ELPAT Laboratory ID: 173190.

^{*}Se - elevated RL possibly due to high levels of Al interference

^{*} SAI is AIHA ELLAP accredited for Pb only for dust wipe metals.



Dust Wipe Metals Concentration by Inductively-Coupled Plasma Analysis (ICP)





Client: Occu-Tec, Inc.

100 NW Business Park Ln. Riverside, MO 64150

Project: 918004.002 Building 104E

Attn: Justin Arnold

Lab Order ID: Date Received: 51824367

Date Received:
Date Reported:

09/20/2018 10/05/2018

Page: 2 of 3

Sample ID	Description	Area		Reporting	Concentration	Concentration	
Lab Sample ID	Lab Notes	(ft ²)	*Element	Limit (µg)	(µg)	(μg/ft ²)	
			Ag	0.50	< 0.50	< 0.50	
			As*	2.5	< 2.5	< 2.5	
104E-04	Penthouse Floor		Ba	5.0	300	300	
		1	Cd	0.050	4.1	4.1	
			Cr	0.50	11	11	
51824367IPW_4			Pb	2.5	100	100	
3182430/11 W_4			Se*	2.5	< 2.5	< 2.5	
			Ag	0.50	< 0.50	< 0.50	
	2 nd Floor under		As*	1.3	< 1.3	< 1.3	
104E-05	Raised Floor		Ba	1.0	72	72	
	Hickory Rm	1	Cd	0.050	1.5	1.5	
			Cr	0.50	6.7	6.7	
51824367IPW_5			Pb	2.5	82	82	
3182430/11 W_3			Se*	2.5	< 2.5	< 2.5	
			Ag	0.50	< 0.50	< 0.50	
	2 nd Floor under		As*	1.3	< 1.3	< 1.3	
104E-06	Raised Floor		Ва	2.5	59	59	
	Office P49E1	1	Cd	0.050	7.3	7.3	
			Cr	0.50	9.7	9.7	
51924267IDW 6			Pb	2.5	79	79	
51824367IPW_6			Se*	2.5	< 2.5	< 2.5	

^{*}As – elevated RL possibly due to high levels of Pd interference

Melissa Ferrell

Analyst

Lab Director

Unless otherwise noted blank sample correction was not performed on analytical results. This report relates only to the samples tested and may not be reproduced, except in full, without the written approval of SAI. MDLs are available upon request. Time-weighted average (TWA) calculations are based on customer supplied data and valid only for samples included in the specified TWA group. Scientific Analytical Institute participates in the AIHA ELPAT program. ELPAT Laboratory ID: 173190.

^{*}Se - elevated RL possibly due to high levels of Al interference

^{*} SAI is AIHA ELLAP accredited for Pb only for dust wipe metals.



Dust Wipe Metals Concentration by Inductively-Coupled Plasma Analysis (ICP)





Client: Occu-Tec, Inc.

100 NW Business Park Ln. Riverside, MO 64150

Project: 918004.002 Building 104E

Attn: Justin Arnold

Lab Order ID:

51824367

Date Received:
Date Reported:

09/20/2018 10/05/2018

Page: 3 of 3

Sample ID	Description	Area		Reporting	Concentration	Concentration
Lab Sample ID	ple ID Lab Notes	(ft ²)	*Element	Limit (µg)	(µg)	(μg/ft ²)
			Ag	0.50	< 0.50	< 0.50
			As*	1.3	< 1.3	< 1.3
104E-07	2 nd Floor Mech Room Floor		Ba	0.25	13	13
		1	Cd	0.050	0.097	0.097
			Cr	0.50	< 0.50	< 0.50
51824367IPW_7	CZIDW Z		Pb	0.25	4.5	4.5
3162430/1PW_/			Se*	2.5	< 2.5	< 2.5
			Ag	0.50	< 0.50	-
			As	0.25	< 0.25	-
104E-08	BLANK		Ba	0.050	0.83	-
		-	Cd	0.050	< 0.050	-
			Cr	0.50	< 0.50	-
51024267IDW 0			Pb	0.25	< 0.25	-
51824367IPW_8			Se	0.50	< 0.50	-

^{*}As – elevated RL possibly due to high levels of Pd interference

Melissa Ferrell

Analyst

Lab Director

Unless otherwise noted blank sample correction was not performed on analytical results. This report relates only to the samples tested and may not be reproduced, except in full, without the written approval of SAI. MDLs are available upon request. Time-weighted average (TWA) calculations are based on customer supplied data and valid only for samples included in the specified TWA group. Scientific Analytical Institute participates in the AIHA ELPAT program. ELPAT Laboratory ID: 173190.

^{*}Se – elevated RL possibly due to high levels of Al interference

^{*} SAI is AIHA ELLAP accredited for Pb only for dust wipe metals.



Scientific Analytical Institute, Inc. 4604 Dundas Dr. Greensboro, NC 27407

4604 Dundas Dr. Greensboro, NC 27407 Phone: 336.292.3888 Fax: 336.292.3313 www.sailab.com lab@sailab.com

Lab Use Only	E10001717
Lab Order ID:	100HJ810
Client Code: _	

Company C	ontact Information			Industrial Hygiene Test Typ	es
Company: OCC	U-TEC Inc.	Contact: Justin	Arnold	Silica as Alpha Quartz (XSZ)* With Respirable Dust (XDZ)	
Address: 100	NW Business Park Lane	Phone □:816-8	310-3276	Silica as Cristobalite (XSC)* With Respirable Dust (XDC)	П
Rive	rside, Mo 64150	Fax □:816-99	94-3478	Silica as Tridymite (XST)*	_
		0.500 0.000 0.000 0.000	@occutec.com	With Respirable Dust (XDT) Silica as Alpha Quartz, Cristobalite, Tridymit	
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		(XSA)* With Respirable Dust (XDA)	
Billing/Invo	ice Information	Turn Aro	und Times^	Silica Bulk (XSI)*	
SAME		90 Min.	48 Hours	Bulk Phase ID/Whole Rock (XUK)	
Company:		3 Hours	72 Hours	Total Dust NIOSH Method 0500 (GTD)	
Contact:		6 Hours	96 Hours	Respirable Dust NIOSH Method 0600 (GRD)	
Address:		12 Hours	120 Hours 🔲	PCM NIOSH 7400-A Rules (PCM)	
		24 Hours	144 ⁺ Hours ■	B Rules (PCB) TWA (PTA)	
		^TATs not available	for certain test types	TEM NIOSH 7402 (Asbestos) (TNI)	
PO Number:				Hexavalent Chromium (OSHA ID-215) (Note it from spray paint operations)	
Project Name	Number: 918004.002 Buildin	19 104E		Metals (NIOSH 7300) (Specify Metals Under Comments)	
		Villa in the second		Other 6010 C	\boxtimes
				* Modified NIOSH 7500/OSHA ID 142	~
Sample ID #	Description/I	ocation	Volume/A	rea Comments	
104E-01	Stairs to basement Low	ser Lumbia	15F	Ag, As, Ba, Cd, Cr, Pb,	Se
	Stairs to basement Low Basement Floor	ser Lunding	1		
104E-07 104E-03	Basement Floor	<u> </u>	15F	Ag, As, Ba, Cd, Cr, Pb,	Se
104E-02	Stairs to letthouse	<u> </u>	15F	Ag, As, Ba, Cd, Cr, Pb, Ag, As, Ba, Cd, Cr, Pb,	Se Se
104E-02 104E-03	Stairs to leathouse - Peathouse Floor	Top Landing	15F 15F 15F	Ag, As, Ba, Cd, Cr, Pb, Ag, As, Ba, Cd, Cr, Pb, Ag, As, Ba, Cd, Cr, Pb,	Se Se Se
104E-02 104E-03 104E-04 104E-05	Stairs to leaffrance Feathering Floor 2nd floor under Raised F	Top Landing Joor Hickory R	15F 15F 15F m 15F	Ag, As, Ba, Cd, Cr, Pb,	Se Se Se
104E-07 104E-07 104E-04 104E-05	Stairs to leaffrance Penthinse floor 2nd floor under Raised F zur floor under Raised	Top Landing Toor Hickory R Toor Office P46	15F 15F 15F m 15F 7E1 15F	Ag, As, Ba, Cd, Cr, Pb,	Se Se Se Se
104E-07 104E-03 104E-05 104E-05 104E-07	Stairs to leaffhouse Penthanse Floor 2nd floor under Raised F Zud floor under Raised	Top Landing Toor Hickory R Toor Office P46	SF SF SF SF SF SF	Ag, As, Ba, Cd, Cr, Pb,	Se Se Se Se Se
104E-07 104E-03 104E-05 104E-05 104E-07	Basement Floor Stairs to Perthause Penthause Floor 2nd floor under Raised F 7nd floor under Raised F 2nd floor under Raised F 2nd floor Mech Room	Top Landing Toor Hickory R Toor Office P46	SF SF SF SF 1SF SF	Ag, As, Ba, Cd, Cr, Pb,	Se Se Se Se Se Se
104E-07 104E-03 104E-05 104E-05 104E-07	Basement Floor Stairs to Perthause Penthause Floor 2nd floor under Raised F 7nd floor under Raised F 2nd floor under Raised F 2nd floor Mech Room	Top Landing Toor Hickory R How Office P44 Floor	SF SF SF SF SF SF	Ag, As, Ba, Cd, Cr, Pb,	Se Se Se Se Se Se
104E-07 104E-03 104E-05 104E-05 104E-07	Basement Floor Stairs to Perthause Penthause Floor 2nd floor under Raised F 7nd floor under Raised F 2nd floor under Raised F 2nd floor Mech Room	Jose Hickory R Jose Shice P44 Floor	15F 15F 15F m 15F 15F 15F	Ag, As, Ba, Cd, Cr, Pb,	Se Se Se Se Se Se Se
104E-07 104E-03 104E-05 104E-05 104E-07	Basement Floor Stairs to Perthause Penthause Floor 2nd floor under Raised F 7nd floor under Raised F 2nd floor under Raised F 2nd floor Mech Room	Jose Hickory R Jose Shice P44 Floor	15F 15F 15F m 15F 15F 15F	Ag, As, Ba, Cd, Cr, Pb,	Se
104E-07 104E-03 104E-05 104E-05 104E-07	Basement Floor Stairs to Perthause Penthause Floor 2nd floor under Raised F 7nd floor under Raised F 2nd floor under Raised F 2nd floor Mech Room	Top Landing Toor Hickory R How Office P44 Floor	15F 15F 15F m 15F 15F 15F	Ag, As, Ba, Cd, Cr, Pb,	Se
104E-07 104E-03 104E-05 104E-05 104E-07	Basement Floor Stairs to Perthause Penthause Floor 2nd floor under Raised F 7nd floor under Raised F 2nd floor under Raised F 2nd floor Mech Room	Jose Hickory R Jose Shice P44 Floor	15F 15F 15F m 15F 15F 15F	Ag, As, Ba, Cd, Cr, Pb,	Se
104E-02 104E-03 104E-04 104E-05 104E-07 104E-08	Basement Floor Stairs to leathbase Penthinse Floor 2nd floor under Raised F 2nd floor under Raised F 2nd floor under Raised F 2nd floor Mech Room BLANK	Top Landing Top Landing Top Landing Top Landing Top Landing Rejected Ploor Rejected	ISF ISF ISF ISF ISF ISF Received	Ag, As, Ba, Cd, Cr, Pb, Total # of Samples	Se
104E-02 104E-03 104E-04 104E-05 104E-07 104E-08	Basement Floor Stairs to leathbase Penthinse Floor 2nd floor under Raised F 2nd floor under Raised F 2nd floor under Raised F 2nd floor Mech Room BLANK	Top Landing Top Landing Top Landing Top Landing Top Landing Rejected Rejected	ISF ISF ISF ISF ISF ISF Received	Ag, As, Ba, Cd, Cr, Pb, Total # of Samples	Se
104E-02 104E-03 104E-04 104E-05 104E-07 104E-08	Basement Floor Stairs to leathbase Penthinse Floor 2nd floor under Raised F 2nd floor under Raised F 2nd floor under Raised F 2nd floor Mech Room BLANK	Top Landing Top Landing Top Landing Top Landing Top Landing Rejected Ploor Rejected	ISF ISF ISF ISF ISF ISF Received	Ag, As, Ba, Cd, Cr, Pb, Total # of Samples	Se

Appendix C Qualifications and Licenses

STATE OF MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES

LEAD OCCUPATION LICENSE REGISTRATION

Issued to:

Justin E. Arnold

The person, firm or corporation whose name appears on this certificate has fulfilled the requirements for licensure as set forth in the Missouri Revised Statutes 701.300-701.338, as long as not suspended or revoked, and is hereby authorized to engage in the activity listed below.

Lead Risk Assessor

Category of License

6/11/2018 Issuance Date: 6/11/2020 **Expiration Date:**

120611-300003622 License Number:





Randall W. Williams, MD, FACOG Director Department of Health and Senior Services