

May 14, 2024

Diane Czarnecki Industrial Hygienist Facilities Management Division GSA Public Buildings Service – Heartland Region 2300 Main Street Kansas City, MO 64108

Re: Goodfellow Federal Center – Building 107 Air and Wipe Sampling Evaluation Addendum Project No. 121244

Dear Ms. Czarnecki:

Thank you for the opportunity to provide the General Services Administration (GSA) with the above referenced environmental sampling activities. The following is our report.

INTRODUCTION

As requested, Burns & McDonnell conducted area air sampling and wipe sampling for the presence of seven (7) RCRA metals including arsenic, barium, cadmium, chromium, lead, selenium, and silver within the occupied areas of the first floor of building 107 of the Goodfellow Federal Center located at 4300 Goodfellow Boulevard in St. Louis, Missouri. The purpose of the investigation was to provide ongoing sampling data to monitor conditions at the site. This report serves as an addendum to the *Goodfellow Federal Center – Building 107 Air and Wipe Sampling Evaluation*, dated December 27, 2021.

SAMPLING METHODOLOGY

Dust wipe sampling was conducted in accordance with ASTM Standard E1728: Standard Practice for Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Lead Determination and ASTM Standard D6966: Standard Practice for Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Determination of Metals. ASTM Standards E1728 and D6966 are consistent with the methodology described in the Housing and Urban Development Guidelines-Appendix 13.1 and 40 CFR 745.63. The Brookhaven National Laboratory's Surface Wipe Sampling Procedure (IH75190) was also used as a guideline.

A representative surface area of approximately one square foot (1 SF) was measured and delineated. The dust wipe samples were collected using dedicated dust wipe cloths meeting ASTM E1792 Standard. Each dust wipe cloth was pre-moistened and individually wrapped. Each sample was collected by wiping in a back and forth "S" pattern over a measured sampling area using a clean, disposable glove. Then, the wipe was folded over itself and the area was wiped again in a direction perpendicular to the first wipe orientation. Then, the wipe folded over itself again and the area was wiped around the perimeter. The wipe sample was then placed into a labeled, clean container.



Diane Czarnecki Facilities Management Division May 14, 2024 Page 2

Air samples for RCRA metals were collected on 37-millimeter (mm) cassettes with 0.8 micrometer (µm) mixed cellulose ester (MCE) filters, using powered air sampling pumps, in accordance with the National Institute for Occupational Safety and Health (NIOSH) Method 7300. The sampling strategy included collecting a minimum sample volume of 500 liters based on the calibrated pump flow rate and sample duration.

All samples were submitted under chain-of-custody to Environmental Hazards Services, LLC (EHS) in Richmond, Virginia for independent analysis of 7 RCRA metals. Air samples were analyzed by Inductively Coupled Plasma (ICP) according to NIOSH method 7300. Wipe samples were analyzed according to Environmental Protection Agency (EPA) method SW846-3050B/6010D. EHS is accredited under the American Industrial Hygiene Association (AIHA) Industrial Hygiene Laboratory Accreditation Program (IHLAP) program, identification number LAP-100420.

SAMPLE SUMMARY AND RESULTS

Air samples were collected on April 25, 2024 and wipe samples were collected on April 26, 2024, by Ashley Anstaett of Burns & McDonnell.

One (1) air sample was collected on the 1st floor, room 106, from a table on the west wall underneath the television monitor. All analytes were below laboratory reporting limits. The complete air sampling laboratory report from EHS is included as Appendix A.

One (1) wipe sample was collected on the 1^{st} floor, room 106, from the top of the long desk on the southeast wall. Barium was detected at a concentration of 0.52 micrograms per square foot (µg/sq. ft.), below the Clean Area Limit of 3,094 µg/sq. ft. All other analytes were below laboratory reporting limits. The complete wipe sampling laboratory report from EHS is included as Appendix B.

LIMITATIONS

The scope of this assessment was limited in nature. Burns & McDonnell collected samples from a representative number of surfaces in an effort to minimize cost while providing a general overview of site conditions. Sample locations do not encompass all surfaces at the site. Additionally, samples were only analyzed for a select number of potential contaminants. Burns & McDonnell is not responsible for potential contaminants not identified in this report.

Burns & McDonnell appreciates the opportunity to work for GSA on this project. Please contact us if you have any questions regarding this report or if we may be of any additional service.



Diane Czarnecki Facilities Management Division May 14, 2024 Page 3

Sincerely,



Matt Shanahan, CHMM Project Manager

Attachments:

Appendix A – Air Sampling Laboratory Report Appendix B – Wipe Sampling Laboratory Report

Information in Appendices A and B are not accessible for people using screen reader technology. If this information is required, it can be furnished upon request by contacting 816-223-6198 or r6environmental@gsa.gov.





Environmental Hazards Services, L.L.C. 7469 Whitepine Rd Richmond, VA 23237

Telephone: 800.347.4010

Air Metals Analysis Report

Client: Burns & McDonnell Engineering

9400 Ward Pkwy.

Kansas City, MO 64114

Report Number: 24-

24-04-04389

Received Date:

04/30/2024

Reported Date: 05/07/2024

Project/Test Address: 168765; GFC; 4300 Goodfellow Blvd

Client Number: 26-3514 Laboratory Results

Fax Number: 816-822-3494

| Lab Sample Number | Client Sample Number | Analyzed Date | Analyte | Air Volume (L) | Total Metal (ug) | Concentration (ug/m³) | Narrative ID |
|----------------------|-------------------------|---------------------|---------------|-------------------|---------------------|-----------------------|-----------------|
| 24-04-04389-001 | 107-A-01 | 05/06/2024 | Arsenic (As) | 627 | <0.15 | <0.24 | |
| | | | Barium (Ba) | | <0.15 | <0.24 | |
| | | | Cadmium (Cd) | | <0.030 | <0.048 | |
| | | | Chromium (Cr) | | <0.75 | <1.2 | |
| | | | Lead (Pb) | | <0.15 | <0.24 | |
| | | | Selenium (Se) | | <0.75 | <1.2 | |
| | | | Silver (Ag) | | <0.15 | <0.24 | |
| 24-04-04389-002 | 107-A-02 | 05/06/2024 | Arsenic (As) | 0 | <0.15 | | |
| | | | Barium (Ba) | | <0.15 | | |
| | | | Cadmium (Cd) | | <0.030 | | |
| | | Chromium (Cr) <0.75 | | | | | |
| | | | Lead (Pb) | | <0.15 | | |
| | | | Selenium (Se) | | <0.75 | | |
| | | | Silver (Ag) | | <0.15 | | |

Environmental Hazards Services, L.L.C

Client Number: 26-3514 Report Number: 24-04-04389

Project/Test Address: 168765; GFC; 4300 Goodfellow Blvd

Lab Sample Client Sample Analyzed Analyte Air Total Metal Concentration Narrative Number Date Volume (L) (ug) (ug/m³) ID

Sample Narratives:

Method: NIOSH 7300M Analyst: Carlos Gonzalez

(b) (6)

Reviewed By Authorized Signatory:

Tasha Eaddy QA/QC Clerk

Sample Results denoted with a "less than" (<) sign contains less than the reporting limit for each particular metal, based on a 15mL volume. The reporting limit is 0.03ug for Cadmium, 0.15ug for Arsenic, Barium, Lead and Silver, and 0.75ug for Chromium and Selenium.

The condition of the samples analyzed was acceptable upon receipt per laboratory protocol unless otherwise noted on this report. Results represent the analysis of samples submitted by the client. Unless otherwise noted, samples are reported without a dry weight correction. Sample location, description, area, volume, etc., was provided by the client. If the report does not contain the result for a field blank, it is due to the fact that the client did not include a field blank with their samples. These sample results do not reflect blank correction. This report shall not be reproduced except in full, without the written consent of Environmental Hazards Services, L.L.C.

LEGEND ug = microgram ug/m³ = micrograms per cubic meter
mL = milliliter L= Liters

ENVIRONIVIEN IAL HAZARDS SERVICES, LLC Metals Chain of Custody Form Company Name | Burns & McDonnell | Account # | 26-3514 | Dempany Address | 9400 Word Parkway | City/State/Zin | Kansas City MO 64114

| | company trains | | V: " | 1011 | | | | | | 1 | | みしし | UUH | 1 17 | - | 0-0 | 314 | | | |
|-----------|---------------------|--|--------|-------------|-----------------|---------------------|---|------------|-------------|--|---|--------------------------------------|--|--------------------------|--------|--|--|--------------|-----------------|--|
| Co | mpany Addres | 9400 Ward Parkway | | | | | | | | | City | City/State/Zip Kansas City, MO 64114 | | | | | | | | |
| | Phone | 314-302-466 | 1 | | | | | | | | - | | Em | ail | а | lan | staett(| @buri | nsmcd | l.com |
| Р | roject Name / 1 | esting Address G | FC | / 43 | 300 | Go | odfe | ellov | v B | lvd | | | | | - | | - | | | |
| | PO Numbe | 168765 | | | | | | | C | ollected By | 1. | A. | ე <u>S</u> | 1 | cs. | et | + | | | Program to any of their Toda Car - more con- |
| Tu | rn-Around Time | ₹ 5 DAY | | € 3 | DAY | , | e e | 2 D | | | | | | | | | | KEND - | · Must (| Call Ahead |
| | | | | | М | ETA | LS | | | The second secon | A PARTY LANGE LANGE LANGE | P | ARTI | CUL | ATE | S | THE PERSON NAMED IN COLUMN TO SERVICE AND ADDRESS OF THE PERSON NAMED IN COLUMN TO SE | AIR | | WIPES |
| AB NUMBER | Client Sample ID | Collection Date & Time | LP. | RA 8 | lotal . | Profile | e Profile | CLP | otal | Other | | ce Dust | Dust | netric | c | 0 | Total Time | Flow Rate | Vol. | AREA |
| \$ | | | PbTCLP | TCLP RCRA 8 | RCRA 8 Total | Toxic Metal Profile | Welding Fume Profile | TX 11 TCLP | CA 17 Total | Metals | t AN AAA III. Aada - ea Madhachanaana garagaragaa | Total Nuisance Dust | Respirable Dust | TSP Gravimetric | TSP Pb | PM-10 | Mins. | L/min. | Total Liters | Circle The Unit of Measurement Used cm or in |
| 1 | 107-A-01 | 4/25 1252 | A, 44 | | | | | | | Ag. As, Ba, Cd, Cr Pb, Se | - [| | | | | | 242 | | 627 | × |
| 2 | 107-A-02 | | | | | | | | | | | - Total | | | | | _ | _ | | × |
| 3 | | | | | | | | | | | | | | 7 | | | | | | x |
| 4 | 107-W-01 | 4/24 1117 | | | | | | | | | 1 | 1 | 7 | | | | | | | WA × NA |
| 5 | 107-W-02 | | | | | | | | | | | 1 | | | | | | | | 12 × 12 |
| S | | | | | 1 | | | | | | | - | | | 1 | | | | | х |
| 7 | | | | | | | | | | | | 1 | | - | | | | | | i x |
| 8 | | | | | | | | | | | | | 1 | | | | · | | | , x |
| 9 | | | | | | | 111111111111111111111111111111111111111 | | | | | 7 | 1 | | | | | | | x |
| 50 | | | | - | | | | | | | | - | | 7 | | | | | | х |
| Ei - | | | | | To contract and | | | | | | - | | + | - | 1 | | | | | x |
| 9 | | Trans. | | | | | | 1 | | | | | | | | | | | | X |
| 14 | | THE PARTY OF THE P | | | | | | 1 | | | - | + | | - | | | | | | x |
| 14 | | 10 m | | | | | | 1 | | | 1 | 1 | - I | + | | - | | | | × |
| 15 | | | | | | | | 1 | | | 1 | | | + | + | | | | | × |
| | Released By: | A. Ansta | 01 | L | | | | | | Date: L | 11: | 20 | γ, | | | | Time: | 110 | 30 | |
| | Signature: | (b) (6) | 0 () | | | | | | | 1 2010. 1 0 | 4 | 0 | <u> </u> | - | | | mne. | IU | 30 | |
| | | | | | | U | AB US | E ON | LY – | BELOW THIS LINE | | | | | | | | W | | |
| Signa | ved By: (b) (6) | Briller | | <u></u> | 0 | | A | | | | | | ELEMENTARIO DE LA COMPANION DE | Management of the second | | 2 | 4-04- | 0438 | 9 | |
| Date: | _ <u>~V~~</u> (| 21_09 Time:_ | | 0 | Ø | | 1 | - | | AM PPM | | | - | | | 11111111111111111111111111111111111111 | | millimining | | BIT I BAI |

Due Date: 05/07/2024 (Tuesday) EL

MM-L





Environmental Hazards Services, L.L.C. 7469 Whitepine Rd Richmond, VA 23237

Telephone: 800.347.4010

Wipe Metals Analysis Report

Burns & McDonnell Engineering

9400 Ward Pkwy.

Kansas City, MO 64114

Received Date: 04/30/2024

Report Number:

Analyzed Date: 05/01/2024 Reported Date: 05/06/2024

Project/Test Address: 168765; GFC; 4300 Goodfellow Blvd

Client Number:

26-3514

Client:

Laboratory Results

Fax Number: 816-822-3494

24-04-04391

| Lab Sample Number | Client Sample Number | Analyte: | Wipe Area (ft²) | Total Metal (ug) | Concentration (ug/ft²) | Narrative ID |
|----------------------|-------------------------|---------------|--------------------|---------------------|------------------------|-----------------|
| 24-04-04391-001 | 107-W-01 | Arsenic (As) | | <2.50 | | |
| | | Barium (Ba) | | <0.500 | | |
| | | Cadmium (Cd) | | <0.100 | | |
| | | Chromium (Cr) | | <1.00 | | |
| | | Lead (Pb) | | <0.500 | | |
| | | Selenium (Se) | | <2.50 | | |
| | | Silver (Ag) | | <0.500 | | |
| 24-04-04391-002 | 107-W-02 | Arsenic (As) | 1.00 | <2.50 | <2.5 | |
| | | Barium (Ba) | 1.00 | 0.515 | 0.52 | |
| | | Cadmium (Cd) | 1.00 | <0.100 | <0.10 | |
| | | Chromium (Cr) | 1.00 | <1.00 | <1.0 | |

Environmental Hazards Services, L.L.C

Client Number: 26-3514 Report Number: 24-04-04391

Project/Test Address: 168765; GFC; 4300 Goodfellow Blvd

| Lab Sample Number | Client Sample Number | Analyte: | Wipe Area (ft²) | Total Metal (ug) | Concentration (ug/ft²) | Narrative ID |
|----------------------|-------------------------|---------------|--------------------|---------------------|------------------------|-----------------|
| | | Lead (Pb) | 1.00 | <0.500 | <0.50 | |
| | | Selenium (Se) | 1.00 | <2.50 | <2.5 | |
| | | Silver (Ag) | 1.00 | <0.500 | <0.50 | |
| Sample Narrat | tives. | | | | | |

Analyst: Max Dichek

Method: EPA SW846 3050B/6010D

(b) (6)

Reviewed By Authorized Signatory:

Tasha Eaddy QA/QC Clerk

Sample Results denoted with a "less than" (<) sign contains less than the reporting limit based on a 50mL volume. The reporting limit for Lead is 0.5ug.

The condition of the samples analyzed was acceptable upon receipt per laboratory protocol unless otherwise noted on this report. Results represent the analysis of samples submitted by the client. Unless otherwise noted, samples are reported without a dry weight correction. Sample location, description, area, volume, etc., was provided by the client. If the report does not contain the result for a field blank, it is due to the fact that the client did not include a field blank with their samples. These sample results do not reflect blank correction. This report shall not be reproduced except in full, without the written consent of Environmental Hazards Services, L.L.C.

 Legend
 ug = microgram
 ug/ft² = micrograms per square foot

 mL = milliliter
 ft² = square foot

ENVIRONMENTAL HAZARDS SERVICES, LLC

Pg of Metals Chain of Custody Form 26-3514 Burns & McDonnell Account # Company Name City/State/Zip Kansas City, MO 64114 Company Address 9400 Ward Parkway Email alanstaett@burnsmcd.com Phone 314-302-4661 Project Name / Testing Address | GFC / 4300 Goodfellow Blvd Collected By A, Anstalt 168765 PO Number Turn-Around Time 1 5 DAY 2 DAY 1 DAY SAME DAY OR WEEKEND - Must Call Ahead C 3 DAY WIPES METALS PARTICULATES AIR Welding Fume Profile Total Total Nuisance Dust Time **TSP Gravimetric** 1881 K Client Collection TX 11 TCLP CA 17 Total AREA TSP Pb PM- 10 Pb TCLP Other Circle The Unit of Date & Time Sample ID Metals Affirms Ag, As, Ba, Cd, Cr, Pb, Se 627 107-A-014/25 242 1252 107-A-02 4/25 0850 · 107-W-01 4/24 1117 NA × NA 12 x12 107-W-02 4126 1122 Х Time: 1030 A. Anstall Released By: Signature: LAB USE ONLY - BELOW THIS LINE Received By: 24-04-04391 Signature: Time: Due Date: 05/07/2024 Portal Contact Added (Tuesday) EL MM-L 7469 WHITEPINE RD, RICHMOND, VA 23237 (800)-347-4010 RESULTS VIA CLIENT PORTAL AVAILABLE @ www.leadlab.com