

May 20, 2024

Diane Czarnecki Industrial Hygienist Facilities Management Division GSA Public Buildings Service – Heartland Region 2300 Main Street Kansas City, MO 64108

Re: Goodfellow Federal Center – Building 107 Air and Wipe Sampling Evaluation Addendum Project No. 121244

Dear Ms. Czarnecki:

Thank you for the opportunity to provide the General Services Administration (GSA) with the above referenced environmental sampling activities. The following is our report.

INTRODUCTION

As requested, Burns & McDonnell conducted area air sampling and wipe sampling for the presence of seven (7) RCRA metals including arsenic, barium, cadmium, chromium, lead, selenium, and silver within the occupied areas of the first floor of building 107 of the Goodfellow Federal Center located at 4300 Goodfellow Boulevard in St. Louis, Missouri. The purpose of the investigation was to provide ongoing sampling data to monitor conditions at the site. This report serves as an addendum to the *Goodfellow Federal Center – Building 107 Air and Wipe Sampling Evaluation*, dated December 27, 2021.

SAMPLING METHODOLOGY

Dust wipe sampling was conducted in accordance with ASTM Standard E1728: Standard Practice for Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Lead Determination and ASTM Standard D6966: Standard Practice for Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Determination of Metals. ASTM Standards E1728 and D6966 are consistent with the methodology described in the Housing and Urban Development Guidelines-Appendix 13.1 and 40 CFR 745.63. The Brookhaven National Laboratory's Surface Wipe Sampling Procedure (IH75190) was also used as a guideline.

A representative surface area of approximately one square foot (1 SF) was measured and delineated. The dust wipe samples were collected using dedicated dust wipe cloths meeting ASTM E1792 Standard. Each dust wipe cloth was pre-moistened and individually wrapped. Each sample was collected by wiping in a back and forth "S" pattern over a measured sampling area using a clean, disposable glove. Then, the wipe was folded over itself and the area was wiped again in a direction perpendicular to the first wipe orientation. Then, the wipe folded over itself again and the area was wiped around the perimeter. The wipe sample was then placed into a labeled, clean container.



Diane Czarnecki Facilities Management Division May 20, 2024 Page 2

Air samples for RCRA metals were collected on 37-millimeter (mm) cassettes with 0.8 micrometer (µm) mixed cellulose ester (MCE) filters, using powered air sampling pumps, in accordance with the National Institute for Occupational Safety and Health (NIOSH) Method 7300. The sampling strategy included collecting a minimum sample volume of 500 liters based on the calibrated pump flow rate and sample duration.

All samples were submitted under chain-of-custody to Environmental Hazards Services, LLC (EHS) in Richmond, Virginia for independent analysis of 7 RCRA metals. Air samples were analyzed by Inductively Coupled Plasma (ICP) according to NIOSH method 7300. Wipe samples were analyzed according to Environmental Protection Agency (EPA) method SW846-3050B/6010D. EHS is accredited under the American Industrial Hygiene Association (AIHA) Industrial Hygiene Laboratory Accreditation Program (IHLAP) program, identification number LAP-100420.

SAMPLE SUMMARY AND RESULTS

Air and wipe samples were collected on May 9, 2024 by Tasnima Uddin of Burns & McDonnell.

One (1) air sample was collected on the 1st floor, room 102, from the top of the desk in the southwest corner. All analytes were below laboratory reporting limits. The complete air sampling laboratory report from EHS is included as Appendix A.

One (1) wipe sample was collected on the 1st floor, room 100, from the top of the metal cabinet in the southeast corner of the room. Barium was detected at a concentration of 2.9 micrograms per square foot (μ g/sq. ft.), below the Clean Area Limit of 3,094 μ g/sq. ft. All other analytes were below laboratory reporting limits. The complete wipe sampling laboratory report from EHS is included as Appendix B.

LIMITATIONS

The scope of this assessment was limited in nature. Burns & McDonnell collected samples from a representative number of surfaces in an effort to minimize cost while providing a general overview of site conditions. Sample locations do not encompass all surfaces at the site. Additionally, samples were only analyzed for a select number of potential contaminants. Burns & McDonnell is not responsible for potential contaminants not identified in this report.

Burns & McDonnell appreciates the opportunity to work for GSA on this project. Please contact us if you have any questions regarding this report or if we may be of any additional service.



Diane Czarnecki Facilities Management Division May 20, 2024 Page 3

Sincerely,



Matt Shanahan, CHMM Project Manager

Attachments:

Appendix A – Air Sampling Laboratory Report Appendix B – Wipe Sampling Laboratory Report

Information in Appendices A and B are not accessible for people using screen reader technology. If this information is required, it can be furnished upon request by contacting 816-223-6198 or r6environmental@gsa.gov.





7469 Whitepine Rd North Chesterfield, VA 23237 Telephone: 800.347.4010

Air Metals Analysis Report

Client: Burns & McDonnell Engineering

Report Number:

24-05-02086

9400 Ward Pkwy. Kansas City, MO 64114

Received Date:

05/13/2024

Reported Date:

05/16/2024

Project/Test Address: 168765; GFC/ 4300 Goodfellow Blvd.

Client Number:

26-3514

Laboratory Results

Fax Number: 816-822-3494

			_				
Lab Sample Number	Client Sample Number	Analyzed Date	Analyte	Air Volume (L)	Total Metal (ug)	Concentration (ug/m³)	Narrative ID
24-05-02086-001	107-A-01	05/16/2024	Arsenic (As)	6036	<0.15	<0.025	
			Barium (Ba)		<0.15	<0.025	
			Cadmium (Cd)		<0.030	<0.0050	
			Chromium (Cr)		<0.75	<0.13	
			Lead (Pb)		<0.15	<0.025	
			Selenium (Se)		<0.75	<0.13	
			Silver (Ag)		<0.15	<0.025	
24-05-02086-002	107-A-02	05/16/2024	Arsenic (As)		<0.15		
			Barium (Ba)		<0.15		
			Cadmium (Cd)		<0.030		
			Chromium (Cr)		<0.75		
			Lead (Pb)		<0.15		
			Selenium (Se)		<0.75		
			Silver (Ag)		<0.15		

Environmental Hazards Services, L.L.C

Client Number: 26-3514 Report Number: 24-05-02086

Project/Test Address: 168765; GFC/ 4300 Goodfellow Blvd.

Lab Sample Client Sample Analyzed Analyte Air Total Metal Concentration Narrative Number Date Volume (L) (ug) (ug/m³) ID

Sample Narratives:

Method: NIOSH 7300M Analyst: Carlos Gonzalez

(b) (6)

Reviewed By Authorized Signatory:

Tasha Eaddy QA/QC Clerk

Sample Results denoted with a "less than" (<) sign contains less than the reporting limit for each particular metal, based on a 15mL volume. The reporting limit is 0.03ug for Cadmium, 0.15ug for Arsenic, Barium, Lead and Silver, and 0.75ug for Chromium and Selenium.

The condition of the samples analyzed was acceptable upon receipt per laboratory protocol unless otherwise noted on this report. Results represent the analysis of samples submitted by the client. Unless otherwise noted, samples are reported without a dry weight correction. Sample location, description, area, volume, etc., was provided by the client. If the report does not contain the result for a field blank, it is due to the fact that the client did not include a field blank with their samples. These sample results do not reflect blank correction. This report shall not be reproduced except in full, without the written consent of Environmental Hazards Services, L.L.C.

LEGEND ug = microgram ug/m³ = micrograms per cubic meter

mL = milliliter L= Liters

ENVIRONIVIEN IAL HAZAKUS SEKVICES, LLC

			Vle	tal	s (Ch	air	10	fC	Custody	F	orm	1			distribution of the second	Pg	10	1
	Company Name	Burns & McD	onn	ell		.,							unt#			3514			ge yes, o es an an an analysis of a first see
C	ompany Address	9400 Ward P	ark	way	/		······································				City	/Sta	te/Zip		-,	sas City		,	The state of the s
	Phone					apon, pro commo al							Email	í	ilai	nstaett@	Dburr	ismcd.	com
F	Project Name / Te	sting Address G	FC.	43	00 (Goo	dfe	llov	/ Bl	vd	•								
	PO Number	168765							Co	llected By	7.	· U	lli	n					
TE	urn-Around Time	S DAY		X 3	DAY			2 D	ΑY	1 DA	Y		SAN	VIE C	ΑΥ	OR WEEK	(END -	Must C	all Ahead
	As what photo depth is proposed.		diametric and Code Services		M	ЕТА	LS					P,	ARTIC	JLAT	ES		AIR		WIPES
AS NUIDASI R.	Client	Collection	2	00 V	ota)	Profile	Profile	d	tai			e Dust	Dust	etric	And the state of t	Total Time	Flow Rate	Val.	AREA
N \$P.S	Sample ID	Date & Time	PIS TCLP	TCLP RCRA 8	RCRA 8 Total	Toxic Metal Profile	Welding Fume Profile	TX 11 TCLP	CA 17 Total	Other Metals		Total Nuisance Dust	Respirable Dust	TSP-Gravimetric	OF PA	PM- 10	Linin.	Total Liters	Circle The Unit of Messurement Used
			<u> </u>							Ag. As, Ba, Cd, Pb, Se	Cr,				-	sulo		6036	· · · · · · · · · · · · · · · · · · ·
		5/9/24 1230		- Laboratoria						Pb, Se					-	340		0030	X
		5/9/54 1230			1														
•		5/9/24 0800			-						·			-	+				12×12
4	107-W-02	5/9/24 8610						er en		· b				-	-			and our or reserve	NAXNA
1			-														÷		x
,												1000000							X
			1	-		:									1		2		; ×
	,			9													-	Principle of the Control Control	X X
1	0																		X
				-			-								1			Charles Service Conference Confer	×
	2				1						-			i				agaman (farman magaman) a sa man'n ini) ma	X
	1		-	<u> </u>	+				1	and figure and the second contract of the sec	hadid acad dad solvadila la								X
	9			İ	-				-										X
	6		-	+	-	-	1												X
	Released By:	T. Ud din (b) (6)				·				Date:	5	91	24			Time	15	.50	
manners	Signature:						LAB U	15E O	NLY -	- BELOW THIS LI	NE								
Re	ceived By	umph	5	0	_	+	inger-transition	-					THE REAL PROPERTY AND ADDRESS OF THE PERSON NAMED IN COLUMN 1		1000	24-05-	020	36 #######	
Sig	nature:			4				grinning in security in						NAME OF TAXABLE PARTY O		A PARTICIPATION OF THE PARTICI	CONSTRUCTION		MANAGEMENT OF THE PROPERTY OF
Da	te: <u>5</u> / 13	3,24 Time	:	L		20)			AM P	M					Due Di 05/16/			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	Portal Contac	Added								,						(Thurs EL	day)	М	M-L
5		INE RD, RICHMONE LIENT PORTAL AV					NO DESCRIPTION OF THE PERSON O	nonemental i	Assemble consumer	one and the second			1						Laborated and the second secon





7469 Whitepine Rd North Chesterfield, VA 23237 Telephone: 800.347.4010

Wipe Metals Analysis Report

Client: Burns & McDonnell Engineering

9400 Ward Pkwy.

Kansas City, MO 64114

Report Number:

24-05-02088

Received Date: Analyzed Date: 05/13/2024

Reported Date:

05/16/2024 05/17/2024

Project/Test Address: 168765; GFC/ 4300 Goodfellow

<u>Client Number:</u>

26-3514

Laboratory Results

Fax Number: 816-822-3494

Lab Sample Number	Client Sample Number	Analyte:	Wipe Area (ft²)	Total Metal (ug)	Concentration (ug/ft²)	Narrative ID
24-05-02088-001	107-W-01	Arsenic (As)	1.00	<2.50	<2.5	L01
		Barium (Ba)	1.00	2.92	2.9	L01
		Cadmium (Cd)	1.00	<0.100	<0.10	L01
		Chromium (Cr)	1.00	<1.00	<1.0	L01
		Lead (Pb)	1.00	<0.500	<0.50	L01
		Selenium (Se)	1.00	<2.50	<2.5	L01
		Silver (Ag)	1.00	<0.500	<0.50	L01
24-05-02088-002	107-W-02	Arsenic (As)		<2.50		L01
		Barium (Ba)		<0.500		L01
		Cadmium (Cd)		<0.100		L01
		Chromium (Cr)		<1.00		L01

Environmental Hazards Services, L.L.C

Client Number:

26-3514

Report Number:

24-05-02088

Project/Test Address: 168765; GFC/ 4300 Goodfellow

Lab Sample Number	Client Sample Number	Analyte:	Wipe Area (ft²)	Total Metal (ug)	Concentration (ug/ft²)	Narrative ID
		Lead (Pb)		<0.500		L01
		Selenium (Se)		<2.50		L01
		Silver (Ag)		<0.500		L01
Sample Narrat	tives.					

LCS and LCSD percent recovery for Se were outside of acceptance limits. L01:

Analyst: Carlos Gonzalez

Method: EPA SW846 3050B/6010D

Reviewed By Authorized Signatory:

Tasha Eaddy QA/QC Clerk

Sample Results denoted with a "less than" (<) sign contains less than the reporting limit based on a 50mL volume. The reporting limit for Lead is 0.5ug.

The condition of the samples analyzed was acceptable upon receipt per laboratory protocol unless otherwise noted on this report. Results represent the analysis of samples submitted by the client. Unless otherwise noted, samples are reported without a dry weight correction. Sample location, description, area, volume, etc., was provided by the client. If the report does not contain the result for a field blank, it is due to the fact that the client did not include a field blank with their samples. These sample results do not reflect blank correction. This report shall not be reproduced except in full, without the written consent of Environmental Hazards Services, L.L.C.

Legend ug = microgram ug/ft2 = micrograms per square foot mL = milliliter ft2 = square foot

ENVIRONMENTAL HAZARDS SERVICES, LLC

Metals Chain of Custody Form Pg 1 of 1 26-3514 Account # Burns & McDonnell Company Name Kansas City, MO 64114 City/State/Zip 9400 Ward Parkway Company Address Email alanstaett@burnsmcd.com 314-302-4661 Project Name / Testing Address | GFC / 4300 Goodfellow Blvd T. Uldin Collected By 168765 PO Number X3 DAY Turn-Around Time SAME DAY OR WEEKEND - Must Call Ahead 2 DAY 1 DAY C 5 DAY WIPES PARTICULATES **METALS** Flow Welding Fume Profile **Total Nuisance Dust Foxic Metal Profile** Respirable Dust TSP Gravimetric Time Rate Client Collection RCRA 8 Total Total TCLP RCRA 8 TX 11 TCLP Pb TCLP 96 Other Date & Time Sample ID TSP Metals Mins. Ag. As. Ba, Cd, Cr, Pb, Se 603b 240 107-A-01 5/9/24 1230 107-A-02 5/9/24 1230 107-W-01 5/9/24 0800 12 12 107-W-02 5/9/24 8610 5/9/24 Released By: T. Ud din Signature: LAB USE ONLY - BELOW THIS LINE 24-05-02088 Received By Due Date: 05/20/2024 (Monday) Portal Contact Added MM-L EL 7469 WHITEPINE RD, RICHMOND, VA 23237 (800)-347-4010 FRESULTS VIA CLIENT PORTAL AVAILABLE @ www.leadlab.com