

August 23, 2022

Diane Czarnecki Industrial Hygienist Facilities Management Division GSA Public Buildings Service – Heartland Region 2300 Main Street Kansas City, MO 64108

Re: Goodfellow Federal Center –Building 104 Air and Wipe Sampling Evaluation Addendum Project No. 121244

Dear Ms. Czarnecki:

Thank you for the opportunity to provide the General Services Administration (GSA) with the above referenced environmental sampling activities. The following is our report.

INTRODUCTION

As requested, Burns & McDonnell conducted area air sampling and wipe sampling for the presence of seven (7) RCRA metals including arsenic, barium, cadmium, chromium, lead, selenium, and silver within the data center of the second floor of building 104 of the Goodfellow Federal Center located at 4300 Goodfellow Boulevard in St. Louis, Missouri. The purpose of the investigation was to provide ongoing sampling data to monitor conditions at the site. This report serves as an addendum to the *Goodfellow Federal Center – Building 104 Air and Wipe Sampling Evaluation*, dated February 16, 2021.

SAMPLING METHODOLOGY

Dust wipe sampling was conducted in accordance with ASTM Standard E1728: Standard Practice for Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Lead Determination and ASTM Standard D6966: Standard Practice for Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Determination of Metals. ASTM Standards E1728 and D6966 are consistent with the methodology described in the Housing and Urban Development Guidelines-Appendix 13.1 and 40 CFR 745.63. The Brookhaven National Laboratory's Surface Wipe Sampling Procedure (IH75190) was also used as a guideline.

A representative surface area of approximately one square foot (1 SF) was measured and delineated. The dust wipe samples were collected using dedicated dust wipe cloths meeting ASTM E1792 Standard. Each dust wipe cloth was pre-moistened and individually wrapped. Each sample was collected by wiping in a back and forth "S" pattern over a measured sampling area using a clean, disposable glove. Then, the wipe was folded over itself and the area was wiped again in a direction perpendicular to the first wipe orientation. Then, the wipe folded over itself again and the area was wiped around the perimeter. The wipe sample was then placed into a labeled, clean container.



Diane Czarnecki Facilities Management Division August 23, 2022 Page 2

Air samples for RCRA metals were collected on 37-millimeter (mm) cassettes with 0.8 micrometer (µm) mixed cellulose ester (MCE) filters, using powered air sampling pumps, in accordance with the National Institute for Occupational Safety and Health (NIOSH) Method 7300. The sampling strategy included collecting a minimum sample volume of 500 liters based on the calibrated pump flow rate and sample duration.

All samples were submitted under chain-of-custody to Environmental Hazards Services, LLC (EHS) in Richmond, Virginia for independent analysis of 7 RCRA metals. Air samples were analyzed by Inductively Coupled Plasma (ICP) according to NIOSH method 7300. Wipe samples were analyzed according to Environmental Protection Agency (EPA) method SW846-3050B/6010D. EHS is accredited under the American Industrial Hygiene Association (AIHA) Industrial Hygiene Laboratory Accreditation Program (IHLAP) program, identification number LAP-100420.

SAMPLE SUMMARY AND RESULTS

Air and wipe sample(s) were collected on June 27, 2022, by Ashley Anstaett of Burns & McDonnell.

One (1) air sample was collected on June 27, 2022. The sample was collected on the 2nd floor data center, on a desk at column D10. All analytes were below laboratory reporting limits. The complete air sampling laboratory reports from EHS are included as Appendix A.

Three (3) wipe samples were collected on June 27, 2022. The sample location and results are listed below. The complete wipe sampling laboratory report from EHS is included in Appendix B.

- 2nd floor, data center, subfloor between columns E2 and D2
 - o Arsenic, selenium, and silver were all below laboratory reporting limits
 - o Barium was detected at 810 micrograms per square foot ($\mu g/sq.$ ft), below the clean area limit of 3,094 $\mu g/sq.$ ft
 - o Cadmium was detected at 0.87 μg/sq. ft, below the clean area limit of 31 μg/sq. ft
 - o Chromium was detected at 3.2 μ g/sq. ft, below the clean area limit of 3,094 μ g/sq. ft
 - ο Lead was detected at 18 µg/sq. ft, above the clean area limit of 10 µg/sq. ft
- 2nd floor, data center, top of orange chair at column B2



Diane Czarnecki Facilities Management Division August 23, 2022 Page 3

- o Arsenic, selenium, and silver were all below laboratory reporting limits
- o Barium was detected at 6.9 micrograms per square foot (μ g/sq. ft), below the clean area limit of 3,094 μ g/sq. ft
- o Cadmium was detected at 10 µg/sq. ft, below the clean area limit of 31 µg/sq. ft
- o Chromium was detected at 2.1 μ g/sq. ft, below the clean area limit of 3,094 μ g/sq. ft
- o Lead was detected at 16 μg/sq. ft, above the clean area limit of 10 μg/sq. ft
- 2nd floor, data center, room 2, subfloor at column D6
 - o Arsenic and selenium were below laboratory reporting limits
 - o Barium was detected at 340 micrograms per square foot (μ g/sq. ft), below the clean area limit of 3,094 μ g/sq. ft
 - o Cadmium was detected at 3.4 μg/sq. ft, below the clean area limit of 31 μg/sq. ft
 - o Chromium was detected at 17 μ g/sq. ft, below the clean area limit of 3,094 μ g/sq. ft
 - o Lead was detected at 110 μg/sq. ft, above the clean area limit of 10 μg/sq. ft
 - o Silver was detected at 3.9 μg/sq. ft, below the clean area limit of 62 μg/sq. ft

Barium, Cadmium, Chromium, Lead, and Silver were detected in the field blank at concentrations of $182~\mu g$, $1.62~\mu g$, $9.66~\mu g$, $45.8~\mu g$, and $3.84~\mu g$, respectively. A blank correction was not applied to sampling results.

LIMITATIONS

The scope of this assessment was limited in nature. Burns & McDonnell collected samples from a representative number of surfaces in an effort to minimize cost while providing a general overview of site conditions. Sample locations do not encompass all surfaces at the site. Additionally, samples were only analyzed for a select number of potential contaminants. Burns & McDonnell is not responsible for potential contaminants not identified in this report.

Burns & McDonnell appreciates the opportunity to work for GSA on this project. Please contact us if you have any questions regarding this report or if we may be of any additional service.



Diane Czarnecki Facilities Management Division August 23, 2022 Page 4

Sincerely,



Matt Shanahan, CHMM Project Manager

Attachments:

Appendix A – Air Sampling Laboratory Report Appendix B – Wipe Sampling Laboratory Report

Information in Appendices A and B are not accessible for people using screen reader technology. If this information is required, it can be furnished upon request by contacting 816-223-6198 or r6environmental@gsa.gov.





Environmental Hazards Services, L.L.C. 7469 Whitepine Rd Richmond, VA 23237

Telephone: 800.347.4010

Air Metals Analysis Report

Client: Burns & McDonnell Engineering

9400 Ward Pkwy.

Kansas City, MO 64114

Report Number: 22-06-05504

Received Date:

06/29/2022

Reported Date:

07/01/2022

Project/Test Address: 168765; GFC; 4300 Goodfellow Blvd

Client Number: 26-3514 Laboratory Results

Fax Number: 816-822-3494

Lab Sample Number	Client Sample Number	Analyzed Date	Analyte	Air Volume (L)	Total Metal (ug)	Concentration (ug/m³)	Narrative ID
22-06-05504-001	104-A-01	06/30/2022	Arsenic (As)	575	<0.15	<0.27	
			Barium (Ba)		<0.15	<0.27	
			Cadmium (Cd)	Cadmium (Cd)		<0.053	
			Chromium (Cr)		<0.75	<1.4	
			Lead (Pb)		<0.15	<0.27	
			Selenium (Se)		<0.75	<1.4	
			Silver (Ag)		<0.15	<0.27	

Environmental Hazards Services, L.L.C

Client Number: 26-3514 Report Number: 22-06-05504

Project/Test Address: 168765; GFC; 4300 Goodfellow Blvd

Lab Sample Client Sample Analyzed Analyte Air Total Metal Concentration Narrative Number Date Volume (L) (ug) (ug/m³) ID

Sample Narratives:

Method: NIOSH 7300M Analyst: Carlos Gonzalez

(b) (6)

Reviewed By Authorized Signatory:

Tasha Eaddy QA/QC Clerk

Sample Results denoted with a "less than" (<) sign contains less than the reporting limit for each particular metal, based on a 15mL volume. The reporting limit is 0.03ug for Cadmium, 0.15ug for Arsenic, Barium, Lead and Silver, and 0.75ug for Chromium and Selenium.

The condition of the samples analyzed was acceptable upon receipt per laboratory protocol unless otherwise noted on this report. Results represent the analysis of samples submitted by the client. Unless otherwise noted, samples are reported without a dry weight correction. Sample location, description, area, volume, etc., was provided by the client. If the report does not contain the result for a field blank, it is due to the fact that the client did not include a field blank with their samples. These sample results do not reflect blank correction. This report shall not be reproduced except in full, without the written consent of Environmental Hazards Services, L.L.C. NY ELAP #11714.

LEGEND ug = microgram ug/m³ = micrograms per cubic meter

mL = milliliter L= Liters

ENVIRONMENTAL HAZARDS SERVICES, LLC

			М	eta	ıls	Cł	nai	n c	of (Custody	y F	orr	n					Pg		of	_
	Company Name	Burns & M	Account # 26-3514																		
Co	mpany Address			City/State/Zip Kansas City, MO 64114																	
	Phone	314-302-4		Email eapulcher@burnsmcd.com																	
. P	roject Name / Te	Testing Address GFC / 4300 Goodfellow Blvd																			
	PO Number								C	ollected By	As	nle	4	A	ทร	to	ett.				
Tu	rn-Around Time	THE STATE OF THE STATE OF THE SAME DAY OF WEEKEND - MI											Must C	all Ahea	ad						
					М	ETA	LS				PARTICUL			ATES	5	AIR			WIPE	S	
AB NUMBER	Client	Collection		.A 8	otal	Profile	e Profile	J.P	otai	,		ce Dust	Dust	etric			Total Time	Flow Rate	Vol.	ARE	Α
Š	Sample ID	Date & Time	a DT 40	TCLP RCRA 8	RCRA 8 Total	Toxic Metal Profile	Welding Fume Profile	TX 11 TCLP	CA 17 Total	Other Metals		Total Nuisance Dust	Respirable Dust	TSP Gravimetric	TSP Pb	PM- 10	Mins.	L/hain.	Total Liters	Circle The Measureme Cm or	int Used
1 (104-A-01%	6/27/22 069	54		ļ <u> </u>				:	Ag, As, Ba, Cd, Pb, Se	Cr,	1					221	2.6	575	х	
2	NA A SAMPRENCE SAMPLE									1	· · · · · · · · · · · · · · · · · · ·									х	
3	104-W-01	W 27/22 070) I														•			12 x	(2
4	-02	070)7																	12 ×	
5	-03	1 07	8																	12 ×	
e																				х	
7																				×	
s																				x	
9 .																				×	
10																				×	
11				<u> </u>					_											×	
12				ļ <u> </u>			Ì											<u> </u>		×	
13								\neg												×	
14				<u> </u>					···-											×	
15			-										\neg		\dashv						
	Released By:	Emilu Pul	daux	<u></u>	!					Date:	612	28/2	 22				Time:	110	$\overline{\mathcal{D}}$		
		b) (6)										~ , , ,						1 1 40 -			
						L	AB US	SE ON	ILY –	BELOW THIS LIN	1E										
Recei	(1.)	Natker	-				• •									2	2-06-0	0550	4		
Signat	,	0.00		$\overline{\bigcirc}$																	
Date:	10/29	I do Tin	ne:	<u>()</u>	_:_	3	<u>()</u>	_		ам 🗆 рм	1						Due Da 7/07/2				
_	ortal Contact A															(Thurso EL	day)	M	M-L	
	RESULTS VIA CLIENT PORTAL AVAILABLE @ www.leadlab.com																				





Environmental Hazards Services, L.L.C. 7469 Whitepine Rd Richmond, VA 23237

Telephone: 800.347.4010

Client:

Report Number: 22-06-05512

9400 Ward Pkwy.

Kansas City, MO 64114

Received Date: 06/29/2022 Analyzed Date: 07/02/2022

Wipe Metals Analysis Report

Reported Date: 07/07/2022

Project/Test Address: 168765; GFC; 4300 Goodfellow Blvd

Burns & McDonnell Engineering

Client Number: 26-3514 Laboratory Results Fax Number: 816-822-3494

Lab Sample Number	Client Sample Number	Analyte:	Wipe Area (ft²)	Total Metal (ug)	Concentration (ug/ft²)	Narrative ID
22-06-05512-001	104-W-01	Arsenic (As)	1.00	<2.50	<2.5	
		Barium (Ba)	1.00	808	810	
		Cadmium (Cd)	1.00	0.870	0.87	
		Chromium (Cr)	1.00	3.22	3.2	
		Lead (Pb)	1.00	17.9	18	
		Selenium (Se)	1.00	<2.50	<2.5	
		Silver (Ag)	1.00	<0.500	<0.50	
22-06-05512-002	104-W-02	Arsenic (As)	1.00	<2.50	<2.5	
		Barium (Ba)	1.00	6.94	6.9	
		Cadmium (Cd)	1.00	10.2	10	
		Chromium (Cr)	1.00	2.06	2.1	

Environmental Hazards Services, L.L.C

Client Number:

26-3514

20 3314

Report Number:

22-06-05512

Project/Test Address:	168765; GFC; 4300 Goodfellow Blvd
-----------------------	-----------------------------------

Lab Sample Number	Client Sample Number	Analyte:	Wipe Area (ft²)	Total Metal (ug)	Concentration (ug/ft²)	Narrative ID
		Lead (Pb)	1.00	15.8	16	
		Selenium (Se)	1.00	<2.50	<2.5	
		Silver (Ag)	1.00	<0.500	<0.50	
22-06-05512-003	104-W-03	Arsenic (As)	1.00	<2.50	<2.5	
		Barium (Ba)	1.00	336	340	
		Cadmium (Cd)	1.00	3.40	3.4	
		Chromium (Cr)	1.00	17.4	17	
		Lead (Pb)	1.00	114	110	
		Selenium (Se)	1.00	<2.50	<2.5	
		Silver (Ag)	1.00	3.87	3.9	
22-06-05512-004	104-W-04	Arsenic (As)		<2.50		
		Barium (Ba)		182		
		Cadmium (Cd)		1.62		
		Chromium (Cr)		9.66		
		Lead (Pb)		45.8		
		Selenium (Se)		<2.50		
		Silver (Ag)		3.84		

Environmental Hazards Services, L.L.C

Client Number: 26-3514 Report Number: 22-06-05512

Project/Test Address: 168765; GFC; 4300 Goodfellow Blvd

Lab Sample Client Sample Analyte: Wipe Area Total Metal Concentration Narrative Number (ft²) (ug) (ug/ft²) ID

Sample Narratives:

Analyst: Anthony Dee

Method: Mercury (Hg): EPA SW846 7471B

All other metals: EPA SW846 3050B/6010D

Reviewed By Authorized Signatory:

Tasha Eaddy QA/QC Clerk

Sample Results denoted with a "less than" (<) sign contains less than the reporting limit for each particular metal, based on a 100mL volume. The reporting limit for Mercury is 0.10ug, Aluminum, Iron and Zinc are 50ug, Antimony and Selenium are 5.0ug and 2.0ug for all other metals.

The condition of the samples analyzed was acceptable upon receipt per laboratory protocol unless otherwise noted on this report. Results represent the analysis of samples submitted by the client. Unless otherwise noted, samples are reported without a dry weight correction. Sample location, description, area, volume, etc., was provided by the client. If the report does not contain the result for a field blank, it is due to the fact that the client did not include a field blank with their samples. These sample results do not reflect blank correction. This report shall not be reproduced except in full, without the written consent of Environmental Hazards Services, L.L.C. NY ELAP #11714.

Legend ug = microgram ug/ft² = micrograms per square foot

mL = milliliter $ft^2 = square foot$

ENVIRONMENTAL HAZARDS SERVICES, LLC

١		Company Name	Burns & M		<u> </u>	aio		па	1111	<u> </u>	Custody	у⊢	orn	<u>ገ</u>					F	g_	of	_
	C	ompany Address	pany Address 9400 Ward Barlaun														26-3514					
	_	Phone	+	1	KVV.	<u> </u>						City		∸								
	F	roject Name / Te			GFC / 4300 Goodfellow Blvd									Email eapuicher@burnsmcd.c								
		PO Number	168765		GIIC			Ashley Anstaett														
	Tu	rn-Around Time	 							ollected BA	HSV									<u> </u>		
			5 DAY C			C 3 DAY C 2 DAY C 1 DA				lΥ	(-	SA	ME	DΑ	Y OF	R WEE	EKEND - Must (Cail Ahe	ad		
			· · · · · · · · · · · · · · · · · · ·	T	METAL							T					T					
				ļ	, -	7 7 7		4L2	,				PARTICUL			ATES			AIR		WIP	ES
	A& NUMBER	Client	Collection	.			ije Vije	Welding Fume Profile		_	,		ust	ايد	ان		_	Total	Flow	Val,	 	
	ž	Sample ID	Date & Time	Pb TCLP	TCLP RCRA 8	RCRA 8 Total	Toxic Metal Profile	meP	TX 11 TCLP	Total	Other		Total Nuisance Dust	Kespirable Dust	TSP Gravimetric	ام		Time	Rate		ARE	
				9	CLP	CR.A	GMe	ing Fi	<u>\</u>	8 2	Metals		Nuisa	g	Grav	TSP Pb	PM- 10	Mins,		Total	Circle The Measureme	Unit o
					_	-	Tox	Weld	_				otal ,	<u>ş</u>	회			IVIIIIS,	L/min.	Liters	Çm a	(h)
	1	104-A-01 6	127/22 0654	! _		-		_		_	Ag, As, Ba, Cd, C Pb, Se	or,	+	+	+		+				<u> </u>	
	2										г <u>ь, зе</u>				+	+	. 2	21	2.60	5 75	х	
	3	104-W-01 b	127/22 0701							-			_ -	┨	+-	+	+			<u> </u>	X	
	4	-02	7070				_	_					+-	十	-	-	+-	_			12 x	
	s	<u>-03 🖟</u>	J 0718							-				╁╴		+	+				12 ×	
1	5 <u> </u>	104 W-04	- Extra	30	m	é	vík						+	†-		╁-	+	-			12 ×	12
	' -				1				5	22	0	+		1-		+-	+				X	
] ;	'						\Box							†	+	 	+				x x	
	-				_	_						1	\top	1	-		+-				^	
1 10	\vdash			 	_		_ .	_	_			_			†	\vdash	+				x	
11	-	·		+ +				\perp	_						-		 				-	
12	\vdash				_ -	_	_ -	_	_	_											x	
13	-			-+	_	\perp	_	_	_												×	
15	-			-	+	+	+	1	_	1											×	
-	 R	teleased By: T.	0					┙	┙												×	
-		Signature: (b)	volu Yulda <mark>(6)</mark>	ır							Date: 12	128	22				Ti	me:	160	2		
		- grand ci					1 / 1	HCC	ONO		- Contract of the contract of			_		_						
		A 1.	10 Mas				LAE	- 035	ONE	7 BI	LOW THIS LINE											_
Rece	íve	d By:	lalker											() J E		2. 	2-0	16-05	5512			٦
Signa	itur	(-) (-)																				
Date		10,001.	<u> </u>	\mathcal{O})		 ۲۱							1471	11 1 14 1 1 1	1013 30111]	iiiniii Due	Date			Ħ	
Date.		<u> </u>	<u> </u>				$\overline{\mathcal{N}}$	<u>} </u>	[1	м 🗆 РМ							7/20				
[] F	ort	al Contact Add	eđ													(ırsday	y)			
<u>Q</u>	746	59 WHITEPINE RI	D DICUSTONS .			_											E	Ļ		MM-	L	
	ESU	JLTS VIA CLIENT	, αις πινιολίο, \ PORTAL Ανδίι	/A Z3 Arie	237 <i>ര</i> ാ	8) 	(00)-	347- ا - الم	-401 L	.0												
			·	- ,L	ں سے	- vV V	**169	uiai	n.¢0	TI TI			1									
													ш.			_						