

SEVERN
TRENT

STL

STL Chicago
2417 Bond Street
University Park, IL 60466

Tel: 708 534 5200 Fax: 708 534 5211
www.stl-inc.com

SEVERN TRENT LABORATORIES ANALYTICAL REPORT

JOB NUMBER: 223146

Prepared For:

SCS Engineers, Inc.
10401 Holmes Road
Suite 400
Kansas City, MO 64131

Project: GSA - SLOP - Investigation

Attention: David Brewer

Date: 01/28/2004

(b) (6)

Signature

1/28/04

Date

Name: Richard C. Wright

STL Chicago
2417 Bond Street
University Park, IL 60466

Title: Project Manager

E-Mail: rwright@stl-inc.com

PHONE: (708) 534-5200
FAX.: (708) 534-5211

This Report Contains (87) Pages

Severn Trent Laboratories - Chicago
METALS CASE NARRATIVE

Client: SCS Engineers, Inc.
Project, GSA - SLOP
STL#: 223146

Date Rec'd: 12/17/03


1. This narrative covers Metals analysis of samples in the above Job 223146.
Method Refs: USEPA, SW-846
2. All analyses were performed within the required holding times.
3. All Initial and Continuing Calibration Verification (ICV/CCV's) that bracket the samples were within control limits.
4. All Initial and Continuing Calibration Blanks (ICB/CCB's) that bracket the samples were within control limits.
5. All ICP Interference (ICSA/ICSAB) check Standards were within control limits.
6. All Preparation/Method Blanks were less than the Reporting Limit.
7. Laboratory Control Sample (LCS) recoveries were within the 80-120% control limit.
8. Matrix QC performed on Sample 10.

Serial dilution analysis was within control limits.

Matrix Spike recovery was within the 75-125% control limits except for Sb (MS/MSD), Mg, Pb (MS) and Mn (MSD). (Control limits are not applicable when the sample concentration exceeds the spike added concentration by a factor of 4 or more)

Duplicate analysis was within the 20% RPD control limits for sample concentrations greater than 5X the RL or +/- the RL for sample concentrations less than 5X the RL except for Ba, Cr, Co and Mn.

(b) (6)



Jodi L. Wojcik
Metals Unit Leader

12-31-03

Date

Severn Trent Laboratories Chicago
GC/MS Case Narrative

SCS Engineers, Inc.
GSA-SLOP-Investigation
Job Number: 223146
VOA DATA:

1. All sample analyses were performed within the method required 14-day hold time from the date of collection.
2. The Method Blank had all target compounds below the reporting limit.
3. The LCS (Laboratory Control Sample) sample had spike recoveries within the in-house generated QC limits.
4. Matrix Spike/Matrix Spike Duplicate analyses were not performed on this sample set.
5. The volatile samples had surrogate recoveries within the in-house generated QC limits.
6. The soil samples were prepared using the low-level soil and high-level Methanol Method 5035. All samples were analyzed following SW846 Method 8260B and 8000B. All of the calibration criteria were met per method or SOP (for minimum R values for certain compounds). The low point in the initial calibration verifies the base reporting limits. The target compounds were quantitated using the initial calibration.
7. Sample 2 had all internal standards outside recovery limits. The sample was reanalyzed with similar results. The original analysis has been reported. All other volatile samples had internal standard areas and retention times within the SOP acceptance limits as compared to the corresponding calibration verification standard.
8. The soil samples were analyzed using the low-level soil method. Sample 8 was reanalyzed and reported using the high-level Methanol analyses due to both low-level analyses having unusable data. The soil results and reporting limits were adjusted to account for the sample weights the analytical procedure and reported on a dry weight basis.

Jennifer S. O'Gorman
Jennifer S. O'Gorman
GC/MS VOA Dept.

12-31-3
Date

Severn Trent Laboratories - Chicago
GC/MS BNA Case Narrative

SCS Engineering, Inc./GSA – SLOP - Investigation

Job Number: 223146

BNA DATA:

1. All extractions and analyses were performed within recommended hold times.
2. The MB (Method Blank) had all target compounds below the contract required quantitation limit (CRQL).
3. A full list BNA LCS (Laboratory Control Sample) spike solution was spiked in the LCS. In-house statistical recovery limits and the 11 method control compounds were used for QC evaluation. All control spike recoveries were within the QC limits in the LCS.
4. A MS/MSD (Matrix Spike/Matrix Spike Duplicate) analysis was not performed.
5. The BNA surrogate spike solution was spiked in all samples. All samples had all surrogate recoveries within in-house generated QC limits.
6. All analyses were performed following USEPA SW846 8270C protocol. All samples had internal standard areas and retention times within the acceptance limits as compared to the corresponding calibration verification standard.
7. The samples were extracted and analyzed as low-level soils; therefore, normal detection limits apply. The results are on a dry weight basis.

(b) (6)



Gary Rynkar
GC/MS Section Manager

12/30/13

Date

STL Chicago
Extractable Hydrocarbon Case Narrative

SCS Engineering, Inc.
GSA - SLOP - Investigation
Job #: 223146-1 and 11
Diesel Range Organics (DRO)

1. These soil samples were extracted based on SW846 method 3541. The extracts were analyzed for DRO based on SW846 method 8015B. An HP5890 gas chromatograph equipped with a flame ionization detector and an Xti-5 column was used for the analysis.
2. All required holding times were met for the extraction and the analysis.
3. The method blank was below the reporting limit for DRO.
4. The surrogate compounds used for this analysis were o-Terphenyl and 2-Fluorobiphenyl. All surrogate recoveries were within statistical control limits.
5. The blank spike recovery was within statistical control limits. A solution of Diesel Fuel was used for spiking.
6. A matrix spike and a matrix spike duplicate were not performed on either sample.
7. A Diesel Fuel #2 standard was used for quantitating of the DRO results, using a hydrocarbon range from C10 through C28. An alkane standard ranging from C8 through C36 was analyzed for qualitative purposes.
8. All initial and continuing standard calibrations associated with these samples were in control.
9. There was a positive detect in sample 223146-1 for DRO and appears to match a typical fuel type pattern that is "heavier" than Diesel fuel.

(b) (6)


12/30/03
Date

Patti Gibson
Organics Section Manager

Severn Trent Laboratories Chicago
GC Volatile Case Narrative

SCS Engineers, Inc./GSA-SLOP
JOB# 223146
Method - GRO

1. All required holding times were met for the analysis.
2. The MB (Method Blank) sample was clean (no detectable GRO).
3. The surrogate compounds used for this analysis were 4-Bromofluorobenzene and a,a,a-Trifluorotoluene. All samples had all surrogate recoveries within the in-house generated QC limits.
4. All LCS (Laboratory Control Sample) samples had all spike recoveries within the in-house generated QC limits.
5. The MS/MSD (Matrix Spike/Matrix Spike Duplicate) had the spike recoveries and the RPD value within the in-house generated QC limits.
6. All initial calibration and calibration verification standards were within the control limits.
7. The samples were analyzed for Gasoline Range Organics (GRO) based on SW846 methods 5030 and 8015B. A HP 5890 gas chromatograph equipped with a flame-ionization detector (FID) and a Tekmar LSC 2000/2016 ALS was used for the analysis of these samples. The samples were analyzed using the low-level method. All results were reported on a dry-weight basis.

(b) (6)



Gary Rynkar
GC/MS Section Manager

12/31/13

Date

STL Chicago
Explosives Case Narrative

SCS Engineers, Inc.
GSA – SLOP - Investigation
Job #: 223146-4, 5, 6, 7, 9, and 10
Explosives

1. STL Chicago uses the following HPLC systems for analysis of Nitroaromatics and Nitramines:

<u>ID#</u>	<u>INSTRUMENT</u>	<u>COLUMN TYPE</u>	<u>DETECTOR</u>
35	Agilent 1100	C-18	UV – 254nm

2. These samples were extracted and analyzed for explosives based on SW846 method 8330.
3. All required holding times were met for the extraction and analysis.
4. The method blank was below the reporting limit for all target compounds.
5. The surrogate compound used for this analysis was 1,2-Dinitrobenzene (1,2-DNB). All surrogate recoveries were within statistical control limits.
6. All blank spike recoveries were within statistical control limits.
7. A matrix spike and a matrix spike duplicate were performed on sample 223146-4 (SBSS4). All matrix spike and matrix spike duplicate recoveries were within statistical control limits. All RPDs were <30%.
8. All initial and continuing standard calibrations associated with these samples were in control on the primary column (C18).
9. Target compounds were not detected in the primary analysis. Therefore, a second column confirmation was not required.

(b) (6)

Patti Gibson
Organics Section Manager

12/30/03
Date

STL Chicago
PCB Case Narrative

SCS Engineers, Inc.
GSA – SLOP - Investigation
Job #: 223146-1, 2, 3, 8, and 11
PCBs

1. STL Chicago used the following Gas Chromatographic systems for the analysis of PCBs:

ID#	INSTRUMENT	COLUMN TYPE	DETECTOR
41	HP 6890	Rtx-5	Electron Capture
42	HP 6890	Rtx-35	Electron Capture

2. These soil samples were extracted based on SW846 method 3550. All extracts were analyzed for PCBs based on SW846 method 8082. All extracts received a sulfuric acid cleanup and a GPC cleanup in order to reduce matrix interference.
3. All required holding times were met for the extraction and analysis.
4. The method blank was below the reporting limits for all Aroclors.
5. The surrogate compounds used for this analysis were Decachlorobiphenyl (DCB) and Tetrachloro-m-xylene (TCX). All surrogate recoveries were within statistical control limits except sample 223146-1, which had TCX with 122% recovery and DCB with 133% recovery.
6. A solution containing Aroclor 1016 and Aroclor 1260 was used for spiking.
7. The blank spike recoveries were within statistical control limits.
8. A matrix spike and a matrix spike duplicate were not performed on a sample from this SDG.
9. All initial and continuing standard calibrations associated with these samples were in control.
10. Target compounds were not detected in the primary analysis. Therefore, a second column confirmation was not required.

(b) (6)

Patti Gibson
Organics Section Manager

12/30/03

Date

STL Chicago is part of Severn Trent Laboratories, Inc.

S A M P L E I N F O R M A T I O N
Date: 01/28/2004

Job Number.: 223146
Customer...: SCS Engineers, Inc.
Attn.....: David Brewer

Project Number.....: 20002601
Customer Project ID....: GSA - SLOP
Project Description....: GSA - SLOP - Investigation

Laboratory Sample ID	Customer Sample ID	Sample Matrix	Date Sampled	Time Sampled	Date Received	Time Received
223146-1	SB1-SB4	Soil	12/15/2003	15:40	12/17/2003	12:10
223146-2	SB5	Soil	12/15/2003	16:10	12/17/2003	12:10
223146-3	SB6	Soil	12/16/2003	08:20	12/17/2003	12:10
223146-4	SB7	Soil	12/16/2003	08:55	12/17/2003	12:10
223146-5	SB8-SB9	Soil	12/16/2003	09:45	12/17/2003	12:10
223146-6	SB10	Soil	12/16/2003	12:30	12/17/2003	12:10
223146-7	SB11	Soil	12/16/2003	12:50	12/17/2003	12:10
223146-8	SB12	Soil	12/16/2003	13:20	12/17/2003	12:10
223146-9	SB13-SB14	Soil	12/16/2003	14:10	12/17/2003	12:10
223146-10	SB15-SB16	Soil	12/16/2003	14:45	12/17/2003	12:10
223146-11	SB17	Soil	12/16/2003	16:30	12/17/2003	12:10

LABORATORY TEST RESULTS											Date:01/28/2004	
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SIOP		ATTN: David Brewer								
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	
8015B MDRO	TPH - Diesel Range Organics (DRO) Diesel Range Organics (DRO), 3541 Solid*	6.0			2.8	4.5	1.00000	mg/Kg	105778	12/29/03	1321 mgk	
Method	% Solids Determination % Solids, Solid % Moisture, Solid	92.6 7.4			0.10 0.10	0.10 0.10	1	%	105796 105796	12/29/03 12/29/03	2140 lmr 2140 lmr	
8082	PCB Analysis Aroclor 1016, Solid Aroclor 1221, Solid* Aroclor 1232, Solid* Aroclor 1242, Solid* Aroclor 1248, Solid* Aroclor 1254, Solid* Aroclor 1260, Solid*	ND ND ND ND ND ND ND ND	U U U U U U U U	U U U U U U U U	3.1 7.2 3.2 6.8 2.5 2.9 2.7	18 18 18 18 18 18 18 18	1.00000	ug/Kg	105818 105818 105818 105818 105818 105818 105818 105818	12/29/03 12/29/03 12/29/03 12/29/03 12/29/03 12/29/03 12/29/03 12/29/03	1430 mgk 1430 mgk 1430 mgk 1430 mgk 1430 mgk 1430 mgk 1430 mgk 1430 mgk	
7471A	Mercury (CVAA) Solids Mercury, Solid*	0.011	B	0.0046	0.018	1		mg/Kg	105685	12/26/03	1524 gok	
6010B	Metals Analysis (ICAP Trace) Aluminum, Solid* Antimony, Solid* Arsenic, Solid* Barium, Solid* Beryllium, Solid* Cadmium, Solid* Calcium, Solid* Chromium, Solid* Cobalt, Solid*	770 ND 0.81 20 0.047 0.24 370000 6.5 0.49	U U B B B B B B B	U U B B B B B B B	2.2 0.84 0.48 0.15 0.041 0.075 15 0.21 0.13	19 1.9 0.94 0.94 0.37 0.19 47 0.94 0.47	1 1 1 1 1 1 5 1 1	mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg	105896 105896 105896 105896 105896 105896 106067 105896 105896	12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03	0241 0241 0241 0241 0241 0241 0241 0241 0241	tds tds tds tds tds tds tds tds tds

* In Description = Dry Wgt.

LABORATORY TEST RESULTS									
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer		Date: 01/28/2004			
Customer Sample ID: SB1-SB4		Laboratory Sample ID: 223146-1							
Date Sampled.....: 12/15/2003		Date Received.....: 12/17/2003							
Time Sampled.....: 15:40		Time Received.....: 12:10							
Sample Matrix.....: Soil									
TEST/METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH
Copper, Solid*	6.7				0.84	0.94	1	mg/Kg	105896
Iron, Solid*	ND	1200	U		2.8	4.7	1	mg/Kg	105896
Lead, Solid*		5100			2.0	2.3	5	mg/Kg	106067
Magnesium, Solid*		46			1.6	9.4	1	mg/Kg	105896
Manganese, Solid*		4.2			0.12	0.94	1	mg/Kg	105896
Nickel, Solid*		490			0.23	0.94	1	mg/Kg	105896
Potassium, Solid*		3.1	B		13	4.7	1	mg/Kg	106067
Selenium, Solid*					1.9	4.7	5	mg/Kg	105896
Silver, Solid*					0.29	0.47	1	mg/Kg	105896
Sodium, Solid*		ND	310		81	94	1	mg/Kg	105896
Thallium, Solid*			0.93	B	0.62	0.94	1	mg/Kg	105896
Vanadium, Solid*			2.9		0.98	2.3	5	mg/Kg	106067
Zinc, Solid*			9.1		0.37	1.9	1	mg/Kg	105896

* In Description = Dry Wgt.

Job Number: 2233146

Date: 01/28/2006

LABORATORY TEST RESULTS

Customer Sample ID: SB5
Date Sampled.....: 12/15/2003
Time Sampled.....: 16:10
Sample Matrix....: Soil

PROJECT: GSA - SLOP

Laboratory Sample ID: 223146-2
Date Received.....: 12/17/2003
Time Received.....: 12:10

ATTN: David Brewer

PROJECT: GSA - SLOP

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:01/28/2004		
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SHOP		ATTN: David Brewer								
Customer Sample ID: SB5		Laboratory Sample ID: 223146-2		Date Received.....: 12/17/2003		Time Received.....: 12:10						
Date Sampled.....: 12/15/2003												
Time Sampled.....: 16:10												
Sample Matrix.....: Soil												
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Magnesium, Solid*	1800			2.0	12	1	mg/Kg	105896	12/30/03	0248	tds
	Manganese, Solid*	100			0.15	1.2	1	mg/Kg	105896	12/30/03	0248	tds
	Nickel, Solid*	9.7			0.30	1.2	1	mg/Kg	105896	12/30/03	0248	tds
	Potassium, Solid*	400			16	59	1	mg/Kg	105896	12/30/03	0248	tds
	Selenium, Solid*	U			0.47	1.2	1	mg/Kg	106023	12/30/03	1320	tds
	Silver, Solid*	U			0.37	0.59	1	mg/Kg	105896	12/30/03	0248	tds
	Sodium, Solid*	U			100	120	1	mg/Kg	105896	12/30/03	0248	tds
	Thallium, Solid*	ND			0.78	1.2	1	mg/Kg	105896	12/30/03	0248	tds
	Vanadium, Solid*	ND			0.25	0.59	1	mg/Kg	106023	12/30/03	1320	tds
	Zinc, Solid*	17			0.47	2.4	1	mg/Kg	105896	12/30/03	0248	tds
	22											
	Volatile Organics	ND			1.0	7.2	1.000000	ug/Kg	106043	12/22/03	2230	jso
	Dichlorodifluoromethane, Solid*	ND			1.6	7.2	1.000000	ug/Kg	106043	12/22/03	2230	jso
	Chloromethane, Solid*	ND			1.6	7.2	1.000000	ug/Kg	106043	12/22/03	2230	jso
	Vinyl chloride, Solid*	ND			1.9	7.2	1.000000	ug/Kg	106043	12/22/03	2230	jso
	Bromomethane, Solid*	ND			1.4	7.2	1.000000	ug/Kg	106043	12/22/03	2230	jso
	Chloroethane, Solid*	ND			2.0	7.2	1.000000	ug/Kg	106043	12/22/03	2230	jso
	Trichlorofluoromethane, Solid*	ND			1.9	7.2	1.000000	ug/Kg	106043	12/22/03	2230	jso
	1,1-Dichloroethene, Solid*	ND			1.7	7.2	1.000000	ug/Kg	106043	12/22/03	2230	jso
	Carbon disulfide, Solid*	ND			6.6	7.2	1.000000	ug/Kg	106043	12/22/03	2230	jso
	Acetone, Solid*	15			4.2	7.2	1.000000	ug/Kg	106043	12/22/03	2230	jso
	Methylene chloride, Solid*	ND			1.6	7.2	1.000000	ug/Kg	106043	12/22/03	2230	jso
	trans-1,2-Dichloroethene, Solid*	ND			1.4	7.2	1.000000	ug/Kg	106043	12/22/03	2230	jso
	Methyl-tert-butyl-ether (MTBE), Solid*	ND			1.4	7.2	1.000000	ug/Kg	106043	12/22/03	2230	jso
	1,1-Dichloroethane, Solid*	ND			1.4	7.2	1.000000	ug/Kg	106043	12/22/03	2230	jso
	2,2-Dichloropropane, Solid*	ND			1.3	7.2	1.000000	ug/Kg	106043	12/22/03	2230	jso
	cis-1,2-Dichloroethene, Solid*	ND			1.6	7.2	1.000000	ug/Kg	106043	12/22/03	2230	jso
	2-Butanone (MEK), Solid*	ND			5.6	7.2	1.000000	ug/Kg	106043	12/22/03	2230	jso
	Bromoform, Solid*	ND			1.6	7.2	1.000000	ug/Kg	106043	12/22/03	2230	jso

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 223146

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - STOP

Customer Sample ID: SB5
 Date Sampled.....: 12/15/2003
 Time Sampled.....: 16:10
 Sample Matrix.....: Soil

Laboratory Sample ID: 223146-2
 Date Received.....: 12/17/2003
 Time Received.....: 12:10

ATTN: David Brewer

Date:01/28/2004

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chloroform, Solid*	ND	U		1.6	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	1,1,1-Trichloroethane, Solid*	ND	U		1.6	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	1,1-Dichloropropene, Solid*	ND	U		1.7	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	Carbon tetrachloride, Solid*	ND	U		1.6	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	Benzene, Solid*	ND	U		1.6	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	1,2-Dichloroethane, Solid*	ND	U		1.3	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	Trichloroethene, Solid*	ND	U		1.6	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	1,2-Dichloropropane, Solid*	ND	U		1.4	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	Dibromomethane, Solid*	ND	U		1.6	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	Bromodichloromethane, Solid*	ND	U		1.4	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	cis-1,3-Dichloropropene, Solid*	ND	U		1.3	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	4-Methyl-2-pentanone (MIBK), Solid*	ND	U	*	1.4	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	Toluene, Solid*	ND	U		1.6	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	trans-1,3-Dichloropropene, Solid*	ND	U		1.1	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	1,1,2-Trichloroethane, Solid*	ND	U		1.6	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	Tetrachloroethene, Solid*	ND	U		1.7	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	1,3-Dichloropropane, Solid*	ND	U	*	1.3	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	2-Hexanone, Solid*	ND	U		1.6	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	Dibromochloromethane, Solid*	ND	U		1.1	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	1,2-Dibromoethane (EDB), Solid*	ND	U		1.2	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	Chlorobenzene, Solid*	ND	U		1.6	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	1,1,1,2-Tetrachloroethane, Solid*	ND	U		1.6	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	Ethylbenzene, Solid*	ND	U		1.6	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	m&p-Xylenes, Solid*	ND	U		3.3	14	1.00000	ug/Kg	106043	12/22/03	2230	jso
	o-Xylene, Solid*	ND	U		1.6	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	Styrene, Solid*	ND	U		1.6	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	Bromotform, Solid*	ND	U		1.1	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	Isopropylbenzene, Solid*	ND	U		1.6	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	Bromobenzene, Solid*	ND	U		1.4	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date: 01/28/2004			
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - STOP		ATTN: David Brewer									
Customer Sample ID: SB5 Date Sampled.....: 12/15/2003 Time Sampled.....: 16:10 Sample Matrix.....: Soil						Laboratory Sample ID: 223146-2 Date Received.....: 12/17/2003 Time Received.....: 12:10							
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE	RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	1,1,2,2-Tetrachloroethane, Solid*	ND	ND		U	1.4	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	1,2,3-Trichloropropane, Solid*	ND	ND		U	1.6	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	n-Propylbenzene, Solid*	ND	ND		U	1.9	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	2-Chlorotoluene, Solid*	ND	ND		U	1.9	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	1,3,5-Trimethylbenzene, Solid*	ND	ND		U	1.9	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	4-Chlorotoluene, Solid*	ND	ND		U	1.9	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	tert-Butylbenzene, Solid*	ND	ND		U	1.7	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	1,2,4-Trimethylbenzene, Solid*	ND	ND		U	2.0	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	sec-Butylbenzene, Solid*	ND	ND		U	1.7	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	p-Isopropyltoluene, Solid*	ND	ND		U	1.9	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	n-Butylbenzene, Solid*	ND	ND		U	1.9	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	1,2-Dibromo-3-chloropropane, Solid*	ND	ND		U	1.7	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso
	1,2,3-Trichlorobenzene, Solid*	ND	ND		U	2.2	7.2	1.00000	ug/Kg	106043	12/22/03	2230	jso

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:01/28/2004	
CUSTOMER: SSS Engineers, Inc.		PROJECT: GSA - STOP		ATTN: David Brewer							
Customer Sample ID: SB6 Date Sampled.....: 12/16/2003 Time Sampled.....: 08:20 Sample Matrix.....: Soil						Laboratory Sample ID: 223146-3 Date Received.....: 12/17/2003 Time Received.....: 12:10					
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE	RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT
Method	% Solids Determination % Solids, Solid % Moisture, Solid		79.4 20.6			0.10 0.10	0.10 0.10	1 1	%	105796 105796	12/29/03 2140 12/29/03 2140
8082	PCB Analysis Aroclor 1016, Solid* Aroclor 1221, Solid* Aroclor 1232, Solid* Aroclor 1242, Solid* Aroclor 1248, Solid* Aroclor 1254, Solid* Aroclor 1260, Solid*	ND ND ND ND ND ND ND ND	U U U U U U U U	3.6 8.3 3.7 7.8 2.8 3.3 3.1	21 21 21 21 21 21 21 21	1.00000 1.00000 1.00000 1.00000 1.00000 1.00000 1.00000 1.00000	ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg	105818 105818 105818 105818 105818 105818 105818 105818	12/29/03 1540 12/29/03 1540 12/29/03 1540 12/29/03 1540 12/29/03 1540 12/29/03 1540 12/29/03 1540 12/29/03 1540	mg/k	
7471A	Mercury (CVAA) Solids Mercury, Solid*		0.029			0.0054	0.021	1	mg/Kg	105685	12/26/03 1529
6010B	Metals Analysis (ICAP Trace)								gok		
	Aluminum, Solid* Antimony, Solid* Arsenic, Solid* Barium, Solid* Beryllium, Solid* Cadmium, Solid* Calcium, Solid* Chromium, Solid* Cobalt, Solid* Copper, Solid* Iron, Solid* Lead, Solid*	ND ND ND ND ND ND ND ND ND ND ND ND	10000 5.0 72 0.78 34.00 17 3.3 13 15000 11	U U U U U U U U U U U U	2.6 0.97 0.55 0.17 0.048 0.086 0.34 0.24 0.15 0.97 3.2 0.46	22 2.2 1.1 1.1 0.43 0.22 11 1.1 0.15 1.1 5.4 0.54	1 1 1 1 1 1 1 1 1 1 1 1	mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg	105896 105896 105896 105896 105896 105896 105896 105896 105896 105896 105896 105896	12/30/03 0254 12/30/03 0254	tds

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date: 01/28/2004					
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SIOP		ATTN: David Brewer											
Customer Sample ID: SB6						Laboratory Sample ID: 223146-3									
Date Sampled.....: 12/16/2003						Date Received.....: 12/17/2003									
Time Sampled.....: 08:20						Time Received.....: 12:10									
Sample Matrix.....: Soil															
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE	RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH		
	Magnesium, Solid*	2000				1.8	11	1	mg/Kg	105896	12/30/03 0254	tds			
	Manganese, Solid*	180	0.14			1.1	1	1	mg/Kg	105896	12/30/03 0254	tds			
	Nickel, Solid*	10	0.27			1.1	1	1	mg/Kg	105896	12/30/03 0254	tds			
	Potassium, Solid*	470	15			54	1	1	mg/Kg	105896	12/30/03 0254	tds			
	Selenium, Solid*	ND	0.43			1.1	1	1	mg/Kg	106023	12/30/03 1327	tds			
	Silver, Solid*	ND	0.34			0.54	1	1	mg/Kg	105896	12/30/03 0254	tds			
	Sodium, Solid*	600	94			110	1	1	mg/Kg	105896	12/30/03 0254	tds			
	Thallium, Solid*	ND	0.71			1.1	1	1	mg/Kg	105896	12/30/03 0254	tds			
	Vanadium, Solid*	ND	0.23			0.54	1	1	mg/Kg	106023	12/30/03 1327	tds			
	Zinc, Solid*	34	0.43			2.2	1	1	mg/Kg	105896	12/30/03 0254	tds			
		34													

* In Description = Dry Wgt.

Customer Sample ID: SB7		LABORATORY TEST RESULTS										Date:01/28/2004	
Date Sampled.....: 12/16/2003		PROJECT: GSA - SLOP										ATTN: David Brewer	
Time Sampled.....: 08:55		Laboratory Sample ID: 223146-4										Date Received.....: 12/17/2003	
Sample Matrix.....: Soil		Time Received.....: 12:10										Date Received.....: 12/17/2003	
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH		
Method	% Solids Determination % Solids, Solid % Moisture, Solid	78.0 22.0	U U	0.10 0.10	0.10 0.10	1 1	% %	105796 105796	12/29/03 12/29/03	2140 2140	lmr lmr		
8330	Explosives by 8330 (HPLC)												
	HMX, Solid	ND	U	110	250	1.00000	ug/Kg	105764	12/19/03	1524	san		
	RDX, Solid	ND	U	58	100	1.00000	ug/Kg	105764	12/19/03	1524	san		
	1,3,5-Trinitrobenzene, Solid	ND	U	17	100	1.00000	ug/Kg	105764	12/19/03	1524	san		
	1,3-Dinitrobenzene, Solid	ND	U	18	100	1.00000	ug/Kg	105764	12/19/03	1524	san		
	Nitrobenzene, Solid	ND	U	22	100	1.00000	ug/Kg	105764	12/19/03	1524	san		
	2,4,6-INT, Solid	ND	U	34	100	1.00000	ug/Kg	105764	12/19/03	1524	san		
	Tetryl, Solid	ND	U	43	200	1.00000	ug/Kg	105764	12/19/03	1524	san		
	2,4-Dinitrotoluene, Solid	ND	U	35	100	1.00000	ug/Kg	105764	12/19/03	1524	san		
	2,6-Dinitrotoluene, Solid	ND	U	47	200	1.00000	ug/Kg	105764	12/19/03	1524	san		
	2-Amino-4,6-Dinitrotoluene, Solid	ND	U	36	200	1.00000	ug/Kg	105764	12/19/03	1524	san		
	4-Amino-2,6-Dinitrotoluene, Solid	ND	U	97	200	1.00000	ug/Kg	105764	12/19/03	1524	san		
	2-Nitrotoluene, Solid	ND	U	33	200	1.00000	ug/Kg	105764	12/19/03	1524	san		
	4-Nitrotoluene, Solid	ND	U	46	500	1.00000	ug/Kg	105764	12/19/03	1524	san		
	3-Nitrotoluene, Solid	ND	U	50	200	1.00000	ug/Kg	105764	12/19/03	1524	san		
7471A	Mercury (CVA) Solids	0.0089	B	0.0055	0.021	1	mg/Kg	105685	12/26/03	1531	gok		
	Mercury, Solid*												
6010B	Metals Analysis (ICAP Trace)												
	Aluminum, Solid*	12000	U	2.7	22	1	mg/Kg	105896	12/30/03	0300	tds		
	Antimony, Solid*	ND	U	1	2.2	1	mg/Kg	105896	12/30/03	0300	tds		
	Arsenic, Solid*	ND	U	0.57	1.1	1	mg/Kg	105896	12/30/03	0300	tds		
	Barium, Solid*	78	U	0.18	1.1	1	mg/Kg	105896	12/30/03	0300	tds		
	Beryllium, Solid*	1.2	U	0.049	0.44	1	mg/Kg	105896	12/30/03	0300	tds		

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:01/28/2004		
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - STOP		ATTN: David Brewer								
Customer Sample ID: SB7		Laboratory Sample ID: 223146-4										
Date Sampled.....: 12/16/2003		Date Received.....: 12/17/2003										
Time Sampled.....: 08:55		Time Received.....: 12:10										
Sample Matrix.....: Soil												
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Cadmium, Solid*	ND	3400	U		0.089						
	Calcium, Solid*		14		3.4	0.22	1	mg/Kg	105896	12/30/03 0300	tds	
	Chromium, Solid*				0.24	1.1	1	mg/Kg	105896	12/30/03 0300	tds	
	Cobalt, Solid*		2.1		0.16	0.55	1	mg/Kg	105896	12/30/03 0300	tds	
	Copper, Solid*				1	1.1	1	mg/Kg	105896	12/30/03 0300	tds	
	Iron, Solid*		9.2			5.5	1	mg/Kg	105896	12/30/03 0300	tds	
	Lead, Solid*		12000		3.3	0.48	1	mg/Kg	106023	12/30/03 1334	tds	
	Magnesium, Solid*		7.0		1.9	0.55	1	mg/Kg	105896	12/30/03 0300	tds	
	Manganese, Solid*		2100		0.14	1.1	1	mg/Kg	105896	12/30/03 0300	tds	
	Nickel, Solid*		220		0.14	1.1	1	mg/Kg	105896	12/30/03 0300	tds	
	Potassium, Solid*		13		0.28	1.1	1	mg/Kg	105896	12/30/03 0300	tds	
	Selenium, Solid*		400		15	55	1	mg/Kg	105896	12/30/03 0300	tds	
	Silver, Solid*		ND	U	0.44	1.1	1	mg/Kg	106023	12/30/03 1334	tds	
	Sodium, Solid*		ND	U	0.34	0.55	1	mg/Kg	105896	12/30/03 0300	tds	
	Thallium, Solid*		ND	U	96	110	1	mg/Kg	105896	12/30/03 0300	tds	
	Vanadium, Solid*		ND	ND	0.73	1.1	1	mg/Kg	105896	12/30/03 0300	tds	
	Zinc, Solid*		ND	20	0.23	0.55	1	mg/Kg	106023	12/30/03 1334	tds	
			17		0.44	2.2	1	mg/Kg	105896	12/30/03 0300	tds	

* In Description = Dry Wgt.

Job Number: 223166

S U S E E K A B C

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - STOP

ATTN: David Brewar

Customer Sample ID: SB8-SB9
Date Sampled.....: 12/16/2003
Time Sampled.....: 09:45
Sample Matrix.....: Soil

Laboratory Sample ID: 223146-5
Date Received.....: 12/17/2003
Time Received.....: 12:10

TEST METHOD	PARAMETER/TEST DESCRIPTION
Method	% Solids Determination % Solids, Solid % Moisture, Solid
8330	Explosives by 8330 (HPLC) HMX, Solid RDX, Solid 1,3,5-Trinitrobenzene, Solid 1,3-Dinitrobenzene, Solid Nitrobenzene, Solid 2,4,6-TNT, Solid Tetryl, Solid 2,4-Dinitrotoluene, Solid 2,6-Dinitrotoluene, Solid 2-Amino-4,6-Dinitrotoluene, Solid 4-Amino-2,6-Dinitrotoluene, Solid 2-Nitrotoluene, Solid 4-Nitrotoluene, Solid 3-Nitrotoluene, Solid
7471A	Mercury (CVAA) Solids Mercury, Solid*
6010B	Metals Analysis (ICAP Trace) Aluminum, Solid* Antimony, Solid* Arsenic, Solid* Barium, Solid* Beryllium, Solid*

* In Description = Dry Wgt.

Page 12

LABORATORY TEST RESULTS									
CUSTOMER: SSS Engineers, Inc.		PROJECT: GSA - STOP		ATTN: David Brewer		Date: 01/28/2004			
Customer Sample ID: SB8-SB9		Laboratory Sample ID: 223146-5							
Date Sampled.....: 12/16/2003		Date Received.....: 12/17/2003							
Time Sampled.....: 09:45		Time Received.....: 12:10							
Sample Matrix.....: Soil									
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT
Cadmium, Solid*	0.10 B	0.091		0.23	1		mg/Kg	105896	12/30/03 0306 tds
Calcium, Solid*	23000	3.5		11	1		mg/Kg	105896	12/30/03 0306 tds
Chromium, Solid*	18	0.25		1.1	1		mg/Kg	105896	12/30/03 0306 tds
Cobalt, Solid*	6.8	0.16		0.57	1		mg/Kg	105896	12/30/03 0306 tds
Copper, Solid*	12	1.0		1.1	1		mg/Kg	105896	12/30/03 0306 tds
Iron, Solid*	15000	3.4		5.7	1		mg/Kg	105896	12/30/03 0306 tds
Lead, Solid*	4.8	0.49		0.57	1		mg/Kg	106023	12/30/03 1340 tds
Magnesium, Solid*	6300	1.9		11	1		mg/Kg	105896	12/30/03 0306 tds
Manganese, Solid*	450	0.15		1.1	1		mg/Kg	105896	12/30/03 0306 tds
Nickel, Solid*	12	0.28		1.1	1		mg/Kg	105896	12/30/03 0306 tds
Potassium, Solid*	840	16		57	1		mg/Kg	105896	12/30/03 0306 tds
Selenium, Solid*	ND	0.45	U	1.1	1		mg/Kg	106023	12/30/03 1340 tds
Silver, Solid*	ND	0.35	U	0.57	1		mg/Kg	105896	12/30/03 0306 tds
Sodium, Solid*	10000	98		110	1		mg/Kg	105896	12/30/03 0306 tds
Thallium, Solid*	ND	0.75		1.1	1		mg/Kg	105896	12/30/03 0306 tds
Vanadium, Solid*	26	0.24		0.57	1		mg/Kg	106023	12/30/03 1340 tds
Zinc, Solid*	35	0.45		2.3	1		mg/Kg	105896	12/30/03 0306 tds

* In Description = Dry Wgt.

Job Number: 223146		LABORATORY TEST RESULTS									
		Date: 01/28/2004									
CUSTOMER: SSS Engineers, Inc.		PROJECT: GSA - SLOP									

Customer Sample ID: SB10
 Date Sampled.....: 12/16/2003
 Time Sampled.....: 12:30
 Sample Matrix....: Soil

Laboratory Sample ID: 223146-6
 Date Received.....: 12/17/2003
 Time Received.....: 12:10

TEST METHOD	PARAMETER/TEST DESCRIPTION		SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination		82.0			0.10	0.10	1	%	105796	12/29/03	2140	LMR
	% Solids, Solid		18.0			0.10	0.10	1	%	105796	12/29/03	2140	LMR
	% Moisture, Solid												
8330	Explosives by 8330 (HPLC)												
	HMX, Solid	ND	110	240		1.00000	ug/Kg	105764	12/19/03	1734	san		
	RDX, Solid	ND	57	98		1.00000	ug/Kg	105764	12/19/03	1734	san		
	1,3,5-Trinitrobenzene, Solid	ND	17	98		1.00000	ug/Kg	105764	12/19/03	1734	san		
	1,3-Dinitrobenzene, Solid	ND	17	98		1.00000	ug/Kg	105764	12/19/03	1734	san		
	Nitrobenzene, Solid	ND	22	98		1.00000	ug/Kg	105764	12/19/03	1734	san		
	2,4,6-TNT, Solid	ND	33	98		1.00000	ug/Kg	105764	12/19/03	1734	san		
	Tetryl, Solid	ND	42	200		1.00000	ug/Kg	105764	12/19/03	1734	san		
	2,4-Dinitrotoluene, Solid	ND	35	98		1.00000	ug/Kg	105764	12/19/03	1734	san		
	2,6-Dinitrotoluene, Solid	ND	46	200		1.00000	ug/Kg	105764	12/19/03	1734	san		
	2-Amino 4,6-Dinitrotoluene, Solid	ND	35	200		1.00000	ug/Kg	105764	12/19/03	1734	san		
	4-Amino-2,6-Dinitrotoluene, Solid	ND	95	200		1.00000	ug/Kg	105764	12/19/03	1734	san		
	2-Nitrotoluene, Solid	ND	32	200		1.00000	ug/Kg	105764	12/19/03	1734	san		
	4-Nitrotoluene, Solid	ND	45	490		1.00000	ug/Kg	105764	12/19/03	1734	san		
	3-Nitrotoluene, Solid	ND	49	200		1.00000	ug/Kg	105764	12/19/03	1734	san		
7471A	Mercury (CVAA) Solids		0.024	0.0052	0.020	1	mg/kg	105685	12/26/03	1539	gok		
	Mercury, Solid*												
6010B	Metals Analysis (ICAP Trace)												
	Aluminum, Solid*	ND	11000	2.7	22	1	mg/kg	105896	12/30/03	0312	tds		
	Antimony, Solid*		U	1.0	2.2	1	mg/kg	105896	12/30/03	0312	tds		
	Arsenic, Solid*		3.8	0.57	1.1	1	mg/kg	105896	12/30/03	0312	tds		
	Barium, Solid*		44	0.18	1.1	1	mg/kg	105896	12/30/03	0312	tds		
	Beryllium, Solid*		0.67	0.049	0.45	1	mg/kg	105896	12/30/03	0312	tds		

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:01/28/2004		
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - STOP		ATTN: David Brewer								
Customer Sample ID: SB10 Date Sampled.....: 12/16/2003 Time Sampled.....: 12:30 Sample Matrix....: Soil						Laboratory Sample ID: 223146-6 Date Received.....: 12/17/2003 Time Received.....: 12:10						
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Cadmium, Solid*	ND	2200	U		0.090	0.22	1	mg/Kg	105896	12/30/03	0312	tds
Calcium, Solid*		16			3.5	11	1	mg/Kg	105896	12/30/03	0312	tds
Chromium, Solid*		4.1			0.25	1.1	1	mg/Kg	105896	12/30/03	0312	tds
Cobalt, Solid*		9.5			0.16	0.56	1	mg/Kg	105896	12/30/03	0312	tds
Copper, Solid*		12000			1.0	1.1	1	mg/Kg	105896	12/30/03	0312	tds
Iron, Solid*		7.0			3.4	5.6	1	mg/Kg	105896	12/30/03	0312	tds
Lead, Solid*		1700			0.48	0.56	1	mg/Kg	106023	12/30/03	1347	tds
Magnesium, Solid*		170			1.9	11	1	mg/Kg	105896	12/30/03	0312	tds
Manganese, Solid*		9.3			0.15	1.1	1	mg/Kg	105896	12/30/03	0312	tds
Nickel, Solid*		390			0.28	1.1	1	mg/Kg	105896	12/30/03	0312	tds
Potassium, Solid*		ND			15	56	1	mg/Kg	105896	12/30/03	0312	tds
Selenium, Solid*		ND			0.45	1.1	1	mg/Kg	106023	12/30/03	1347	tds
Silver, Solid*		120			0.35	0.56	1	mg/Kg	105896	12/30/03	0312	tds
Sodium, Solid*		ND			97	110	1	mg/Kg	105896	12/30/03	0312	tds
Thallium, Solid*		26			0.74	1.1	1	mg/Kg	105896	12/30/03	0312	tds
Vanadium, Solid*		24			0.23	0.56	1	mg/Kg	106023	12/30/03	1347	tds
Zinc, Solid*					0.45	2.2	1	mg/Kg	105896	12/30/03	0312	tds

* In Description = Dry Wgt.

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:01/28/2004			
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Breuer									
Customer Sample ID: SB11 Date Sampled.....: 12/16/2003 Time Sampled.....: 12:50 Sample Matrix.....: Soil						Laboratory Sample ID: 223146-7 Date Received.....: 12/17/2003 Time Received.....: 12:10							
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE	RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Cadmium, Solid*	ND	23000	U		0.082	0.21	1	mg/Kg	105896		12/30/03 0319	tds
	Calcium, Solid*		18			3.2	10	1	mg/Kg	105896		12/30/03 0319	tds
	Chromium, Solid*		4.0			0.23	1.0	1	mg/Kg	105896		12/30/03 0319	tds
	Cobalt, Solid*					0.14	0.51	1	mg/Kg	105896		12/30/03 0319	tds
	Copper, Solid*		8.4			0.93	1.0	1	mg/Kg	105896		12/30/03 0319	tds
	Iron, Solid*	9100				3.1	5.1	1	mg/Kg	105896		12/30/03 0319	tds
	Lead, Solid*		19			0.44	0.51	1	mg/Kg	106023		12/30/03 1354	tds
	Magnesium, Solid*	1700				1.7	10	1	mg/Kg	105896		12/30/03 0319	tds
	Manganese, Solid*		210			0.13	1.0	1	mg/Kg	105896		12/30/03 0319	tds
	Nickel, Solid*		9.1			0.26	1.0	1	mg/Kg	105896		12/30/03 0319	tds
	Potassium, Solid*	550		U		14	51	1	mg/Kg	105896		12/30/03 0319	tds
	Selenium, Solid*	ND		U		0.41	1.0	1	mg/Kg	106023		12/30/03 1354	tds
	Silver, Solid*	ND		U		0.32	0.51	1	mg/Kg	105896		12/30/03 0319	tds
	Sodium, Solid*	390		U		89	100	1	mg/Kg	105896		12/30/03 0319	tds
	Thallium, Solid*	ND		U		0.68	1.0	1	mg/Kg	105896		12/30/03 0319	tds
	Vanadium, Solid*		17			0.22	0.51	1	mg/Kg	106023		12/30/03 1354	tds
	Zinc, Solid*		30			0.41	2.1	1	mg/Kg	105896		12/30/03 0319	tds

* In Description = Dry Wgt.

Job Number: 223146
LABORATORY TEST RESULTS

Date: 01/28/2004

CUSTOMER: SSS Engineers, Inc.

PROJECT: GSA - STOP

ATTN: David Brewer

Customer Sample ID: SB12
 Date Sampled.....: 12/16/2003
 Time Sampled.....: 13:20
 Sample Matrix....: Soil

Laboratory Sample ID: 223146-8
 Date Received.....: 12/17/2003
 Time Received.....: 12:10

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics	ND	U									
	Dichlorodifluoromethane, High/Med Level*	ND	U			37	150	1.0000	ug/Kg	106045	12/29/03	1504 jso
	Chloromethane, High/Med Level*	ND	U			37	150	1.0000	ug/Kg	106045	12/29/03	1504 jso
	Vinyl chloride, High/Med Level*	ND	U			38	150	1.0000	ug/Kg	106045	12/29/03	1504 jso
	Bromomethane, High/Med Level*	ND	U			64	150	1.0000	ug/Kg	106045	12/29/03	1504 jso
	Chloroethane, High/Med Level*	ND	U			56	150	1.0000	ug/Kg	106045	12/29/03	1504 jso
	Trichlorofluoromethane, High/Med Level*	ND	U			32	150	1.0000	ug/Kg	106045	12/29/03	1504 jso
	1,1-Dichloroethene, High/Med Level*	ND	U			43	150	1.0000	ug/Kg	106045	12/29/03	1504 jso
	Carbon disulfide, High/Med Level*	ND	U			31	150	1.0000	ug/Kg	106045	12/29/03	1504 jso
	Acetone, High/Med Level*	ND	U			240	290	1.0000	ug/Kg	106045	12/29/03	1504 jso
	Methylene chloride, High/Med Level*	ND	U			130	150	1.0000	ug/Kg	106045	12/29/03	1504 jso
	trans-1,2-Dichloroethene, High/Med Level*	ND	U			25	150	1.0000	ug/Kg	106045	12/29/03	1504 jso
	Methyl-tert-butyl-ether (MTBE), High/Med Level	ND	U			24	150	1.0000	ug/Kg	106045	12/29/03	1504 jso
	1,1-Dichloroethane, High/Med Level*	ND	U			32	150	1.0000	ug/Kg	106045	12/29/03	1504 jso
	2,2-Dichloropropane, High/Med Level*	ND	U			28	150	1.0000	ug/Kg	106045	12/29/03	1504 jso
	cis-1,2-Dichloroethene, High/Med Level*	ND	U			36	150	1.0000	ug/Kg	106045	12/29/03	1504 jso
	2-Butanone (MEK), High/Med Level*	ND	U			62	150	1.0000	ug/Kg	106045	12/29/03	1504 jso
	Bromoform, High/Med Level*	ND	U			39	150	1.0000	ug/Kg	106045	12/29/03	1504 jso
	Chloroform, High/Med Level*	ND	U			38	150	1.0000	ug/Kg	106045	12/29/03	1504 jso
	1,1,1-Trichloroethane, High/Med Level*	ND	U			34	150	1.0000	ug/Kg	106045	12/29/03	1504 jso
	1,1-Dichloropropane, High/Med Level*	ND	U			28	150	1.0000	ug/Kg	106045	12/29/03	1504 jso
	Carbon tetrachloride, High/Med Level*	ND	U			24	150	1.0000	ug/Kg	106045	12/29/03	1504 jso
	Benzene, High/Med Level*	ND	U			23	37	1.0000	ug/Kg	106045	12/29/03	1504 jso
	1,2-Dichloroethane, High/Med Level*	ND	U			35	150	1.0000	ug/Kg	106045	12/29/03	1504 jso
	Trichloroethene, High/Med Level*	ND	U			66	150	1.0000	ug/Kg	106045	12/29/03	1504 jso
	1,2-Dichloropropane, High/Med Level*	ND	U			45	150	1.0000	ug/Kg	106045	12/29/03	1504 jso
	Dibromomethane, High/Med Level*	ND	U			81	150	1.0000	ug/Kg	106045	12/29/03	1504 jso
	Bromodichloromethane, High/Med Level*	ND	U			25	150	1.0000	ug/Kg	106045	12/29/03	1504 jso
	cis-1,3-Dichloropropene, High/Med Level*	ND	U			26	150	1.0000	ug/Kg	106045	12/29/03	1504 jso

* In Description = Dry Wgt.

Job Number: 223146

Date: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN: David Brewer

LABORATORY TEST RESULTS

Customer Sample ID: SB12
 Date Sampled.....: 12/16/2003
 Time Sampled.....: 13:20
 Sample Matrix.....: Soil

Laboratory Sample ID: 223146-8
 Date Received.....: 12/17/2003
 Time Received.....: 12:10

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	4-Methyl-2-pentanone (MIBK), High/Med Lev*	ND	U		56	150	1.0000	ug/Kg	106045	12/29/03	1504	ISO
	Toluene, High/Med Level*	ND	U		29	37	1.0000	ug/Kg	106045	12/29/03	1504	ISO
	trans-1,3-Dichloropropene, High/Med Level*	ND	U		25	150	1.0000	ug/Kg	106045	12/29/03	1504	ISO
	1,1,2-Trichloroethane, High/Med Level*	ND	U		32	150	1.0000	ug/Kg	106045	12/29/03	1504	ISO
	Tetrachloroethene, High/Med Level*	ND	U		49	150	1.0000	ug/Kg	106045	12/29/03	1504	ISO
	1,3-Dichloropropane, High/Med Level*	ND	U		29	150	1.0000	ug/Kg	106045	12/29/03	1504	ISO
	2-Hexanone, High/Med Level*	ND	U		63	150	1.0000	ug/Kg	106045	12/29/03	1504	ISO
	Dibromochloroethane, High/Med Level*	ND	U		30	150	1.0000	ug/Kg	106045	12/29/03	1504	ISO
	1,2-Dibromoethane (EDB), High/Med Level*	ND	U		41	150	1.0000	ug/Kg	106045	12/29/03	1504	ISO
	Chlorobenzene, High/Med Level*	ND	U		31	150	1.0000	ug/Kg	106045	12/29/03	1504	ISO
	1,1,1,2-Tetrachloroethane, High/Med Level*	ND	U		28	150	1.0000	ug/Kg	106045	12/29/03	1504	ISO
	Ethylbenzene, High/Med Level*	ND	U		34	37	1.0000	ug/Kg	106045	12/29/03	1504	ISO
	m&p-Xylenes, High/Med Level*	ND	U		60	74	1.0000	ug/Kg	106045	12/29/03	1504	ISO
	o-Xylene, High/Med Level*	ND	U		27	37	1.0000	ug/Kg	106045	12/29/03	1504	ISO
	Styrene, High/Med Level*	ND	U		28	150	1.0000	ug/Kg	106045	12/29/03	1504	ISO
	Bromoform, High/Med Level*	ND	U		33	150	1.0000	ug/Kg	106045	12/29/03	1504	ISO
	Isopropylbenzene, High/Med Level*	ND	U		32	150	1.0000	ug/Kg	106045	12/29/03	1504	ISO
	Bromobenzene, High/Med Level*	ND	U		37	150	1.0000	ug/Kg	106045	12/29/03	1504	ISO
	1,1,2,2-Tetrachloroethane, High/Med Level*	ND	U		40	150	1.0000	ug/Kg	106045	12/29/03	1504	ISO
	1,2,3-Trichloropropane, High/Med Level*	ND	U		46	150	1.0000	ug/Kg	106045	12/29/03	1504	ISO
	n-Propylbenzene, High/Med Level*	ND	U		33	150	1.0000	ug/Kg	106045	12/29/03	1504	ISO
	2-Chlorotoluene, High/Med Level*	ND	U		40	150	1.0000	ug/Kg	106045	12/29/03	1504	ISO
	1,3,5-Trimethylbenzene, High/Med Level*	ND	U		38	150	1.0000	ug/Kg	106045	12/29/03	1504	ISO
	4-Chlorotoluene, High/Med Level*	ND	U		42	150	1.0000	ug/Kg	106045	12/29/03	1504	ISO
	tert-Butylbenzene, High/Med Level*	ND	U		38	150	1.0000	ug/Kg	106045	12/29/03	1504	ISO
	1,2,4-Trimethylbenzene, High/Med Level*	ND	U		39	150	1.0000	ug/Kg	106045	12/29/03	1504	ISO
	sec-Butylbenzene, High/Med Level*	ND	U		41	150	1.0000	ug/Kg	106045	12/29/03	1504	ISO
	p-Isopropyltoluene, High/Med Level*	ND	U	*	42	150	1.0000	ug/Kg	106045	12/29/03	1504	ISO
	n-Butylbenzene, High/Med Level*	ND	U	*	48	150	1.0000	ug/Kg	106045	12/29/03	1504	ISO

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:01/28/2004			
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer									
TEST METHOD	PARAMETER/TEST DESCRIPTION		SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	1,2-Dibromo-3-chloropropane, High/Med Lev*	1,2,3-Trichlorobenzene, High/Med Level*	ND ND	U U	*	89 120	150 150	1.0000 1.0000	ug/Kg ug/Kg	106045 106045	12/29/03 12/29/03	1504 1504	ISO ISO
Method	% Solids Determination	% Solids, Solid	84.3 15.7			0.10 0.10	0.10 0.10	1 1	% %	105796 105796	12/29/03 12/29/03	2140 2140	IMR IMR
8082	PCB Analysis	Aroclor 1016, Solid*	ND	U		3.4	20	1.00000	ug/Kg	105818	12/29/03	1616	mgK
	Aroclor 1221, Solid*	Aroclor 1232, Solid*	ND ND ND ND ND ND ND	U U U U U U U		7.9 3.6 7.5 2.7 3.2 3.0	20 20 20 20 20 20	1.00000 1.00000 1.00000 1.00000 1.00000 1.00000	ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg	105818 105818 105818 105818 105818 105818	12/29/03 12/29/03 12/29/03 12/29/03 12/29/03 12/29/03	1616 1616 1616 1616 1616 1616	mgK mgK mgK mgK mgK mgK
7471A	Mercury (CVAA) Solids	Mercury, Solid*	0.021			0.0051	0.020	1	mg/Kg	105685	12/26/03	1543	90k
6010B	Metals Analysis (ICAP Trace)	Aluminum, Solid*	11000	U		2.8	23	1	mg/Kg	105896	12/30/03	0325	tds
	Antimony, Solid*	Arsenic, Solid*	ND	5.4 100	1.0 0.59	2.3 1.2	1 1	1	mg/Kg mg/Kg	105896	12/30/03	0325	tds
	Barium, Solid*	Beryllium, Solid*	ND	0.76	0.18 0.051	1.2 0.46	1 1	1	mg/Kg mg/Kg	105896	12/30/03	0325	tds
	Cadmium, Solid*	Calcium, Solid*	ND	45000 16	0.092 0.25	0.23 1.2	1 1	1	mg/Kg mg/Kg	105896	12/30/03	0325	tds
	Chromium, Solid*	Cobalt, Solid*		12	0.16 0.58	0.58 1		1	mg/Kg mg/Kg	105896 105896	12/30/03 12/30/03	0325 0325	tds tds

* In Description = Dry Wgt.

LABORATORY TEST RESULTS											
PROJECT: GSA - S10P											
CUSTOMER: SCS Engineers, Inc.		ATTN: David Brewer		Date: 01/28/2004							
Customer Sample ID: SB12 Date Sampled.....: 12/16/2003 Time Sampled.....: 13:20 Sample Matrix.....: Soil								Laboratory Sample ID: 223146-8 Date Received.....: 12/17/2003 Time Received.....: 12:10			
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Copper, Solid*	12			1.0	1.2	1	mg/Kg	105896	12/30/03	0325	tds
Iron, Solid*	14000			3.5	5.8	1	mg/Kg	105896	12/30/03	0325	tds
Lead, Solid*	44			0.50	0.58	1	mg/Kg	106023	12/30/03	1427	tds
Magnesium, Solid*	2700			2.0	12	1	mg/Kg	105896	12/30/03	0325	tds
Manganese, Solid*	580			0.15	1.2	1	mg/Kg	105896	12/30/03	0325	tds
Nickel, Solid*	14			0.29	1.2	1	mg/Kg	105896	12/30/03	0325	tds
Potassium, Solid*	580			16	58	1	mg/Kg	105896	12/30/03	0325	tds
Selenium, Solid*	ND	U		0.46	1.2	1	mg/Kg	106023	12/30/03	1427	tds
Silver, Solid*	ND	U		0.36	0.58	1	mg/Kg	105896	12/30/03	0325	tds
Sodium, Solid*	110	B		100	120	1	mg/Kg	105896	12/30/03	0325	tds
Thallium, Solid*	ND	U		0.76	1.2	1	mg/Kg	105896	12/30/03	0325	tds
Vanadium, Solid*	26			0.24	0.58	1	mg/Kg	106023	12/30/03	1427	tds
Zinc, Solid*	37			0.46	2.3	1	mg/Kg	105896	12/30/03	0325	tds

* In Description = Dry Wgt.

Job Number: 223146

Date:01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - STOP

Customer Sample ID: SB13-SB14
 Date Sampled.....: 12/16/2003
 Time Sampled.....: 14:10
 Sample Matrix.....: Soil

Laboratory Sample ID: 223146-9
 Date Received.....: 12/17/2003
 Time Received.....: 12:10

LABORATORY TEST RESULTS										TEST METHOD			PARAMETER/TEST DESCRIPTION										SAMPLE RESULT			Q FLAGS			MDL			RL			DILUTION			UNITS			BATCH DT			DATE/TIME			TECH		
TEST METHOD			PARAMETER/TEST DESCRIPTION										SAMPLE RESULT			Q FLAGS			MDL			RL			DILUTION			UNITS			BATCH DT			DATE/TIME			TECH												
Method	% Solids Determination	% Solids, Solid	% Solids, Solid	% Moisture, Solid									83.6	16.4					0.10	0.10		0.10	1				%	105796	105796	12/29/03	2140	LMR	12/29/03	2140	LMR														
8330	Explosives by 8330 (HPLC)	HRX, Solid	ND	U	110	250	1.00000	ug/Kg	105764	12/19/03	1839	san																																					
	RDX, Solid	ND	U	58	99	1.00000	ug/Kg	105764	12/19/03	1839	san																																						
	1,3,5-Trinitrobenzene, Solid	ND	U	17	99	1.00000	ug/Kg	105764	12/19/03	1839	san																																						
	1,3-Dinitrobenzene, Solid	ND	U	18	99	1.00000	ug/Kg	105764	12/19/03	1839	san																																						
	Nitrobenzene, Solid	ND	U	22	99	1.00000	ug/Kg	105764	12/19/03	1839	san																																						
	2,4,6-TNT, Solid	ND	U	33	99	1.00000	ug/Kg	105764	12/19/03	1839	san																																						
	Tetryl, Solid	ND	U	43	200	1.00000	ug/Kg	105764	12/19/03	1839	san																																						
	2,4-Dinitrotoluene, Solid	ND	U	35	99	1.00000	ug/Kg	105764	12/19/03	1839	san																																						
	2,6-Dinitrotoluene, Solid	ND	U	47	200	1.00000	ug/Kg	105764	12/19/03	1839	san																																						
	2-Amino-4,6-Dinitrotoluene, Solid	ND	U	36	200	1.00000	ug/Kg	105764	12/19/03	1839	san																																						
	4-Amino-2,6-Dinitrotoluene, Solid	ND	U	96	200	1.00000	ug/Kg	105764	12/19/03	1839	san																																						
	2-Nitrotoluene, Solid	ND	U	33	200	1.00000	ug/Kg	105764	12/19/03	1839	san																																						
	4-Nitrotoluene, Solid	ND	U	46	500	1.00000	ug/Kg	105764	12/19/03	1839	san																																						
	3-Nitrotoluene, Solid	ND	U	50	200	1.00000	ug/Kg	105764	12/19/03	1839	san																																						
7471A	Mercury (CVAA) Solids	ND	U	0.025	0.0051	0.020	1	mg/Kg	105685	12/26/03	1545	90k																																					
6010B	Metals Analysis (ICAP Trace)	10000	U	2.8	23	1	mg/Kg	105896	12/30/03	0357	tds																																						
	Aluminum, Solid*	ND	U	1.0	2.3	1	mg/Kg	105896	12/30/03	0357	tds																																						
	Antimony, Solid*	5.5	0.59	1.2	1	mg/Kg	105896	12/30/03	0357	tds																																							
	Arsenic, Solid*	87	0.18	1.2	1	mg/Kg	105896	12/30/03	0357	tds																																							
	Barium, Solid*	0.69	0.051	0.46	1	mg/Kg	105896	12/30/03	0357	tds																																							

* In Description = Dry wgt.

LABORATORY TEST RESULTS									
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SIOP		ATTN: David Brewer		Date: 01/28/2004			
Customer Sample ID: SB13-SB14		Laboratory Sample ID: 223146-9							
Date Sampled.....: 12/16/2003		Date Received.....:	12/17/2003						
Time Sampled.....: 14:10		Time Received.....:	12:10						
Sample Matrix.....: Soil									
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT
Cadmium, Solid*	ND	3800	U	0.092	0.23	1	mg/Kg	105896	12/30/03 0357 tds
Calcium, Solid*		16		3.6	12	1	mg/Kg	105896	12/30/03 0357 tds
Chromium, Solid*		6.0		0.25	1.2	1	mg/Kg	105896	12/30/03 0357 tds
Cobalt, Solid*		10		0.16	0.58	1	mg/Kg	105896	12/30/03 0357 tds
Copper, Solid*		14000		1.0	1.2	1	mg/Kg	105896	12/30/03 0357 tds
Iron, Solid*		11		3.5	5.8	1	mg/Kg	105896	12/30/03 0357 tds
Lead, Solid*		2100		0.50	0.58	1	mg/Kg	106023	12/30/03 1434 tds
Magnesium, Solid*		2100		2.0	12	1	mg/Kg	105896	12/30/03 0357 tds
Manganese, Solid*		390		0.15	1.2	1	mg/Kg	105896	12/30/03 0357 tds
Nickel, Solid*		12		0.29	1.2	1	mg/Kg	105896	12/30/03 0357 tds
Potassium, Solid*		500		16	58	1	mg/Kg	105896	12/30/03 0357 tds
Selenium, Solid*	ND	ND	U	0.46	1.2	1	mg/Kg	106023	12/30/03 1434 tds
Silver, Solid*	ND	ND	U	0.36	0.58	1	mg/Kg	105896	12/30/03 0357 tds
Sodium, Solid*	540		100	100	120	1	mg/Kg	105896	12/30/03 0357 tds
Thallium, Solid*		ND		0.76	1.2	1	mg/Kg	105896	12/30/03 0357 tds
Vanadium, Solid*		26		0.24	0.58	1	mg/Kg	106023	12/30/03 1434 tds
Zinc, Solid*		47		0.46	2.3	1	mg/Kg	105896	12/30/03 0357 tds

* In Description = Dry Wgt.

Job Number: 223146

Date:01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - STOP

ATTN: David Brewer

LABORATORY TEST RESULTS

Customer Sample ID: SB15-SB16
 Date Sampled.....: 12/16/2003
 Time Sampled.....: 14:45
 Sample Matrix....: Soil

Laboratory Sample ID: 223146-10
 Date Received.....: 12/17/2003
 Time Received.....: 12:10

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination	86.1			0.10	0.10	1	%	105796	12/29/03	2140	lmr
	% Solids, Solid	13.9			0.10	0.10	1	%	105796	12/29/03	2140	lmr
	% Moisture, Solid											
8330	Explosives by 8330 (HPLC)											
	HMX, Solid	ND	U		110	250	1.00000	ug/Kg	105764	12/19/03	1912	san
	RDX, Solid	ND	U		58	100	1.00000	ug/Kg	105764	12/19/03	1912	san
	1,3,5-Trinitrobenzene, Solid	ND	U		17	100	1.00000	ug/Kg	105764	12/19/03	1912	san
	1,3-Dinitrobenzene, Solid	ND	U		18	100	1.00000	ug/Kg	105764	12/19/03	1912	san
	Nitrobenzene, Solid	ND	U		22	100	1.00000	ug/Kg	105764	12/19/03	1912	san
	2,4,6-TNT, Solid	ND	U		34	100	1.00000	ug/Kg	105764	12/19/03	1912	san
	Tetryl, Solid	ND	U		43	200	1.00000	ug/Kg	105764	12/19/03	1912	san
	2,4-Dinitrotoluene, Solid	ND	U		35	100	1.00000	ug/Kg	105764	12/19/03	1912	san
	2,6-Dinitrotoluene, Solid	ND	U		47	200	1.00000	ug/Kg	105764	12/19/03	1912	san
	2-Amino-4,6-Dinitrotoluene, Solid	ND	U		36	200	1.00000	ug/Kg	105764	12/19/03	1912	san
	4-Amino-2,6-Dinitrotoluene, Solid	ND	U		97	200	1.00000	ug/Kg	105764	12/19/03	1912	san
	2-Nitrotoluene, Solid	ND	U		33	200	1.00000	ug/Kg	105764	12/19/03	1912	san
	4-Nitrotoluene, Solid	ND	U		46	500	1.00000	ug/Kg	105764	12/19/03	1912	san
	3-Nitrotoluene, Solid	ND	U		50	200	1.00000	ug/Kg	105764	12/19/03	1912	san
7471A	Mercury (CVAA) Solids	0.026			0.0050	0.019	1	mg/Kg	105685	12/26/03	1547	gok
	Mercury, Solid*											
6010B	Metals Analysis (ICAP Trace)											
	Aluminum, Solid*	ND	U		2.7	22	1	mg/Kg	105896	12/30/03	0403	tds
	Antimony, Solid*				1	2.2	1	mg/Kg	105896	12/30/03	0403	tds
	Arsenic, Solid*				0.57	1.1	1	mg/Kg	105896	12/30/03	0403	tds
	Barium, Solid*				0.18	1.1	1	mg/Kg	105896	12/30/03	0403	tds
	Beryllium, Solid*				0.049	0.44	1	mg/Kg	105896	12/30/03	0403	tds

* In Description = Dry Wgt.

Page 24

LABORATORY TEST RESULTS										Date:01/28/2004	
CUSTOMER: SSS Engineers, Inc.		PROJECT: GSA - STOP		ATTN: David Brewer							
Customer Sample ID: SB15-SB16 Date Sampled.....: 12/16/2003 Time Sampled.....: 14:45 Sample Matrix.....: Soil						Laboratory Sample ID: 223146-10 Date Received.....: 12/17/2003 Time Received.....: 12:10					
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE	RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT
	Cadmium, Solid*	ND	12000	U		0.089	0.22	1	mg/Kg	105896	12/30/03 04:03
	Calcium, Solid*	12				3.4	11	1	mg/Kg	105896	12/30/03 04:03
	Chromium, Solid*					0.24	1.1	1	mg/Kg	105896	12/30/03 04:03
	Cobalt, Solid*	3.7				0.16	0.55	1	mg/Kg	105896	12/30/03 04:03
	Copper, Solid*	6.6				1	1.1	1	mg/Kg	105896	12/30/03 04:03
	Iron, Solid*	13000				3.3	5.5	1	mg/Kg	105896	12/30/03 04:03
	Lead, Solid*	13				0.48	0.55	1	mg/Kg	106023	12/30/03 14:41
	Magnesium, Solid*	2100				1.9	11	1	mg/Kg	105896	12/30/03 04:03
	Manganese, Solid*	220				0.14	1.1	1	mg/Kg	105896	12/30/03 04:03
	Nickel, Solid*	9.9				0.28	1.1	1	mg/Kg	105896	12/30/03 04:03
	Potassium, Solid*	450		U		15	55	1	mg/Kg	105896	12/30/03 04:03
	Selenium, Solid*	ND		U		0.44	1.1	1	mg/Kg	106023	12/30/03 14:41
	Silver, Solid*	ND		U		0.34	0.55	1	mg/Kg	105896	12/30/03 04:03
	Sodium, Solid*	370		U		96	110	1	mg/Kg	105896	12/30/03 04:03
	Thallium, Solid*	ND				0.73	1.1	1	mg/Kg	105896	12/30/03 04:03
	Vanadium, Solid*	25				0.23	0.55	1	mg/Kg	106023	12/30/03 14:41
	Zinc, Solid*	21				0.44	2.2	1	mg/Kg	105896	12/30/03 04:03

* In Description = Dry Wgt.

Job Number: 223166

LABORATORY TEST RESULTS

Date:01/28/2004

CUSTOMER: SCS Engineers, Inc

PROJECT: GSA - SLOP

ATTN: David Brewer

Customer Sample ID: SB17 Date Sampled.....: 12/16/2003 Time Sampled.....: 16:30 Sample Matrix: Soil

Laboratory Sample ID: 223146-11
Date Received.....: 12/17/2003
Time Received.....: 12:10

* In Description = Dry Wgt.

Job Number: 223146

Date: 01/28/2004

LABORATORY TEST RESULTS

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - STOP

ATTN: David Brewer

Customer Sample ID: SB17
 Date Sampled.....: 12/16/2003
 Time Sampled.....: 16:30
 Sample Matrix.....: Soil

Laboratory Sample ID: 223146-11
 Date Received.....: 12/17/2003
 Time Received.....: 12:10

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	2-Methylnaphthalene, Low Level Soil*	ND	U		1.8	40	1.00000	ug/Kg	105852	12/26/03	1800	dpk
	2-Nitroaniline, Low Level Soil*	ND	U		41	200	1.00000	ug/Kg	105852	12/26/03	1800	dpk
	2-Chloronaphthalene, Low Level Soil*	ND	U		59	200	1.00000	ug/Kg	105852	12/26/03	1800	dpk
	4-Chloro-3-methylphenol, Low Level Soil*	ND	U		46	400	1.00000	ug/Kg	105852	12/26/03	1800	dpk
	2,6-Dinitrotoluene, Low Level Soil*	ND	U		2.7	40	1.00000	ug/Kg	105852	12/26/03	1800	dpk
	2-Nitrophenol, Low Level Soil*	ND	U		77	400	1.00000	ug/Kg	105852	12/26/03	1800	dpk
	3-Nitroaniline, Low Level Soil*	ND	U	*	140	820	1.00000	ug/Kg	105852	12/26/03	1800	dpk
	Dimethyl phthalate, Low Level Soil*	ND	U		4.4	82	1.00000	ug/Kg	105852	12/26/03	1800	dpk
	2,4-Dinitrophenol, Low Level Soil*	ND	U		140	820	1.00000	ug/Kg	105852	12/26/03	1800	dpk
	Acenaphthylene, Low Level Soil*	ND	U		1.1	40	1.00000	ug/Kg	105852	12/26/03	1800	dpk
	2,4-Dinitrotoluene, Low Level Soil*	ND	U		2.1	40	1.00000	ug/Kg	105852	12/26/03	1800	dpk
	Acenaphthene, Low Level Soil*	ND	U		1.7	40	1.00000	ug/Kg	105852	12/26/03	1800	dpk
	Dibenzofuran, Low Level Soil*	ND	U		3.3	82	1.00000	ug/Kg	105852	12/26/03	1800	dpk
	4-Nitrophenol, Low Level Soil*	ND	U		100	820	1.00000	ug/Kg	105852	12/26/03	1800	dpk
	Fluorene, Low Level Soil*	ND	U		2.0	40	1.00000	ug/Kg	105852	12/26/03	1800	dpk
	4-Nitroaniline, Low Level Soil*	ND	U		48	820	1.00000	ug/Kg	105852	12/26/03	1800	dpk
	4-Bromophenyl ether, Low Level Soil*	ND	U		3.8	200	1.00000	ug/Kg	105852	12/26/03	1800	dpk
	Hexachlorobenzene, Low Level Soil*	ND	U		2.2	40	1.00000	ug/Kg	105852	12/26/03	1800	dpk
	Diethyl phthalate, Low Level Soil*	ND	U		4.5	82	1.00000	ug/Kg	105852	12/26/03	1800	dpk
	4-Chlorophenyl phenyl ether, Low Level Soil*	ND	U		4.4	200	1.00000	ug/Kg	105852	12/26/03	1800	dpk
	Pentachlorophenol, Low Level Soil*	ND	U		120	400	1.00000	ug/Kg	105852	12/26/03	1800	dpk
	n-Nitrosodiphenylamine, Low Level Soil*	ND	U		3.5	40	1.00000	ug/Kg	105852	12/26/03	1800	dpk
	4,6-Dinitro-2-methylphenol, Low Level Soil*	ND	U		120	820	1.00000	ug/Kg	105852	12/26/03	1800	dpk
	Phenanthrene, Low Level Soil*	ND	U		1.9	40	1.00000	ug/Kg	105852	12/26/03	1800	dpk
	Anthracene, Low Level Soil*	ND	U		1.2	40	1.00000	ug/Kg	105852	12/26/03	1800	dpk
	Carbazole, Low Level Soil*	ND	U		1.0	40	1.00000	ug/Kg	105852	12/26/03	1800	dpk
	Di-n-butyl phthalate, Low Level Soil*	ND	U		43	200	1.00000	ug/Kg	105852	12/26/03	1800	dpk
	Benzidine, Low Level Soil*	ND	U		24	200	1.00000	ug/Kg	105852	12/26/03	1800	dpk
	Fluoranthene, Low Level Soil*	ND	U		800	4,000	1.00000	ug/Kg	105852	12/26/03	1800	dpk
			J		1.3	40	1.00000	ug/Kg	105852	12/26/03	1800	dpk
					2.3							

* In Description = Dry Wgt.

Job Number: 223146

Date:01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - STOP

Customer Sample ID: SB17
 Date Sampled.....: 12/16/2003
 Time Sampled.....: 16:30
 Sample Matrix.....: Soil

Laboratory Sample ID: 223146-11
 Date Received.....: 12/17/2003
 Time Received.....: 12:10

LABORATORY TEST RESULTS										DATE/TIME	
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	NDL	RL	DILUTION	UNITS	BATCH	DT	TECH
	Pyrene, Low Level Soil*	ND	2.5	J	2.4	40	1.00000	ug/Kg	105852	12/26/03 1800	dpk
	Butyl benzyl phthalate, Low Level Soil*	ND	5.0		5.0	82	1.00000	ug/Kg	105852	12/26/03 1800	dpk
	Benzo(a)anthracene, Low Level Soil*	ND	1.3		1.3	40	1.00000	ug/Kg	105852	12/26/03 1800	dpk
	Chrysene, Low Level Soil*	ND	2.2		2.2	40	1.00000	ug/Kg	105852	12/26/03 1800	dpk
	3,3-Dichlorobenzidine, Low Level Soil*	ND	22		200	1.00000	ug/Kg	105852	12/26/03 1800	dpk	
	Bis(2-ethylhexyl)phthalate, Low Level Soil*	ND	12		200	1.00000	ug/Kg	105852	12/26/03 1800	dpk	
	Di-n-octyl phthalate, Low Level Soil*	ND	11		400	1.00000	ug/Kg	105852	12/26/03 1800	dpk	
	Benzo(b)fluoranthene, Low Level Soil*	ND	2.6		40	1.00000	ug/Kg	105852	12/26/03 1800	dpk	
	Benzo(k)fluoranthene, Low Level Soil*	ND	3.4		40	1.00000	ug/Kg	105852	12/26/03 1800	dpk	
	Benzo(a)pyrene, Low Level Soil*	ND	2.7		40	1.00000	ug/Kg	105852	12/26/03 1800	dpk	
	Indeno(1,2,3-cd)pyrene, Low Level Soil*	ND	2.6		40	1.00000	ug/Kg	105852	12/26/03 1800	dpk	
	Dibenz(a,h)anthracene, Low Level Soil*	ND	2.7		40	1.00000	ug/Kg	105852	12/26/03 1800	dpk	
	Benzo(ghi)perylene, Low Level Soil*	ND	2.3		40	1.00000	ug/Kg	105852	12/26/03 1800	dpk	
Method	% Solids Determination				0.10	0.10	1	%	105796	12/29/03 2140	LMR
	% Solids, Solid				0.10	0.10	1	%	105796	12/29/03 2140	LMR
	% Moisture, Solid										
8082	PCB Analysis										
	Aroclor 1016, Solid*	ND	3.5		20	1.00000	ug/Kg	105818	12/29/03 1651	mgk	
	Aroclor 1221, Solid*	ND	8.1		20	1.00000	ug/Kg	105818	12/29/03 1651	mgk	
	Aroclor 1232, Solid*	ND	3.6		20	1.00000	ug/Kg	105818	12/29/03 1651	mgk	
	Aroclor 1242, Solid*	ND	7.6		20	1.00000	ug/Kg	105818	12/29/03 1651	mgk	
	Aroclor 1248, Solid*	ND	2.8		20	1.00000	ug/Kg	105818	12/29/03 1651	mgk	
	Aroclor 1254, Solid*	ND	3.3		20	1.00000	ug/Kg	105818	12/29/03 1651	mgk	
	Aroclor 1260, Solid*	ND	3.0		20	1.00000	ug/Kg	105818	12/29/03 1651	mgk	
8015B MGRO	TPH - Gasoline Range Organics (GRO) Gasoline Range Organics (GRO), Solid*	ND	8.8		62	1.00000	ug/Kg	105981	12/28/03 1329	wre	

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:01/28/2004			
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer									
TEST METHOD	PARAMETER/TEST DESCRIPTION		SAMPLE RESULT	Q	FLAGS	MDL	R	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics		ND		U U U U U	0.99	6.8	1.00000	ug/Kg	106043	12/22/03	2325	iso
	Dichlorodifluoromethane, Solid*		ND		U	1.5	6.8	1.00000	ug/Kg	106043	12/22/03	2325	iso
	Chloromethane, Solid*		ND		U	1.5	6.8	1.00000	ug/Kg	106043	12/22/03	2325	iso
	Vinyl chloride, Solid*		ND		U	1.8	6.8	1.00000	ug/Kg	106043	12/22/03	2325	iso
	Bromomethane, Solid*		ND		U	1.4	6.8	1.00000	ug/Kg	106043	12/22/03	2325	iso
	Chloroethane, Solid*		ND		U	1.9	6.8	1.00000	ug/Kg	106043	12/22/03	2325	iso
	Trichlorofluoromethane, Solid*		ND		U	1.8	6.8	1.00000	ug/Kg	106043	12/22/03	2325	iso
	1,1-Dichloroethene, Solid*		ND		U	1.6	6.8	1.00000	ug/Kg	106043	12/22/03	2325	iso
	Carbon disulfide, Solid*		ND		U	1.6	6.8	1.00000	ug/Kg	106043	12/22/03	2325	iso
	Acetone, Solid*		ND		U	6.2	6.8	1.00000	ug/Kg	106043	12/22/03	2325	iso
	Methylene chloride, Solid*		ND		U	3.9	6.8	1.00000	ug/Kg	106043	12/22/03	2325	iso
	trans-1,2-Dichloroethene, Solid*		ND		U	1.5	6.8	1.00000	ug/Kg	106043	12/22/03	2325	iso
	Methyl-tert-butyl-ether (MTBE), Solid*		ND		U	1.4	6.8	1.00000	ug/Kg	106043	12/22/03	2325	iso
	1,1-Dichloroethane, Solid*		ND		U	1.4	6.8	1.00000	ug/Kg	106043	12/22/03	2325	iso
	2,2-Dichloropropane, Solid*		ND		U	1.2	6.8	1.00000	ug/Kg	106043	12/22/03	2325	iso
	cis-1,2-Dichloroethene, Solid*		ND		U	1.5	6.8	1.00000	ug/Kg	106043	12/22/03	2325	iso
	2-Butanone (MEK), Solid*		ND		U	5.3	6.8	1.00000	ug/Kg	106043	12/22/03	2325	iso
	Bromochloromethane, Solid*		ND		U	1.5	6.8	1.00000	ug/Kg	106043	12/22/03	2325	iso
	Chloroform, Solid*		ND		U	1.5	6.8	1.00000	ug/Kg	106043	12/22/03	2325	iso
	1,1,1-Trichloroethane, Solid*		ND		U	1.5	6.8	1.00000	ug/Kg	106043	12/22/03	2325	iso
	1,1-Dichloropropane, Solid*		ND		U	1.6	6.8	1.00000	ug/Kg	106043	12/22/03	2325	iso
	Carbon tetrachloride, Solid*		ND		U	1.5	6.8	1.00000	ug/Kg	106043	12/22/03	2325	iso
	Benzene, Solid*		ND		U	1.5	6.8	1.00000	ug/Kg	106043	12/22/03	2325	iso
	1,2-Dichloroethane, Solid*		ND		U	1.3	6.8	1.00000	ug/Kg	106043	12/22/03	2325	iso
	Trichloroethene, Solid*		ND		U	1.5	6.8	1.00000	ug/Kg	106043	12/22/03	2325	iso
	1,2-Dichloropropane, Solid*		ND		U	1.4	6.8	1.00000	ug/Kg	106043	12/22/03	2325	iso
	Dibromomethane, Solid*		ND		U	1.5	6.8	1.00000	ug/Kg	106043	12/22/03	2325	iso
	Bromodichloromethane, Solid*		ND		U	1.3	6.8	1.00000	ug/Kg	106043	12/22/03	2325	iso
	cis-1,3-Dichloropropene, Solid*		ND		U	1.3	6.8	1.00000	ug/Kg	106043	12/22/03	2325	iso

* In Description = Dry Wgt.

Job Number: 223146

Date: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - STOP

ATTN: David Breuer

LABORATORY TEST RESULTS

Customer Sample ID: SB17
 Date Sampled.....: 12/16/2003
 Time Sampled.....: 16:30
 Sample Matrix....: Soil

Laboratory Sample ID: 223146-11
 Date Received.....: 12/17/2003
 Time Received.....: 12:10

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	4-Methyl-2-pentanone (MIBK), Solid*	ND	U *	1.4	6.8	1.00000	ug/Kg	106043	12/22/03	2325	so
	Toluene, Solid*	ND	U U	1.5	6.8	1.00000	ug/Kg	106043	12/22/03	2325	so
	trans-1,3-Dichloropropene, Solid*	ND	U U	1.1	6.8	1.00000	ug/Kg	106043	12/22/03	2325	so
	1,1,2-Trichloroethane, Solid*	ND	U U	1.5	6.8	1.00000	ug/Kg	106043	12/22/03	2325	so
	Tetrachloroethene, Solid*	ND	U U	1.6	6.8	1.00000	ug/Kg	106043	12/22/03	2325	so
	1,3-Dichloropropane, Solid*	ND	U U	1.3	6.8	1.00000	ug/Kg	106043	12/22/03	2325	so
	2-Hexanone, Solid*	ND	U U	1.5	6.8	1.00000	ug/Kg	106043	12/22/03	2325	so
	Dibromochloromethane, Solid*	ND	U U	1.1	6.8	1.00000	ug/Kg	106043	12/22/03	2325	so
	1,2-Dibromoethane (EDB), Solid*	ND	U U	1.1	6.8	1.00000	ug/Kg	106043	12/22/03	2325	so
	Chlorobenzene, Solid*	ND	U U	1.5	6.8	1.00000	ug/Kg	106043	12/22/03	2325	so
	1,1,1,2-Tetrachloroethane, Solid*	ND	U U	1.5	6.8	1.00000	ug/Kg	106043	12/22/03	2325	so
	Ethylbenzene, Solid*	ND	U U	1.5	6.8	1.00000	ug/Kg	106043	12/22/03	2325	so
	m&p-Xylenes, Solid*	ND	U U	3.1	14	1.00000	ug/Kg	106043	12/22/03	2325	so
	o-Xylene, Solid*	ND	U U	1.5	6.8	1.00000	ug/Kg	106043	12/22/03	2325	so
	Styrene, Solid*	ND	U U	1.5	6.8	1.00000	ug/Kg	106043	12/22/03	2325	so
	Bromoform, Solid*	ND	U U	1.0	6.8	1.00000	ug/Kg	106043	12/22/03	2325	so
	Isopropylbenzene, Solid*	ND	U U	1.5	6.8	1.00000	ug/Kg	106043	12/22/03	2325	so
	Bromobenzene, Solid*	ND	U U	1.4	6.8	1.00000	ug/Kg	106043	12/22/03	2325	so
	1,1,2,2-Tetrachloroethane, Solid*	ND	U U	1.3	6.8	1.00000	ug/Kg	106043	12/22/03	2325	so
	1,2,3-Trichloropropane, Solid*	ND	U U	1.5	6.8	1.00000	ug/Kg	106043	12/22/03	2325	so
	n-Propylbenzene, Solid*	ND	U U	1.8	6.8	1.00000	ug/Kg	106043	12/22/03	2325	so
	2-Chlorotoluene, Solid*	ND	U U	1.8	6.8	1.00000	ug/Kg	106043	12/22/03	2325	so
	1,3,5-Trimethylbenzene, Solid*	ND	U U	1.8	6.8	1.00000	ug/Kg	106043	12/22/03	2325	so
	4-Chlorotoluene, Solid*	ND	U U	1.8	6.8	1.00000	ug/Kg	106043	12/22/03	2325	so
	tert-Butylbenzene, Solid*	ND	U U	1.6	6.8	1.00000	ug/Kg	106043	12/22/03	2325	so
	1,2,4-Trimethylbenzene, Solid*	ND	U U	1.9	6.8	1.00000	ug/Kg	106043	12/22/03	2325	so
	sec-Butylbenzene, Solid*	ND	U U	1.6	6.8	1.00000	ug/Kg	106043	12/22/03	2325	so
	p-Isopropyltoluene, Solid*	ND	U U	1.8	6.8	1.00000	ug/Kg	106043	12/22/03	2325	so
	n-Butylbenzene, Solid*	ND	U U	1.8	6.8	1.00000	ug/Kg	106043	12/22/03	2325	so

* In Description = Dry Wgt.

LABORATORY TEST RESULTS											
Job Number:	Date:01/28/2004										
CUSTOMER: SCS Engineers, Inc.	PROJECT: GSA - SLCR										
ATTN: David Brewer											
Customer Sample ID:	SB17										
Date Sampled.....:	12/16/2003										
Time Sampled.....:	16:30										
Sample Matrix.....:	Soil										
Laboratory Sample ID: 223146-11 Date Received.....: 12/17/2003 Time Received.....: 12:10											
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	1,2-Dibromo-3-chloropropane, Solid* 1,2,3-Trichlorobenzene, Solid*	ND ND	U U	1.6 2.0	6.8 6.8	1.00000 1.00000	ug/Kg ug/Kg	106043 106043		12/22/03 2325 12/22/03 2325	so so

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

L A B O R A T O R Y C H R O N I C L E

Job Number: 223146

Date: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN: David Brewer

Lab ID: 223146-1 Client ID: SB1-SB4		Date Recvd: 12/17/2003 Sample Date: 12/15/2003				
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
Method	% Solids Determination	1	105796		12/29/2003	2140
3050B	Acid Digestion: Solids (ICAP)	1	105475		12/23/2003	1400
EDD	Electronic Data Deliverable	1	106231			
3541	Extraction Soxhlet (DRO)	1	105534		12/24/2003	1115
3550B	Extraction Ultrasonic (PCBs)	1	105039		12/19/2003	0910
7471A	Mercury (CVAA) Solids	1	105685	105667	12/26/2003	1524
6010B	Metals Analysis (ICAP Trace)	1	105896	105475	12/30/2003	0241
6010B	Metals Analysis (ICAP Trace)	1	106067	105475	12/30/2003	1645
8082	PCB Analysis	1	105818	105039	12/29/2003	1430
7470/7471	SW846 Digestion (Hg)	1	105667		12/26/2003	1315
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	105778	105534	12/29/2003	1321
Lab ID: 223146-2 Client ID: SB5		Date Recvd: 12/17/2003 Sample Date: 12/15/2003				
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
Method	% Solids Determination	1	105796		12/29/2003	2140
5030A	5030 Purge & Trap of Methanol Extract	1	105803		12/29/2003	1442
5035	5035 Archon Closed Purge & Trap	1	105424		12/22/2003	2230
5035	5035 Archon Closed Purge & Trap	2	105537		12/23/2003	1935
5035	5035 Preservation High (Methanol)	1	105220		12/17/2003	1405
5035	5035 Preservation Low	1	105219		12/17/2003	1405
5035	5035 Preservation Low	1	105219		12/17/2003	1406
5035	5035 Preservation Low	2	105219		12/17/2003	1405
5035	5035 Preservation Low	2	105219		12/17/2003	1406
3050B	Acid Digestion: Solids (ICAP)	1	105475		12/23/2003	1400
3550B	Extraction Ultrasonic (PCBs)	1	105039		12/19/2003	0910
7471A	Mercury (CVAA) Solids	1	105685	105667	12/26/2003	1527
6010B	Metals Analysis (ICAP Trace)	1	105896	105475	12/30/2003	0248
6010B	Metals Analysis (ICAP Trace)	1	106023	105475	12/30/2003	1320
8082	PCB Analysis	1	105818	105039	12/29/2003	1505
7470/7471	SW846 Digestion (Hg)	1	105667		12/26/2003	1315
8260B	Volatile Organics	1	106043	105219-105424	12/22/2003	2230
Lab ID: 223146-3 Client ID: SB6		Date Recvd: 12/17/2003 Sample Date: 12/16/2003				
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
Method	% Solids Determination	1	105796		12/29/2003	2140
3050B	Acid Digestion: Solids (ICAP)	1	105475		12/23/2003	1400
3550B	Extraction Ultrasonic (PCBs)	1	105039		12/19/2003	0910
7471A	Mercury (CVAA) Solids	1	105685	105667	12/26/2003	1529
6010B	Metals Analysis (ICAP Trace)	1	105896	105475	12/30/2003	0254
6010B	Metals Analysis (ICAP Trace)	1	106023	105475	12/30/2003	1327
8082	PCB Analysis	1	105818	105039	12/29/2003	1540
7470/7471	SW846 Digestion (Hg)	1	105667		12/26/2003	1315
Lab ID: 223146-4 Client ID: SB7		Date Recvd: 12/17/2003 Sample Date: 12/16/2003				
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
Method	% Solids Determination	1	105796		12/29/2003	2140
8330	8330 Extraction (Explosives)	1	105000		12/18/2003	1830
3050B	Acid Digestion: Solids (ICAP)	1	105475		12/23/2003	1400
8330	Explosives by 8330 (HPLC)	1	105764	105000	12/19/2003	1524
7471A	Mercury (CVAA) Solids	1	105685	105667	12/26/2003	1531
6010B	Metals Analysis (ICAP Trace)	1	105896	105475	12/30/2003	0300
6010B	Metals Analysis (ICAP Trace)	1	106023	105475	12/30/2003	1334
7470/7471	SW846 Digestion (Hg)	1	105667		12/26/2003	1315
Lab ID: 223146-5 Client ID: SB8-SB9		Date Recvd: 12/17/2003 Sample Date: 12/16/2003				
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
Method	% Solids Determination	1	105796		12/29/2003	2140

STL Chicago is part of Severn Trent Laboratories, Inc.

L A B O R A T O R Y C H R O N I C L E

Job Number: 223146

Date: 01/28/2004

CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP			ATTN: David Brewer		
Lab ID: 223146-5	Client ID: SB8-SB9						
METHOD	DESCRIPTION						
8330	8330 Extraction (Explosives)	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION	
3050B	Acid Digestion: Solids (ICAP)	1	105000		12/18/2003	1830	
8330	Explosives by 8330 (HPLC)	1	105475		12/23/2003	1400	
7471A	Mercury (CVAA) Solids	1	105764	105000	12/19/2003	1702	1.000000
6010B	Metals Analysis (ICAP Trace)	1	105685	105667	12/26/2003	1533	
6010B	Metals Analysis (ICAP Trace)	1	105896	105475	12/30/2003	0306	
7470/7471	SW846 Digestion (Hg)	1	106023	105475	12/30/2003	1340	
		1	105667		12/26/2003	1315	
Lab ID: 223146-6	Client ID: SB10						
METHOD	DESCRIPTION						
Method	% Solids Determination	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION	
8330	8330 Extraction (Explosives)	1	105796		12/29/2003	2140	
3050B	Acid Digestion: Solids (ICAP)	1	105000		12/18/2003	1830	
8330	Explosives by 8330 (HPLC)	1	105475		12/23/2003	1400	
7471A	Mercury (CVAA) Solids	1	105764	105000	12/19/2003	1734	1.000000
6010B	Metals Analysis (ICAP Trace)	1	105685	105667	12/26/2003	1539	
6010B	Metals Analysis (ICAP Trace)	1	105896	105475	12/30/2003	0312	
7470/7471	SW846 Digestion (Hg)	1	106023	105475	12/30/2003	1347	
		1	105667		12/26/2003	1315	
Lab ID: 223146-7	Client ID: SB11						
METHOD	DESCRIPTION						
Method	% Solids Determination	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION	
8330	8330 Extraction (Explosives)	1	105796		12/29/2003	2140	
3050B	Acid Digestion: Solids (ICAP)	1	105000		12/18/2003	1830	
8330	Explosives by 8330 (HPLC)	1	105475		12/23/2003	1400	
7471A	Mercury (CVAA) Solids	1	105764	105000	12/19/2003	1807	1.000000
6010B	Metals Analysis (ICAP Trace)	1	105685	105667	12/26/2003	1541	
6010B	Metals Analysis (ICAP Trace)	1	105896	105475	12/30/2003	0319	
7470/7471	SW846 Digestion (Hg)	1	106023	105475	12/30/2003	1354	
		1	105667		12/26/2003	1315	
Lab ID: 223146-8	Client ID: SB12						
METHOD	DESCRIPTION						
Method	% Solids Determination	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION	
5030A	5030 Purge & Trap of Methanol Extract	1	105796		12/29/2003	2140	
5035	5035 Archon Closed Purge & Trap	1	105803		12/29/2003	1504	
5035	5035 Archon Closed Purge & Trap	1	105424		12/22/2003	2257	
5035	5035 Preservation High (Methanol)	2	105537		12/23/2003	2057	
5035	5035 Preservation High (Methanol)	1	105220		12/17/2003	1407	
5035	5035 Preservation Low	1	105219		12/17/2003	1407	
5035	5035 Preservation Low	1	105219		12/17/2003	1408	
5035	5035 Preservation Low	2	105219		12/17/2003	1407	
5035	5035 Preservation Low	2	105219		12/17/2003	1408	
3050B	Acid Digestion: Solids (ICAP)	1	105475		12/23/2003	1400	
3550B	Extraction Ultrasonic (PCBs)	1	105039		12/19/2003	0910	
7471A	Mercury (CVAA) Solids	1	105685	105667	12/26/2003	1543	
6010B	Metals Analysis (ICAP Trace)	1	105896	105475	12/30/2003	0325	
6010B	Metals Analysis (ICAP Trace)	1	106023	105475	12/30/2003	1427	
8082	PCB Analysis	1	105818	105039	12/29/2003	1616	1.000000
7470/7471	SW846 Digestion (Hg)	1	105667		12/26/2003	1315	
8260B	Volatile Organics	1	106045	105220-105803	12/29/2003	1504	1.0000
Lab ID: 223146-9	Client ID: SB13-SB14						
METHOD	DESCRIPTION						
Method	% Solids Determination	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION	
8330	8330 Extraction (Explosives)	1	105796		12/29/2003	2140	
3050B	Acid Digestion: Solids (ICAP)	1	105000		12/18/2003	1830	
		1	105475		12/23/2003	1400	

STL Chicago is part of Severn Trent Laboratories, Inc.

L A B O R A T O R Y C H R O N I C L E

Job Number: 223146

Date: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN: David Brewer

Lab ID: 223146-9 Client ID: SB13-SB14		Date Recvd: 12/17/2003 Sample Date: 12/16/2003				
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
8330	Explosives by 8330 (HPLC)	1	105764	105000	12/19/2003 1839	1.00000
7471A	Mercury (CVAA) Solids	1	105685	105667	12/26/2003 1545	
6010B	Metals Analysis (ICAP Trace)	1	105896	105475	12/30/2003 0357	
6010B	Metals Analysis (ICAP Trace)	1	106023	105475	12/30/2003 1434	
7470/7471	SW846 Digestion (Hg)	1	105667		12/26/2003 1315	

Lab ID: 223146-10 Client ID: SB15-SB16		Date Recvd: 12/17/2003 Sample Date: 12/16/2003				
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
Method	% Solids Determination	1	105796		12/29/2003 2140	
8330	8330 Extraction (Explosives)	1	105000		12/18/2003 1830	
3050B	Acid Digestion: Solids (ICAP)	1	105475		12/23/2003 1400	
8330	Explosives by 8330 (HPLC)	1	105764	105000	12/19/2003 1912	1.00000
7471A	Mercury (CVAA) Solids	1	105685	105667	12/26/2003 1547	
6010B	Metals Analysis (ICAP Trace)	1	105896	105475	12/30/2003 0403	
6010B	Metals Analysis (ICAP Trace)	1	106023	105475	12/30/2003 1441	
7470/7471	SW846 Digestion (Hg)	1	105667		12/26/2003 1315	

Lab ID: 223146-11 Client ID: SB17		Date Recvd: 12/17/2003 Sample Date: 12/16/2003				
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
Method	% Solids Determination	1	105796		12/29/2003 2140	
5030A	5030 Purge & Trap	1	105980		12/28/2003 1000	
5035	5035 Archon Closed Purge & Trap	1	105424		12/22/2003 2325	
5035	5035 Preservation High (Methanol)	1	105220		12/17/2003 1408	
5035	5035 Preservation Low	1	105219		12/17/2003 1409	
5035	5035 Preservation Low	2	105219		12/17/2003 1408	
3541	Extraction Soxhlet (DRO)	1	105534		12/24/2003 1115	
3550B	Extraction Ultrasonic (PCBs)	1	105039		12/19/2003 0910	
3550B	Extraction Ultrasonic (SVOC)	1	105439		12/23/2003 1100	
8082	PCB Analysis	1	105818	105039	12/29/2003 1651	1.00000
8270C	Semivolatile Organics	1	105852	105439	12/26/2003 1800	1.00000
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	105778	105534	12/29/2003 1438	1.00000
8015B MGRO	TPH - Gasoline Range Organics (GRO)	1	105981	105980	12/28/2003 1329	1.00000
8260B	Volatile Organics	1	106043	105219-105424	12/22/2003 2325	1.00000

STL Chicago is part of Severn Trent Laboratories, Inc.

S U R R O G A T E R E C O V E R I E S R E P O R T

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN: David Brewer

Method.....: TPH - Diesel Range Organics (DRO)
Method Code...: 8015D

Test Matrix...: 3541 Solid
Batch(s).....: 105778

Prep Batch..: 105534

Lab ID	DT	Sample ID	Date	2FLUBP	OTERPH
LCS			12/29/2003	94	95
MB			12/29/2003	89	91
223146- 1		SB1-SB4	12/29/2003	75	78
223146- 11		SB17	12/29/2003	74	79

Test	Test Description	Limits
2FLUBP	2-Fluorobiphenyl (surr)	48 - 103
OTERPH	o-Terphenyl (surr)	44 - 128

STL Chicago is part of Severn Trent Laboratories, Inc.

S U R R O G A T E R E C O V E R I E S R E P O R T

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN: David Brewer

Method.....: TPH - Gasoline Range Organics (GRO)
Method Code...: 8015G

Test Matrix...: Solid
Batch(s).....: 105981

Prep Batch..: 105980

Lab ID	DT	Sample ID	Date	ATFT	BRFLBE
LCS			12/28/2003	105	100
MB			12/28/2003	96	89
223146- 11		SB17	12/28/2003	91	79
223146- 11 MS		SB17	12/28/2003	99	90
223146- 11 MSD		SB17	12/28/2003	96	89

Test	Test Description	Limits
ATFT	a,a,a-Trifluorotoluene	68 - 113
BRFLBE	4-Bromofluorobenzene (surr)	41 - 125

STL Chicago is part of Severn Trent Laboratories, Inc.

S U R R O G A T E R E C O V E R I E S R E P O R T

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN: David Brewer

Method.....: PCB Analysis
Method Code...: 8082

Test Matrix...: Solid
Batch(s).....: 105818

Prep Batch..: 105039

Lab ID	DT	Sample ID	Date	DCB	TCX
LCS			12/29/2003	101	99
MB			12/29/2003	102	99
223146- 1		SB1-SB4	12/29/2003	133*	122*
223146- 2		SB5	12/29/2003	97	91
223146- 3		SB6	12/29/2003	104	102
223146- 8		SB12	12/29/2003	110	106
223146- 11		SB17	12/29/2003	94	90

Test	Test Description	Limits
DCB	Decachlorobiphenyl (surr)	24 - 129
TCX	Tetrachloro-m-xylene (surr)	40 - 116

STL Chicago is part of Severn Trent Laboratories, Inc.

S U R R O G A T E R E C O V E R I E S R E P O R T

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN: David Brewer

Method.....: Volatile Organics
Method Code...: 8260B

Test Matrix...: Solid
Batch(s).....: 106043

Prep Batch..: 105219

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
EB3			12/22/2003	91	79	85	88
223146- 2		SB5	12/22/2003	104	69	96	79
223146- 11		SB17	12/22/2003	81	67	78	75

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	50 - 145
BRFLBE	4-Bromofluorobenzene (surr)	60 - 140
DBRFLM	Dibromofluoromethane (surr)	60 - 140
TOLD8	Toluene-d8 (surr)	66 - 141

Method.....: Volatile Organics
Method Code...: 8260B

Test Matrix...: High/Med Level
Batch(s).....: 106045

Prep Batch..: 105220

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
EB2			12/29/2003	83	98	92	108
223146- 8		SB12	12/29/2003	85	100	94	108

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	43 - 139
BRFLBE	4-Bromofluorobenzene (surr)	57 - 124
DBRFLM	Dibromofluoromethane (surr)	64 - 132
TOLD8	Toluene-d8 (surr)	70 - 128

Method.....: Volatile Organics
Method Code...: 8260B

Test Matrix...: Solid
Batch(s).....: 106043

Prep Batch..: 105424

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
LCS			12/22/2003	89	87	89	89
MB			12/22/2003	89	77	87	86

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	50 - 145
BRFLBE	4-Bromofluorobenzene (surr)	60 - 140
DBRFLM	Dibromofluoromethane (surr)	60 - 140
TOLD8	Toluene-d8 (surr)	66 - 141

Method.....: Volatile Organics
Method Code...: 8260B

Test Matrix...: High/Med Level
Batch(s).....: 106045

Prep Batch..: 105803

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
LCS			12/29/2003	82	102	94	107
MB			12/29/2003	94	107	103	118

STL Chicago is part of Severn Trent Laboratories, Inc.

S U R R O G A T E R E C O V E R I E S R E P O R T

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN: David Brewer

Method.....: Volatile Organics
Method Code...: 8260B

Test Matrix...: High/Med Level
Batch(s).....: 106045

Prep Batch..: 105803

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	43 - 139
BRFLBE	4-Bromofluorobenzene (surr)	57 - 124
DBRFLM	Dibromofluoromethane (surr)	64 - 132
TOLD8	Toluene-d8 (surr)	70 - 128

STL Chicago is part of Severn Trent Laboratories, Inc.

S U R R O G A T E R E C O V E R I E S R E P O R T

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN: David Brewer

Method.....: Semivolatile Organics
Method Code...: 8270

Test Matrix...: Low Level Soil
Batch(s).....: 105852

Prep Batch..: 105439

Lab ID	DT	Sample ID	Date	246TBP	2FLUBP	2FLUPH	NITRD5	PHEND5	TERD14
LCS			12/26/2003	92	77	84	82	74	73
MB			12/26/2003	79	85	90	88	85	77
223146- 11		SB17	12/26/2003	70	71	80	75	71	64

Test	Test Description	Limits
246TBP	2,4,6-Tribromophenol (surr)	20 - 150
2FLUBP	2-Fluorobiphenyl (surr)	41 - 108
2FLUPH	2-Fluorophenol (surr)	35 - 118
NITRD5	Nitrobenzene-d5 (surr)	22 - 108
PHEND5	Phenol-d5 (surr)	21 - 129
TERD14	Terphenyl-d14 (surr)	37 - 137

STL Chicago is part of Severn Trent Laboratories, Inc.

S U R R O G A T E R E C O V E R I E S R E P O R T

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN: David Brewer

Method.....: Explosives by 8330 (HPLC)
Method Code...: 8330

Test Matrix...: Solid
Batch(s).....: 105764

Prep Batch..: 105000

Lab ID	DT	Sample ID	Date	12DNBZ
LCS			12/19/2003	101
MB			12/19/2003	99
223146- 4		SB7	12/19/2003	100
223146- 4 MS		SB7	12/19/2003	102
223146- 4 MSD		SB7	12/19/2003	107
223146- 5		SB8-SB9	12/19/2003	101
223146- 6		SB10	12/19/2003	99
223146- 7		SB11	12/19/2003	104
223146- 9		SB13-SB14	12/19/2003	99
223146- 10		SB15-SB16	12/19/2003	99

Test	Test Description	Limits
12DNBZ	1,2-Dinitrobenzene (surr)	69 - 160

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP	ATTN: David Brewer		
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date Time

Test Method.....: 8082 Method Description.: PCB Analysis	Equipment Code....: INST4142 Batch.....: 105818	Analyst...: mgk
---	--	-----------------

LCS	Laboratory Control Sample	003LWPCBA	105039-002			12/29/2003	1208		
Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Aroclor 1016, Solid	ug/Kg	139.417		166.700	2.900	U 84	%	63-106	
Aroclor 1260, Solid	ug/Kg	161.087		167.000	2.500	U 96	%	68-105	

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8082
Method Description.: PCB AnalysisEquipment Code....: INST4142
Batch.....: 105818

Analyst...: mgk

MB	Method Blank			105039-001			12/29/2003 1132
Parameter/Test Description		Units	QC Result	QC Result	True Value	Orig. Value	QC Calc. * Limits F
Aroclor 1016, Solid		ug/Kg	2.900	U			
Aroclor 1221, Solid		ug/Kg	6.700	U			
Aroclor 1232, Solid		ug/Kg	3.000	U			
Aroclor 1242, Solid		ug/Kg	6.300	U			
Aroclor 1248, Solid		ug/Kg	2.300	U			
Aroclor 1254, Solid		ug/Kg	2.700	U			
Aroclor 1260, Solid		ug/Kg	2.500	U			

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type

Description

Reag. Code

Lab ID

Dilution Factor

Date Time

Test Method.....: 8015B MDRO

Equipment Code..... INST10

Analyst...: mgk

Method Description.: TPH - Diesel Range Organics (DRO)

Equipment number: 105778
Batch: 105778

LCS	Laboratory Control Sample	003KWLDIEA	105534-002		12/29/2003 1242
Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value QC Calc. * Limits F
Diesel Range Organics (DRO), 3541 Soli mg/Kg		57.353		66.670	2.600 U 86 % 70-106

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8015B MDRO
Method Description.: TPH - Diesel Range Organics (DRO)

Equipment Code....: INST10
Batch.....: 105778

Analyst...: mgk

MB	Method Blank			105534-001			12/29/2003	1203
Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Diesel Range Organics (DRO), 3541 Soli	mg/Kg	2.600	U					

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTEN+

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8015B MGRO

Method Description.: TPH - Gasoline Range Organics (GRO)

Equipment Code.....: INST1314

Batch.....: 105981

Analyst...: wre

LCS	Laboratory Control Sample	G03L28DSA	105980-002			12/28/2003	1254
Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits F
Gasoline Range Organics (GRO), Solid	ug/Kg	437.335		400.000	7.100 U 109	%	79-130

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8015B MGRO

Method Description.: TPH - Gasoline Range Organics (GRO)

Equipment Code....: INST1314

Batch.....: 105981

Analyst...: wre

MB	Method Blank			105980-001			12/28/2003	1219
Gasoline Range Organics (GRO), Solid	ug/Kg	7.100	U					

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLCP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8015B MGRO Equipment Code....: INST1314 Analyst...: wre
Method Description.: TPH - Gasoline Range Organics (GRO) Batch.....: 105981

MS	Matrix Spike	G03L28DSA	223146-11		12/28/2003	1405
Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.
Gasoline Range Organics (GRO), Solid	ug/Kg	479.955		495.700	8.798 U 97	% 79-130

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8015B MGRO Equipment Code....: INST1314 Analyst...: wre
 Method Description.: TPH - Gasoline Range Organics (GRO) Batch.....: 105981

MSD	Matrix Spike Duplicate	G03L28DSA	223146-11			12/28/2003	1440		
Parameter/Test Description		Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Gasoline Range Organics (GRO), Solid		ug/Kg	477.156	479.955	495.700	8.798	U 96 1	% 79-130 R 30	

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8330
 Method Description.: Explosives by 8330 (HPLC)

Equipment Code....: INST3536
 Batch.....: 105764

Analyst...: san

LCS	Laboratory Control Sample	003LWLEXPA	105000-002			12/19/2003	1452	F
Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits
HMX, Solid	ug/Kg	1050.000		1000.000	113.000	U 105	%	84-120
RDX, Solid	ug/Kg	975.800		1000.000	58.600	U 98	%	81-115
1,3,5-Trinitrobenzene, Solid	ug/Kg	933.600		1000.000	17.500	U 93	%	77-114
1,3-Dinitrobenzene, Solid	ug/Kg	1048.500		1000.000	17.800	U 105	%	85-112
Nitrobenzene, Solid	ug/Kg	1051.400		1000.000	22.200	U 105	%	86-112
2,4,6-TNT, Solid	ug/Kg	1099.850		1000.000	33.800	U 110	%	77-118
Tetryl, Solid	ug/Kg	782.050		2000.000	43.400	U 39	%	35-132
2,4-Dinitrotoluene, Solid	ug/Kg	1104.050		1000.000	35.600	U 110	%	81-121
2,6-Dinitrotoluene, Solid	ug/Kg	2020.200		2000.000	47.500	U 101	%	84-114
2-Amino-4,6-Dinitrotoluene, Solid	ug/Kg	1926.250		2000.000	36.000	U 96	%	83-113
4-Amino-2,6-Dinitrotoluene, Solid	ug/Kg	2236.600		2000.000	97.200	U 112	%	80-131
2-Nitrotoluene, Solid	ug/Kg	2070.550		2000.000	33.200	U 104	%	84-114
4-Nitrotoluene, Solid	ug/Kg	1990.950		2000.000	46.600	U 100	%	82-112
3-Nitrotoluene, Solid	ug/Kg	2025.250		2000.000	50.000	U 101	%	84-117

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLCP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8330
Method Description.: Explosives by 8330 (HPLC)

Equipment Code....: INST3536
Batch.....: 105764

Analyst...: san

MB Method Blank 105000-001 12/19/2003 1419

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
HMX, Solid	ug/Kg	113.000	U						
RDX, Solid	ug/Kg	58.600	U						
1,3,5-Trinitrobenzene, Solid	ug/Kg	17.500	U						
1,3-Dinitrobenzene, Solid	ug/Kg	17.800	U						
Nitrobenzene, Solid	ug/Kg	22.200	U						
2,4,6-TNT, Solid	ug/Kg	33.800	U						
Tetryl, Solid	ug/Kg	43.400	U						
2,4-Dinitrotoluene, Solid	ug/Kg	35.600	U						
2,6-Dinitrotoluene, Solid	ug/Kg	47.500	U						
2-Amino-4,6-Dinitrotoluene, Solid	ug/Kg	36.000	U						
4-Amino-2,6-Dinitrotoluene, Solid	ug/Kg	97.200	U						
2-Nitrotoluene, Solid	ug/Kg	33.200	U						
4-Nitrotoluene, Solid	ug/Kg	46.600	U						
3-Nitrotoluene, Solid	ug/Kg	50.000	U						

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8330 Method Description.: Explosives by 8330 (HPLC)	Equipment Code....: INST3536 Batch.....: 105764	Analyst...: san
--	--	-----------------

MS	Matrix Spike	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Parameter/Test Description									
HMX, Solid	ug/Kg	1023.550		1000.000	113.000	U 102	%	84-120	
RDX, Solid	ug/Kg	869.950		1000.000	58.600	U 87	%	81-115	
1,3,5-Trinitrobenzene, Solid	ug/Kg	895.250		1000.000	17.500	U 90	%	77-114	
1,3-Dinitrobenzene, Solid	ug/Kg	1067.000		1000.000	17.800	U 107	%	85-112	
Nitrobenzene, Solid	ug/Kg	1073.700		1000.000	22.200	U 107	%	86-112	
2,4,6-TNT, Solid	ug/Kg	1029.100		1000.000	33.800	U 103	%	77-118	
Tetryl, Solid	ug/Kg	1461.500		2000.000	43.400	U 73	%	35-132	
2,4-Dinitrotoluene, Solid	ug/Kg	1095.200		1000.000	35.600	U 110	%	81-121	
2,6-Dinitrotoluene, Solid	ug/Kg	2060.500		2000.000	47.500	U 103	%	84-114	
2-Amino-4,6-Dinitrotoluene, Solid	ug/Kg	1959.000		2000.000	36.000	U 98	%	83-113	
4-Amino-2,6-Dinitrotoluene, Solid	ug/Kg	1997.000		2000.000	97.200	U 100	%	80-131	
2-Nitrotoluene, Solid	ug/Kg	2137.650		2000.000	33.200	U 107	%	84-114	
4-Nitrotoluene, Solid	ug/Kg	2035.400		2000.000	46.600	U 102	%	82-112	
3-Nitrotoluene, Solid	ug/Kg	2088.200		2000.000	50.000	U 104	%	84-117	

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN:	
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date Time

Test Method.....: 8330	Equipment Code....: INST3536	Analyst...: san
Method Description.: Explosives by 8330 (HPLC)	Batch.....: 105764	

MSD	Matrix Spike Duplicate	003LWLEXPA	223146-4			12/19/2003	1629		
Parameter/Test Description		Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
HMX, Solid		ug/Kg	1080.050	1023.550	1000.000	113.000	U 108	% 84-120	
RDX, Solid		ug/Kg	944.000	869.950	1000.000	58.600	U 94	% 81-115	
1,3,5-Trinitrobenzene, Solid		ug/Kg	979.750	895.250	1000.000	17.500	U 98	% 77-114	
1,3-Dinitrobenzene, Solid		ug/Kg	1122.500	1067.000	1000.000	17.800	U 112	% 85-112	
Nitrobenzene, Solid		ug/Kg	1123.150	1073.700	1000.000	22.200	U 112	% 86-112	
2,4,6-TNT, Solid		ug/Kg	1086.000	1029.100	1000.000	33.800	U 109	% 77-118	
Tetryl, Solid		ug/Kg	1653.200	1461.500	2000.000	43.400	U 83	% 35-132	
2,4-Dinitrotoluene, Solid		ug/Kg	1146.000	1095.200	1000.000	35.600	U 115	% 81-121	
2,6-Dinitrotoluene, Solid		ug/Kg	2144.700	2060.500	2000.000	47.500	U 107	% 84-114	
2-Amino-4,6-Dinitrotoluene, Solid		ug/Kg	2075.700	1959.000	2000.000	36.000	U 104	% 83-113	
4-Amino-2,6-Dinitrotoluene, Solid		ug/Kg	2119.700	1997.000	2000.000	97.200	U 106	% 80-131	
2-Nitrotoluene, Solid		ug/Kg	2193.150	2137.650	2000.000	33.200	U 110	% 84-114	
4-Nitrotoluene, Solid		ug/Kg	2104.900	2035.400	2000.000	46.600	U 105	% 82-112	
3-Nitrotoluene, Solid		ug/Kg	2156.700	2088.200	2000.000	50.000	U 108	% 84-117	
							4	R 30	

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN:	
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date Time

Test Method.....: 8270C Method Description.: Semivolatile Organics	Equipment Code....: GCL11 Batch.....: 105852	Analyst...: dpk
---	---	-----------------

LCS	Laboratory Control Sample	003LWBLKB	105439-002					12/26/2003	1539	
Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F	
Phenol, Low Level Soil	ug/Kg	1294.234		1667.000	1.600	U 78	%	34-119		
Bis(2-chloroethyl)ether, Low Level Soil	ug/Kg	870.741		1667.000	2.000	U 52	%	42-101		
1,3-Dichlorobenzene, Low Level Soil	ug/Kg	1217.841		1667.000	79.000	U 73	%	48-100		
1,4-Dichlorobenzene, Low Level Soil	ug/Kg	1284.104		1667.000	71.000	U 77	%	50-100		
1,2-Dichlorobenzene, Low Level Soil	ug/Kg	1217.054		1667.000	79.000	U 73	%	49-104		
Benzyl alcohol, Low Level Soil	ug/Kg	1354.803		1667.000	94.000	U 81	%	14-150		
2-Methylphenol (o-cresol), Low Level Soil	ug/Kg	1270.217		1667.000	8.400	U 76	%	36-110		
2,2-oxybis (1-chloropropane), Low Level Soil	ug/Kg	1447.572		1667.000	75.000	U 87	%	48-100		
n-Nitroso-di-n-propylamine, Low Level Soil	ug/Kg	1339.647		1667.000	2.300	U 80	%	49-138		
Hexachloroethane, Low Level Soil	ug/Kg	1278.394		1667.000	3.300	U 77	%	46-100		
4-Methylphenol (m/p-cresol), Low Level Soil	ug/Kg	1314.357		1667.000	5.800	U 79	%	33-114		
2-Chlorophenol, Low Level Soil	ug/Kg	1404.596		1667.000	59.000	U 84	%	52-103		
Nitrobenzene, Low Level Soil	ug/Kg	1469.469		1667.000	2.500	U 88	%	50-100		
Bis(2-chloroethoxy)methane, Low Level Soil	ug/Kg	1437.052		1667.000	2.900	U 86	%	55-116		
1,2,4-Trichlorobenzene, Low Level Soil	ug/Kg	1300.920		1667.000	59.000	U 78	%	53-107		
Benzoic acid, Low Level Soil	ug/Kg	1308.950		1667.000	98.000	U 79	%	40-143		
Isophorone, Low Level Soil	ug/Kg	1462.775		1667.000	2.400	U 88	%	52-116		
2,4-Dimethylphenol, Low Level Soil	ug/Kg	1502.058		1667.000	60.000	U 90	%	11-115		
Hexachlorobutadiene, Low Level Soil	ug/Kg	1301.937		1667.000	3.300	U 78	%	52-118		
Naphthalene, Low Level Soil	ug/Kg	1341.360		1667.000	1.700	U 80	%	49-100		
2,4-Dichlorophenol, Low Level Soil	ug/Kg	1390.519		1667.000	48.000	U 83	%	58-103		
4-Chloroaniline, Low Level Soil	ug/Kg	976.600		1667.000	100.000	U 59	%	15-114		
2,4,6-Trichlorophenol, Low Level Soil	ug/Kg	1410.736		1667.000	47.000	U 85	%	57-105		
2,4,5-Trichlorophenol, Low Level Soil	ug/Kg	1507.388		1667.000	38.000	U 90	%	62-118		
Hexachlorocyclopentadiene, Low Level Soil	ug/Kg	958.697		1667.000	54.000	U 58	%	32-100		
2-Methylnaphthalene, Low Level Soil	ug/Kg	1724.736		1667.000	1.500	U 103	%	30-115		
2-Nitroaniline, Low Level Soil	ug/Kg	1352.093		1667.000	34.000	U 81	%	55-106		
2-Chloronaphthalene, Low Level Soil	ug/Kg	1362.646		1667.000	48.000	U 82	%	59-114		
4-Chloro-3-methylphenol, Low Level Soil	ug/Kg	1512.922		1667.000	38.000	U 91	%	56-110		
2,6-Dinitrotoluene, Low Level Soil	ug/Kg	1099.126		1667.000	2.200	U 66	%	62-111		
2-Nitrophenol, Low Level Soil	ug/Kg	1402.273		1667.000	63.000	U 84	%	53-102		
3-Nitroaniline, Low Level Soil	ug/Kg	1916.054		1667.000	111.000	U 115	%	28-100	*	
Dimethyl phthalate, Low Level Soil	ug/Kg	1119.705		1667.000	3.600	U 67	%	63-105		
2,4-Dinitrophenol, Low Level Soil	ug/Kg	1557.488		1667.000	114.000	U 93	%	44-139		
Acenaphthylene, Low Level Soil	ug/Kg	1394.913		1667.000	0.910	U 84	%	50-103		
2,4-Dinitrotoluene, Low Level Soil	ug/Kg	1259.907		1667.000	1.700	U 76	%	61-113		
Acenaphthene, Low Level Soil	ug/Kg	1079.996		1667.000	1.400	U 65	%	51-100		
Dibenzofuran, Low Level Soil	ug/Kg	1083.719		1667.000	2.700	U 65	%	49-103		
4-Nitrophenol, Low Level Soil	ug/Kg	1565.994		1667.000	82.000	U 94	%	45-129		
Fluorene, Low Level Soil	ug/Kg	1447.609		1667.000	1.600	U 87	%	51-109		
4-Nitroaniline, Low Level Soil	ug/Kg	1782.146		1667.000	39.000	U 107	%	32-111		
4-Bromophenyl phenyl ether, Low Level Soil	ug/Kg	1160.325		1667.000	3.100	U 70	%	62-108		
Hexachlorobenzene, Low Level Soil	ug/Kg	1119.275		1667.000	1.800	U 67	%	62-105		
Diethyl phthalate, Low Level Soil	ug/Kg	1397.753		1667.000	3.700	U 84	%	62-110		
4-Chlorophenyl phenyl ether, Low Level Soil	ug/Kg	1059.263		1667.000	3.600	U 64	%	62-106		
Pentachlorophenol, Low Level Soil	ug/Kg	1816.772		1667.000	100.000	U 109	%	43-122		
n-Nitrosodiphenylamine, Low Level Soil	ug/Kg	1491.778		1667.000	2.900	U 90	%	63-108		
4,6-Dinitro-2-methylphenol, Low Level Soil	ug/Kg	1725.976		1667.000	95.000	U 104	%	67-130		
Phenanthrene, Low Level Soil	ug/Kg	1668.587		1667.000	1.000	U 100	%	50-110		
Anthracene, Low Level Soil	ug/Kg	1349.047		1667.000	0.860	U 81	%	51-110		

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

LCS	Laboratory Control Sample	003LWLKB	105439-002		12/26/2003	1539
Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.
Carbazole, Low Level Soil	ug/Kg	1593.641		1667.000	35.000	U 96
Di-n-butyl phthalate, Low Level Soil	ug/Kg	1692.203		1667.000	20.000	U 102
Benzidine, Low Level Soil	ug/Kg	657.000	U	1667.000	657.000	U 12
Fluoranthene, Low Level Soil	ug/Kg	1684.003		1667.000	1.100	U 101
Pyrene, Low Level Soil	ug/Kg	1333.080		1667.000	2.000	U 80
Butyl benzyl phthalate, Low Level Soil	ug/Kg	1575.718		1667.000	4.100	U 95
Benzo(a)anthracene, Low Level Soil	ug/Kg	1610.804		1667.000	1.100	U 97
Chrysene, Low Level Soil	ug/Kg	1582.181		1667.000	1.800	U 95
3,3-Dichlorobenzidine, Low Level Soil	ug/Kg	1548.985		1667.000	18.000	U 93
Bis(2-ethylhexyl)phthalate, Low Level	ug/Kg	1763.926		1667.000	14.107	J 106
Di-n-octyl phthalate, Low Level Soil	ug/Kg	1606.254		1667.000	8.700	U 96
Benzo(b)fluoranthene, Low Level Soil	ug/Kg	1513.365		1667.000	2.100	U 91
Benzo(k)fluoranthene, Low Level Soil	ug/Kg	1456.952		1667.000	2.800	U 87
Benzo(a)pyrene, Low Level Soil	ug/Kg	1541.748		1667.000	2.200	U 93
Indeno(1,2,3-cd)pyrene, Low Level Soil	ug/Kg	1707.136		1667.000	2.100	U 102
Dibenzo(a,h)anthracene, Low Level Soil	ug/Kg	1683.343		1667.000	2.200	U 101
Benzo(ghi)perylene, Low Level Soil	ug/Kg	1693.663		1667.000	1.900	U 102

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP	ATTN:		
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date Time
Test Method.....: 8270C Method Description.: Semivolatile Organics			Equipment Code....: GCL11 Batch.....: 105852		

MB	Method Blank	Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
		Phenol, Low Level Soil	ug/Kg	1.600	U					
		Bis(2-chloroethyl)ether, Low Level Soil	ug/Kg	2.000	U					
		1,3-Dichlorobenzene, Low Level Soil	ug/Kg	79.000	U					
		1,4-Dichlorobenzene, Low Level Soil	ug/Kg	71.000	U					
		1,2-Dichlorobenzene, Low Level Soil	ug/Kg	79.000	U					
		Benzyl alcohol, Low Level Soil	ug/Kg	94.000	U					
		2-Methylphenol (o-cresol), Low Level Soil	ug/Kg	8.400	U					
		2,2-oxybis (1-chloropropane), Low Level Soil	ug/Kg	75.000	U					
		n-Nitroso-di-n-propylamine, Low Level Soil	ug/Kg	2.300	U					
		Hexachloroethane, Low Level Soil	ug/Kg	3.300	U					
		4-Methylphenol (m/p-cresol), Low Level Soil	ug/Kg	5.800	U					
		2-Chlorophenol, Low Level Soil	ug/Kg	59.000	U					
		Nitrobenzene, Low Level Soil	ug/Kg	2.500	U					
		Bis(2-chloroethoxy)methane, Low Level Soil	ug/Kg	2.900	U					
		1,2,4-Trichlorobenzene, Low Level Soil	ug/Kg	59.000	U					
		Benzoic acid, Low Level Soil	ug/Kg	98.000	U					
		Isophorone, Low Level Soil	ug/Kg	2.400	U					
		2,4-Dimethylphenol, Low Level Soil	ug/Kg	60.000	U					
		Hexachlorobutadiene, Low Level Soil	ug/Kg	3.300	U					
		Naphthalene, Low Level Soil	ug/Kg	1.700	U					
		2,4-Dichlorophenol, Low Level Soil	ug/Kg	48.000	U					
		4-Chloraniline, Low Level Soil	ug/Kg	100.000	U					
		2,4,6-Trichlorophenol, Low Level Soil	ug/Kg	47.000	U					
		2,4,5-Trichlorophenol, Low Level Soil	ug/Kg	38.000	U					
		Hexachlorocyclopentadiene, Low Level Soil	ug/Kg	54.000	U					
		2-Methylnaphthalene, Low Level Soil	ug/Kg	1.500	U					
		2-Nitroaniline, Low Level Soil	ug/Kg	34.000	U					
		2-Chloronaphthalene, Low Level Soil	ug/Kg	48.000	U					
		4-Chloro-3-methylphenol, Low Level Soil	ug/Kg	38.000	U					
		2,6-Dinitrotoluene, Low Level Soil	ug/Kg	2.200	U					
		2-Nitrophenol, Low Level Soil	ug/Kg	63.000	U					
		3-Nitroaniline, Low Level Soil	ug/Kg	111.000	U					
		Dimethyl phthalate, Low Level Soil	ug/Kg	3.600	U					
		2,4-Dinitrophenol, Low Level Soil	ug/Kg	114.000	U					
		Acenaphthylene, Low Level Soil	ug/Kg	0.910	U					
		2,4-Dinitrotoluene, Low Level Soil	ug/Kg	1.700	U					
		Acenaphthene, Low Level Soil	ug/Kg	1.400	U					
		Dibenzofuran, Low Level Soil	ug/Kg	2.700	U					
		4-Nitrophenol, Low Level Soil	ug/Kg	82.000	U					
		Fluorene, Low Level Soil	ug/Kg	1.600	U					
		4-Nitroaniline, Low Level Soil	ug/Kg	39.000	U					
		4-Bromophenyl phenyl ether, Low Level Soil	ug/Kg	3.100	U					
		Hexachlorobenzene, Low Level Soil	ug/Kg	1.800	U					
		Diethyl phthalate, Low Level Soil	ug/Kg	3.700	U					
		4-Chlorophenyl phenyl ether, Low Level Soil	ug/Kg	3.600	U					
		Pentachlorophenol, Low Level Soil	ug/Kg	100.000	U					
		n-Nitrosodiphenylamine, Low Level Soil	ug/Kg	2.900	U					
		4,6-Dinitro-2-methylphenol, Low Level Soil	ug/Kg	95.000	U					
		Phenanthrene, Low Level Soil	ug/Kg	1.000	U					
		Anthracene, Low Level Soil	ug/Kg	0.860	U					

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
MB	Method Blank			105439-001		12/26/2003 1514

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Carbazole, Low Level Soil	ug/Kg	35.000	U						
Di-n-butyl phthalate, Low Level Soil	ug/Kg	20.000	U						
Benzidine, Low Level Soil	ug/Kg	657.000	U						
Fluoranthene, Low Level Soil	ug/Kg	1.100	U						
Pyrene, Low Level Soil	ug/Kg	2.000	U						
Butyl benzyl phthalate, Low Level Soil	ug/Kg	4.100	U						
Benzo(a)anthracene, Low Level Soil	ug/Kg	1.100	U						
Chrysene, Low Level Soil	ug/Kg	1.800	U						
3,3-Dichlorobenzidine, Low Level Soil	ug/Kg	18.000	U						
Bis(2-ethylhexyl)phthalate, Low Level	ug/Kg	14.107	J						
Di-n-octyl phthalate, Low Level Soil	ug/Kg	8.700	U						
Benzo(b)fluoranthene, Low Level Soil	ug/Kg	2.100	U						
Benzo(k)fluoranthene, Low Level Soil	ug/Kg	2.800	U						
Benzo(a)pyrene, Low Level Soil	ug/Kg	2.200	U						
Indeno[1,2,3-cd]pyrene, Low Level Soil	ug/Kg	2.100	U						
Dibenzo(a,h)anthracene, Low Level Soil	ug/Kg	2.200	U						
Benzo(ghi)perylene, Low Level Soil	ug/Kg	1.900	U						

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP	ATTN:		
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date Time

Test Method.....: 8260B Method Description.: Volatile Organics	Equipment Code....: GCL6 Batch.....: 106043	Analyst...: js0
---	--	-----------------

EB3	DI Blank	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Dichlorodifluoromethane, Solid	ug/Kg	0.730	U						
Chloromethane, Solid	ug/Kg	1.100	U						
Vinyl chloride, Solid	ug/Kg	1.100	U						
Bromomethane, Solid	ug/Kg	1.300	U						
Chloroethane, Solid	ug/Kg	1.000	U						
Trichlorofluoromethane, Solid	ug/Kg	1.400	U						
1,1-Dichloroethene, Solid	ug/Kg	1.300	U						
Carbon disulfide, Solid	ug/Kg	1.200	U						
Acetone, Solid	ug/Kg	4.600	U						
Methylene chloride, Solid	ug/Kg	2.900	U						
trans-1,2-Dichloroethene, Solid	ug/Kg	1.100	U						
Methyl-tert-butyl-ether (MTBE), Solid	ug/Kg	1.000	U						
1,1-Dichloroethane, Solid	ug/Kg	1.000	U						
2,2-Dichloropropane, Solid	ug/Kg	0.920	U						
cis-1,2-Dichloroethene, Solid	ug/Kg	1.100	U						
2-Butanone (MEK), Solid	ug/Kg	3.900	U						
Bromochloromethane, Solid	ug/Kg	1.100	U						
Chloroform, Solid	ug/Kg	1.100	U						
1,1,1-Trichloroethane, Solid	ug/Kg	1.100	U						
1,1-Dichloropropene, Solid	ug/Kg	1.200	U						
Carbon tetrachloride, Solid	ug/Kg	1.100	U						
Benzene, Solid	ug/Kg	1.100	U						
1,2-Dichloroethane, Solid	ug/Kg	0.940	U						
Trichloroethene, Solid	ug/Kg	1.100	U						
1,2-Dichloropropane, Solid	ug/Kg	1.000	U						
Dibromomethane, Solid	ug/Kg	1.100	U						
Bromodichloromethane, Solid	ug/Kg	0.960	U						
cis-1,3-Dichloropropene, Solid	ug/Kg	0.930	U						
4-Methyl-2-pentanone (MIBK), Solid	ug/Kg	1.000	U						
Toluene, Solid	ug/Kg	1.100	U						
trans-1,3-Dichloropropene, Solid	ug/Kg	0.790	U						
1,1,2-Trichloroethane, Solid	ug/Kg	1.100	U						
Tetrachloroethene, Solid	ug/Kg	1.200	U						
1,3-Dichloropropane, Solid	ug/Kg	0.940	U						
2-Hexanone, Solid	ug/Kg	1.100	U						
Dibromochloromethane, Solid	ug/Kg	0.790	U						
1,2-Dibromoethane (EDB), Solid	ug/Kg	0.820	U						
Chlorobenzene, Solid	ug/Kg	1.100	U						
1,1,1,2-Tetrachloroethane, Solid	ug/Kg	1.100	U						
Ethylbenzene, Solid	ug/Kg	1.100	U						
m&p-Xylenes, Solid	ug/Kg	2.300	U						
o-Xylene, Solid	ug/Kg	1.100	U						
Styrene, Solid	ug/Kg	1.100	U						
Bromoform, Solid	ug/Kg	0.750	U						
Isopropylbenzene, Solid	ug/Kg	1.100	U						
Bromobenzene, Solid	ug/Kg	1.000	U						
1,1,2,2-Tetrachloroethane, Solid	ug/Kg	0.960	U						
1,2,3-Trichloropropane, Solid	ug/Kg	1.100	U						
n-Propylbenzene, Solid	ug/Kg	1.300	U						
2-Chlorotoluene, Solid	ug/Kg	1.300	U						

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

EB3	DI Blank			105219-007			12/22/2003	1702
-----	----------	--	--	------------	--	--	------------	------

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
1,3,5-Trimethylbenzene, Solid	ug/Kg	1.300	U						
4-Chlorotoluene, Solid	ug/Kg	1.300	U						
tert-Butylbenzene, Solid	ug/Kg	1.200	U						
1,2,4-Trimethylbenzene, Solid	ug/Kg	1.400	U						
sec-Butylbenzene, Solid	ug/Kg	1.200	U						
p-Isopropyltoluene, Solid	ug/Kg	1.300	U						
n-Butylbenzene, Solid	ug/Kg	1.300	U						
1,2-Dibromo-3-chloropropane, Solid	ug/Kg	1.200	U						
1,2,3-Trichlorobenzene, Solid	ug/Kg	1.500	U						

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8260B Method Description.: Volatile Organics	Equipment Code....: GCL6 Batch.....: 106043	Analyst...: jso
---	--	-----------------

LCS	Laboratory Control Sample	V03L22DSD	105424-017			12/22/2003	1552		
Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Dichlorodifluoromethane, Solid	ug/Kg	30.460		50.000	0.730	U 61	%	43-121	
Chloromethane, Solid	ug/Kg	36.687		50.000	1.100	U 73	%	45-141	
Vinyl chloride, Solid	ug/Kg	41.411		50.000	1.100	U 83	%	58-140	
Bromomethane, Solid	ug/Kg	40.903		50.000	1.300	U 82	%	48-127	
Chloroethane, Solid	ug/Kg	47.114		50.000	1.000	U 94	%	59-163	
Trichlorofluoromethane, Solid	ug/Kg	51.784		50.000	1.400	U 104	%	57-135	
1,1-Dichloroethene, Solid	ug/Kg	37.246		50.000	1.300	U 74	%	51-132	
Carbon disulfide, Solid	ug/Kg	29.889		50.000	1.200	U 60	%	23-138	
Acetone, Solid	ug/Kg	37.542		50.000	4.600	U 75	%	46-167	
Methylene chloride, Solid	ug/Kg	44.800		50.000	2.900	U 90	%	58-143	
trans-1,2-Dichloroethene, Solid	ug/Kg	44.438		50.000	1.100	U 89	%	58-139	
Methyl-tert-butyl-ether (MTBE), Solid	ug/Kg	58.825		50.000	1.000	U 118	%	61-132	
1,1-Dichloroethane, Solid	ug/Kg	45.708		50.000	1.000	U 91	%	63-133	
2,2-Dichloropropane, Solid	ug/Kg	47.981		50.000	0.920	U 96	%	67-134	
cis-1,2-Dichloroethene, Solid	ug/Kg	47.099		50.000	1.100	U 94	%	68-148	
2-Butanone (MEK), Solid	ug/Kg	34.660		50.000	3.900	U 69	%	50-150	
Bromochloromethane, Solid	ug/Kg	49.747		50.000	1.100	U 99	%	68-129	
Chloroform, Solid	ug/Kg	49.818		50.000	1.100	U 100	%	73-135	
1,1,1-Trichloroethane, Solid	ug/Kg	49.825		50.000	1.100	U 100	%	63-133	
1,1-Dichloropropene, Solid	ug/Kg	45.669		50.000	1.200	U 91	%	78-148	
Carbon tetrachloride, Solid	ug/Kg	51.924		50.000	1.100	U 104	%	67-127	
Benzene, Solid	ug/Kg	46.818		50.000	1.100	U 94	%	72-128	
1,2-Dichloroethane, Solid	ug/Kg	48.710		50.000	0.940	U 97	%	69-125	
Trichloroethene, Solid	ug/Kg	48.801		50.000	1.100	U 98	%	75-129	
1,2-Dichloropropane, Solid	ug/Kg	44.946		50.000	1.000	U 90	%	76-132	
Dibromomethane, Solid	ug/Kg	43.004		50.000	1.100	U 86	%	70-130	
Bromodichloromethane, Solid	ug/Kg	52.984		50.000	0.960	U 106	%	74-128	
cis-1,3-Dichloropropene, Solid	ug/Kg	47.298		52.000	0.930	U 91	%	80-124	*
4-Methyl-2-pentanone (MIBK), Solid	ug/Kg	32.496		50.000	1.000	U 65	%	68-134	*
Toluene, Solid	ug/Kg	45.743		50.000	1.100	U 91	%	75-125	
trans-1,3-Dichloropropene, Solid	ug/Kg	43.123		48.000	0.790	U 90	%	75-134	
1,1,2-Trichloroethane, Solid	ug/Kg	39.875		50.000	1.100	U 80	%	71-143	
Tetrachloroethene, Solid	ug/Kg	52.041		50.000	1.200	U 104	%	75-129	
1,3-Dichloropropane, Solid	ug/Kg	43.336		50.000	0.940	U 87	%	78-127	
2-Hexanone, Solid	ug/Kg	34.191		50.000	1.100	U 68	%	69-140	*
Dibromochloromethane, Solid	ug/Kg	49.638		50.000	0.790	U 99	%	77-127	
1,2-Dibromoethane (EDB), Solid	ug/Kg	39.675		50.000	0.820	U 79	%	72-133	
Chlorobenzene, Solid	ug/Kg	46.597		50.000	1.100	U 93	%	83-125	
1,1,1,2-Tetrachloroethane, Solid	ug/Kg	51.094		50.000	1.100	U 102	%	83-123	
Ethylbenzene, Solid	ug/Kg	47.612		50.000	1.100	U 95	%	79-123	
m&p-Xylenes, Solid	ug/Kg	96.448		100.000	2.300	U 96	%	79-123	
o-Xylene, Solid	ug/Kg	46.831		50.000	1.100	U 94	%	80-123	
Styrene, Solid	ug/Kg	45.622		50.000	1.100	U 91	%	85-126	
Bromoform, Solid	ug/Kg	48.618		50.000	0.750	U 97	%	78-132	
Isopropylbenzene, Solid	ug/Kg	46.972		50.000	1.100	U 94	%	77-118	
Bromobenzene, Solid	ug/Kg	48.929		50.000	1.000	U 98	%	81-123	
1,1,2,2-Tetrachloroethane, Solid	ug/Kg	41.011		50.000	0.960	U 82	%	68-139	
1,2,3-Trichloropropane, Solid	ug/Kg	42.359		50.000	1.100	U 85	%	71-129	
n-Propylbenzene, Solid	ug/Kg	47.025		50.000	1.300	U 94	%	77-124	
2-Chlorotoluene, Solid	ug/Kg	47.876		50.000	1.300	U 96	%	63-137	

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP	ATTN:		
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date Time

LCS	Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
	1,3,5-Trimethylbenzene, Solid	ug/Kg	50.957		50.000	1.300	U 102	%	72-128	
	4-Chlorotoluene, Solid	ug/Kg	47.224		50.000	1.300	U 94	%	76-123	
	tert-Butylbenzene, Solid	ug/Kg	49.551		50.000	1.200	U 99	%	79-124	
	1,2,4-Trimethylbenzene, Solid	ug/Kg	52.384		50.000	1.400	U 105	%	74-133	
	sec-Butylbenzene, Solid	ug/Kg	48.182		50.000	1.200	U 96	%	77-128	
	p-Isopropyltoluene, Solid	ug/Kg	48.957		50.000	1.300	U 98	%	74-126	
	n-Butylbenzene, Solid	ug/Kg	48.679		50.000	1.300	U 97	%	65-138	
	1,2-Dibromo-3-chloropropane, Solid	ug/Kg	37.572		50.000	1.200	U 75	%	59-124	
	1,2,3-Trichlorobenzene, Solid	ug/Kg	47.394		50.000	1.500	U 95	%	75-125	

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN:		
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8260B Method Description.: Volatile Organics	Equipment Code....: GCL6 Batch.....: 106043	Analyst...: jso
---	--	-----------------

MB	Method Blank	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Dichlorodifluoromethane, Solid	ug/Kg	0.730	U						
Chloromethane, Solid	ug/Kg	1.100	U						
Vinyl chloride, Solid	ug/Kg	1.100	U						
Bromomethane, Solid	ug/Kg	1.300	U						
Chloroethane, Solid	ug/Kg	1.000	U						
Trichlorofluoromethane, Solid	ug/Kg	1.400	U						
1,1-Dichloroethene, Solid	ug/Kg	1.300	U						
Carbon disulfide, Solid	ug/Kg	1.200	U						
Acetone, Solid	ug/Kg	4.600	U						
Methylene chloride, Solid	ug/Kg	2.900	U						
trans-1,2-Dichloroethene, Solid	ug/Kg	1.100	U						
Methyl-tert-butyl-ether (MTBE), Solid	ug/Kg	1.000	U						
1,1-Dichloroethane, Solid	ug/Kg	1.000	U						
2,2-Dichloropropane, Solid	ug/Kg	0.920	U						
cis-1,2-Dichloroethene, Solid	ug/Kg	1.100	U						
2-Butanone (MEK), Solid	ug/Kg	3.900	U						
Bromochloromethane, Solid	ug/Kg	1.100	U						
Chloroform, Solid	ug/Kg	1.100	U						
1,1,1-Trichloroethane, Solid	ug/Kg	1.100	U						
1,1-Dichloropropene, Solid	ug/Kg	1.200	U						
Carbon tetrachloride, Solid	ug/Kg	1.100	U						
Benzene, Solid	ug/Kg	1.100	U						
1,2-Dichloroethane, Solid	ug/Kg	0.940	U						
Trichloroethene, Solid	ug/Kg	1.100	U						
1,2-Dichloropropane, Solid	ug/Kg	1.000	U						
Dibromomethane, Solid	ug/Kg	1.100	U						
Bromodichloromethane, Solid	ug/Kg	0.960	U						
cis-1,3-Dichloropropene, Solid	ug/Kg	0.930	U						
4-Methyl-2-pentanone (MIBK), Solid	ug/Kg	1.000	U						
Toluene, Solid	ug/Kg	1.100	U						
trans-1,3-Dichloropropene, Solid	ug/Kg	0.790	U						
1,1,2-Trichloroethane, Solid	ug/Kg	1.100	U						
Tetrachloroethene, Solid	ug/Kg	1.200	U						
1,3-Dichloropropane, Solid	ug/Kg	0.940	U						
2-Hexanone, Solid	ug/Kg	1.100	U						
Dibromochloromethane, Solid	ug/Kg	0.790	U						
1,2-Dibromoethane (EDB), Solid	ug/Kg	0.820	U						
Chlorobenzene, Solid	ug/Kg	1.100	U						
1,1,1,2-Tetrachloroethane, Solid	ug/Kg	1.100	U						
Ethylbenzene, Solid	ug/Kg	1.100	U						
m&p-Xylenes, Solid	ug/Kg	2.300	U						
o-Xylene, Solid	ug/Kg	1.100	U						
Styrene, Solid	ug/Kg	1.100	U						
Bromoform, Solid	ug/Kg	0.750	U						
Isopropylbenzene, Solid	ug/Kg	1.100	U						
Bromobenzene, Solid	ug/Kg	1.000	U						
1,1,2,2-Tetrachloroethane, Solid	ug/Kg	0.960	U						
1,2,3-Trichloropropane, Solid	ug/Kg	1.100	U						
n-Propylbenzene, Solid	ug/Kg	1.300	U						
2-Chlorotoluene, Solid	ug/Kg	1.300	U						

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

MB	Method Blank			105424-016		12/22/2003 1452
----	--------------	--	--	------------	--	-----------------

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
1,3,5-Trimethylbenzene, Solid	ug/Kg	1.300	U					
4-Chlorotoluene, Solid	ug/Kg	1.300	U					
tert-Butylbenzene, Solid	ug/Kg	1.200	U					
1,2,4-Trimethylbenzene, Solid	ug/Kg	1.400	U					
sec-Butylbenzene, Solid	ug/Kg	1.200	U					
p-Isopropyltoluene, Solid	ug/Kg	1.300	U					
n-Butylbenzene, Solid	ug/Kg	1.300	U					
1,2-Dibromo-3-chloropropane, Solid	ug/Kg	1.200	U					
1,2,3-Trichlorobenzene, Solid	ug/Kg	1.500	U					

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN:		
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8260B Method Description.: Volatile Organics	Equipment Code....: GCL16 Batch.....: 106045	Analyst...: jso
---	---	-----------------

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Dichlorodifluoromethane, High/Med Leve	ug/Kg	25.200	U					
Chloromethane, High/Med Level	ug/Kg	25.100	U					
Vinyl chloride, High/Med Level	ug/Kg	25.600	U					
Bromomethane, High/Med Level	ug/Kg	43.800	U					
Chloroethane, High/Med Level	ug/Kg	37.900	U					
Trichlorofluoromethane, High/Med Level	ug/Kg	21.700	U					
1,1-Dichloroethene, High/Med Level	ug/Kg	28.900	U					
Carbon disulfide, High/Med Level	ug/Kg	21.100	U					
Acetone, High/Med Level	ug/Kg	166.000	U					
Methylene chloride, High/Med Level	ug/Kg	88.800	U					
trans-1,2-Dichloroethene, High/Med Lev	ug/Kg	17.100	U					
Methyl-tert-butyl-ether (MTBE), High/M	ug/Kg	16.400	U					
1,1-Dichloroethane, High/Med Level	ug/Kg	21.900	U					
2,2-Dichloropropane, High/Med Level	ug/Kg	19.000	U					
cis-1,2-Dichloroethene, High/Med Level	ug/Kg	24.500	U					
2-Butanone (MEK), High/Med Level	ug/Kg	42.100	U					
Bromochloromethane, High/Med Level	ug/Kg	26.500	U					
Chloroform, High/Med Level	ug/Kg	25.600	U					
1,1,1-Trichloroethane, High/Med Level	ug/Kg	23.000	U					
1,1-Dichloropropene, High/Med Level	ug/Kg	18.900	U					
Carbon tetrachloride, High/Med Level	ug/Kg	16.300	U					
Benzene, High/Med Level	ug/Kg	15.700	U					
1,2-Dichloroethane, High/Med Level	ug/Kg	24.100	U					
Trichloroethene, High/Med Level	ug/Kg	44.800	U					
1,2-Dichloropropane, High/Med Level	ug/Kg	30.600	U					
Dibromomethane, High/Med Level	ug/Kg	55.100	U					
Bromodichloromethane, High/Med Level	ug/Kg	16.800	U					
cis-1,3-Dichloropropene, High/Med Leve	ug/Kg	17.600	U					
4-Methyl-2-pentanone (MIBK), High/Med	ug/Kg	37.800	U					
Toluene, High/Med Level	ug/Kg	19.800	U					
trans-1,3-Dichloropropene, High/Med Le	ug/Kg	16.700	U					
1,1,2-Trichloroethane, High/Med Level	ug/Kg	21.800	U					
Tetrachloroethene, High/Med Level	ug/Kg	33.500	U					
1,3-Dichloropropane, High/Med Level	ug/Kg	20.000	U					
2-Hexanone, High/Med Level	ug/Kg	42.600	U					
Dibromochloromethane, High/Med Level	ug/Kg	20.700	U					
1,2-Dibromoethane (EDB), High/Med Leve	ug/Kg	28.000	U					
Chlorobenzene, High/Med Level	ug/Kg	21.300	U					
1,1,1,2-Tetrachloroethane, High/Med Le	ug/Kg	19.000	U					
Ethylbenzene, High/Med Level	ug/Kg	23.200	U					
m&p-Xylenes, High/Med Level	ug/Kg	41.000	U					
o-Xylene, High/Med Level	ug/Kg	18.300	U					
Styrene, High/Med Level	ug/Kg	19.000	U					
Bromoform, High/Med Level	ug/Kg	22.700	U					
Isopropylbenzene, High/Med Level	ug/Kg	22.000	U					
Bromobenzene, High/Med Level	ug/Kg	25.400	U					
1,1,2,2-Tetrachloroethane, High/Med Le	ug/Kg	27.200	U					
1,2,3-Trichloropropane, High/Med Level	ug/Kg	31.500	U					
n-Propylbenzene, High/Med Level	ug/Kg	22.600	U					
2-Chlorotoluene, High/Med Level	ug/Kg	27.400	U					

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

EB2	Extraction Blank 2			105220-004		12/29/2003	1056
-----	--------------------	--	--	------------	--	------------	------

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
1,3,5-Trimethylbenzene, High/Med Level	ug/Kg	25.600	U					
4-Chlorotoluene, High/Med Level	ug/Kg	28.400	U					
tert-Butylbenzene, High/Med Level	ug/Kg	25.700	U					
1,2,4-Trimethylbenzene, High/Med Level	ug/Kg	26.400	U					
sec-Butylbenzene, High/Med Level	ug/Kg	27.900	U					
p-Isopropyltoluene, High/Med Level	ug/Kg	28.700	U					
n-Butylbenzene, High/Med Level	ug/Kg	32.800	U					
1,2-Dibromo-3-chloropropane, High/Med	ug/Kg	60.500	U					
1,2,3-Trichlorobenzene, High/Med Level	ug/Kg	78.900	U					

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8260B Method Description.: Volatile Organics	Equipment Code....: GCL16 Batch.....: 106045	Analyst...: jso
---	---	-----------------

LCS	Laboratory Control Sample	V03L29DSB	105803-002					12/29/2003	1006	
Parameter/Test Description		Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Dichlorodifluoromethane, High/Med Leve	ug/Kg	2370.785		2500.000	25.200	U 95		%	29-135	
Chloromethane, High/Med Level	ug/Kg	2348.950		2500.000	25.100	U 94		%	55-129	
Vinyl chloride, High/Med Level	ug/Kg	2363.610		2500.000	25.600	U 95		%	61-135	
Bromomethane, High/Med Level	ug/Kg	3300.275		2500.000	43.800	U 132		%	36-164	
Chloroethane, High/Med Level	ug/Kg	2753.430		2500.000	37.900	U 110		%	33-207	
Trichlorofluoromethane, High/Med Level	ug/Kg	2364.985		2500.000	21.700	U 95		%	59-145	
1,1-Dichloroethene, High/Med Level	ug/Kg	2278.940		2500.000	28.900	U 91		%	44-143	
Carbon disulfide, High/Med Level	ug/Kg	2069.440		2500.000	21.100	U 83		%	21-124	
Acetone, High/Med Level	ug/Kg	2968.920		2500.000	166.000	U 119		%	34-143	
Methylene chloride, High/Med Level	ug/Kg	2326.950		2500.000	88.800	U 93		%	57-129	
trans-1,2-Dichloroethene, High/Med Lev	ug/Kg	2357.300		2500.000	17.100	U 94		%	66-138	
Methyl-tert-butyl-ether (MTBE), High/M	ug/Kg	2873.525		2500.000	16.400	U 115		%	47-126	
1,1-Dichloroethane, High/Med Level	ug/Kg	2287.595		2500.000	21.900	U 92		%	68-119	
2,2-Dichloropropane, High/Med Level	ug/Kg	2487.965		2500.000	19.000	U 100		%	41-131	
cis-1,2-Dichloroethene, High/Med Level	ug/Kg	2461.565		2500.000	24.500	U 98		%	64-144	
2-Butanone (MEK), High/Med Level	ug/Kg	2630.515		2500.000	42.100	U 105		%	40-125	
Bromochloromethane, High/Med Level	ug/Kg	2557.255		2500.000	26.500	U 102		%	60-124	
Chloroform, High/Med Level	ug/Kg	2404.840		2500.000	25.600	U 96		%	61-129	
1,1,1-Trichloroethane, High/Med Level	ug/Kg	2458.300		2500.000	23.000	U 98		%	69-133	
1,1-Dichloropropene, High/Med Level	ug/Kg	2529.695		2500.000	18.900	U 101		%	65-134	
Carbon tetrachloride, High/Med Level	ug/Kg	2655.985		2500.000	16.300	U 106		%	59-127	
Benzene, High/Med Level	ug/Kg	2607.335		2500.000	15.700	U 104		%	67-122	
1,2-Dichloroethane, High/Med Level	ug/Kg	2225.485		2500.000	24.100	U 89		%	64-115	
Trichloroethene, High/Med Level	ug/Kg	2847.615		2500.000	44.800	U 114		%	70-123	
1,2-Dichloropropane, High/Med Level	ug/Kg	2503.590		2500.000	30.600	U 100		%	70-122	
Dibromomethane, High/Med Level	ug/Kg	2458.650		2500.000	55.100	U 98		%	67-121	
Bromodichloromethane, High/Med Level	ug/Kg	2697.300		2500.000	16.800	U 108		%	66-128	
cis-1,3-Dichloropropene, High/Med Leve	ug/Kg	2705.535		2600.000	17.600	U 104		%	68-123	
4-Methyl-2-pentanone (MIBK), High/Med	ug/Kg	2474.815		2500.000	37.800	U 99		%	54-119	
Toluene, High/Med Level	ug/Kg	2704.925		2500.000	19.800	U 108		%	72-123	
trans-1,3-Dichloropropene, High/Med Le	ug/Kg	2563.415		2400.000	16.700	U 107		%	60-115	
1,1,2-Trichloroethane, High/Med Level	ug/Kg	2448.995		2500.000	21.800	U 98		%	67-133	
Tetrachloroethene, High/Med Level	ug/Kg	2840.455		2500.000	33.500	U 114		%	75-125	
1,3-Dichloropropane, High/Med Level	ug/Kg	2529.440		2500.000	20.000	U 101		%	71-118	
2-Hexanone, High/Med Level	ug/Kg	2485.600		2500.000	42.600	U 99		%	50-116	
Dibromochloromethane, High/Med Level	ug/Kg	2714.170		2500.000	20.700	U 109		%	70-119	
1,2-Dibromoethane (EDB), High/Med Leve	ug/Kg	2484.010		2500.000	28.000	U 99		%	69-122	
Chlorobenzene, High/Med Level	ug/Kg	2657.445		2500.000	21.300	U 106		%	80-125	
1,1,1,2-Tetrachloroethane, High/Med Le	ug/Kg	2840.825		2500.000	19.000	U 114		%	74-120	
Ethylbenzene, High/Med Level	ug/Kg	2852.640		2500.000	23.200	U 114		%	78-128	
m&p-Xylenes, High/Med Level	ug/Kg	5608.850		5000.000	41.000	U 112		%	76-133	
o-Xylene, High/Med Level	ug/Kg	2722.445		2500.000	18.300	U 109		%	74-127	
Styrene, High/Med Level	ug/Kg	3017.110		2500.000	19.000	U 121		%	80-129	
Bromoform, High/Med Level	ug/Kg	2520.555		2500.000	22.700	U 101		%	70-123	
Isopropylbenzene, High/Med Level	ug/Kg	2724.055		2500.000	22.000	U 109		%	67-133	
Bromobenzene, High/Med Level	ug/Kg	2869.650		2500.000	25.400	U 115		%	74-133	
1,1,2,2-Tetrachloroethane, High/Med Le	ug/Kg	2351.580		2500.000	27.200	U 94		%	70-126	
1,2,3-Trichloropropane, High/Med Level	ug/Kg	2503.205		2500.000	31.500	U 100		%	64-118	
n-Propylbenzene, High/Med Level	ug/Kg	2827.065		2500.000	22.600	U 113		%	69-130	
2-Chlorotoluene, High/Med Level	ug/Kg	2743.980		2500.000	27.400	U 110		%	62-134	

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP	ATTN:	
QC Type	Description	Reag. Code	Lab ID	Dilution Factor

LCS	Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
	1,3,5-Trimethylbenzene, High/Med Level	ug/Kg	2926.395		2500.000	25.600	U 117	%	66-125	
	4-Chlorotoluene, High/Med Level	ug/Kg	2719.820		2500.000	28.400	U 109	%	66-131	
	tert-Butylbenzene, High/Med Level	ug/Kg	2963.660		2500.000	25.700	U 119	%	71-125	
	1,2,4-Trimethylbenzene, High/Med Level	ug/Kg	3056.260		2500.000	26.400	U 122	%	69-122	
	sec-Butylbenzene, High/Med Level	ug/Kg	2971.665		2500.000	27.900	U 119	%	69-139	
	p-Isopropyltoluene, High/Med Level	ug/Kg	2951.455		2500.000	28.700	U 118	%	68-129	
	n-Butylbenzene, High/Med Level	ug/Kg	3018.890		2500.000	32.800	U 121	%	64-118	*
	1,2-Dibromo-3-chloropropane, High/Med	ug/Kg	2455.490		2500.000	60.500	U 98	%	56-102	
	1,2,3-Trichlorobenzene, High/Med Level	ug/Kg	3028.935		2500.000	78.900	U 121	%	68-117	*

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8260B

Method Description.: Volatile Organics

Equipment Code....: GCL16

Analyst...: jso

Batch.....: 106045

MB	Method Blank			105803-001			12/29/2003 0943
Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits F
Dichlorodifluoromethane, High/Med Leve	ug/Kg	25.200	U				
Chloromethane, High/Med Level	ug/Kg	25.100	U				
Vinyl chloride, High/Med Level	ug/Kg	25.600	U				
Bromomethane, High/Med Level	ug/Kg	43.800	U				
Chloroethane, High/Med Level	ug/Kg	37.900	U				
Trichlorofluoromethane, High/Med Level	ug/Kg	21.700	U				
1,1-Dichloroethene, High/Med Level	ug/Kg	28.900	U				
Carbon disulfide, High/Med Level	ug/Kg	21.100	U				
Acetone, High/Med Level	ug/Kg	166.000	U				
Methylene chloride, High/Med Level	ug/Kg	88.800	U				
trans-1,2-Dichloroethene, High/Med Lev	ug/Kg	17.100	U				
Methyl-tert-butyl-ether (MTBE), High/M	ug/Kg	16.400	U				
1,1-Dichloroethane, High/Med Level	ug/Kg	21.900	U				
2,2-Dichloropropane, High/Med Level	ug/Kg	19.000	U				
cis-1,2-Dichloroethene, High/Med Level	ug/Kg	24.500	U				
2-Butanone (MEK), High/Med Level	ug/Kg	42.100	U				
Bromochloromethane, High/Med Level	ug/Kg	26.500	U				
Chloroform, High/Med Level	ug/Kg	25.600	U				
1,1,1-Trichloroethane, High/Med Level	ug/Kg	23.000	U				
1,1-Dichloropropene, High/Med Level	ug/Kg	18.900	U				
Carbon tetrachloride, High/Med Level	ug/Kg	16.300	U				
Benzene, High/Med Level	ug/Kg	15.700	U				
1,2-Dichloroethane, High/Med Level	ug/Kg	24.100	U				
Trichloroethene, High/Med Level	ug/Kg	44.800	U				
1,2-Dichloropropane, High/Med Level	ug/Kg	30.600	U				
Dibromomethane, High/Med Level	ug/Kg	55.100	U				
Bromodichloromethane, High/Med Level	ug/Kg	16.800	U				
cis-1,3-Dichloropropene, High/Med Leve	ug/Kg	17.600	U				
4-Methyl-2-pentanone (MIBK), High/Med	ug/Kg	37.800	U				
Toluene, High/Med Level	ug/Kg	19.800	U				
trans-1,3-Dichloropropene, High/Med Le	ug/Kg	16.700	U				
1,1,2-Trichloroethane, High/Med Level	ug/Kg	21.800	U				
Tetrachloroethene, High/Med Level	ug/Kg	33.500	U				
1,3-Dichloropropane, High/Med Level	ug/Kg	20.000	U				
2-Hexanone, High/Med Level	ug/Kg	42.600	U				
Dibromochloromethane, High/Med Level	ug/Kg	20.700	U				
1,2-Dibromoethane (EDB), High/Med Leve	ug/Kg	28.000	U				
Chlorobenzene, High/Med Level	ug/Kg	21.300	U				
1,1,1,2-Tetrachloroethane, High/Med Le	ug/Kg	19.000	U				
Ethylbenzene, High/Med Level	ug/Kg	23.200	U				
m&p-Xylenes, High/Med Level	ug/Kg	41.000	U				
o-Xylene, High/Med Level	ug/Kg	18.300	U				
Styrene, High/Med Level	ug/Kg	19.000	U				
Bromoform, High/Med Level	ug/Kg	22.700	U				
Isopropylbenzene, High/Med Level	ug/Kg	22.000	U				
Bromobenzene, High/Med Level	ug/Kg	25.400	U				
1,1,2,2-Tetrachloroethane, High/Med Le	ug/Kg	27.200	U				
1,2,3-Trichloropropane, High/Med Level	ug/Kg	31.500	U				
n-Propylbenzene, High/Med Level	ug/Kg	22.600	U				
2-Chlorotoluene, High/Med Level	ug/Kg	27.400	U				

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

MB	Method Blank			105803-001		12/29/2003 0943
----	--------------	--	--	------------	--	-----------------

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
1,3,5-Trimethylbenzene, High/Med Level	ug/Kg	25.600	U					
4-Chlorotoluene, High/Med Level	ug/Kg	28.400	U					
tert-Butylbenzene, High/Med Level	ug/Kg	25.700	U					
1,2,4-Trimethylbenzene, High/Med Level	ug/Kg	26.400	U					
sec-Butylbenzene, High/Med Level	ug/Kg	27.900	U					
p-Isopropyltoluene, High/Med Level	ug/Kg	28.700	U					
n-Butylbenzene, High/Med Level	ug/Kg	32.800	U					
1,2-Dibromo-3-chloropropane, High/Med	ug/Kg	60.500	U					
1,2,3-Trichlorobenzene, High/Med Level	ug/Kg	78.900	U					

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer	
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date Time

Test Method.....: 6010B Method Description.: Metals Analysis (ICAP Trace)	Equipment Code....: ICP4 Batch.....: 105896	Analyst...: tds
--	--	-----------------

LCS	Laboratory Control Sample	M03LSPK002	105475-002			12/30/2003	0235		
Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Aluminum, Solid	mg/Kg	187.56		200.00	2.40	U 94	%	80-120	
Antimony, Solid	mg/Kg	45.88		50.00	0.90	U 92	%	80-120	
Arsenic, Solid	mg/Kg	9.24		10.00	0.51	U 92	%	80-120	
Barium, Solid	mg/Kg	188.26		200.00	0.16	U 94	%	80-120	
Beryllium, Solid	mg/Kg	4.64		5.00	0.04	U 93	%	80-120	
Cadmium, Solid	mg/Kg	4.57		5.00	0.08	U 91	%	80-120	
Calcium, Solid	mg/Kg	949.00		1000.00	5.63	B 95	%	80-120	
Chromium, Solid	mg/Kg	18.90		20.00	0.22	U 94	%	80-120	
Cobalt, Solid	mg/Kg	46.41		50.00	0.14	U 93	%	80-120	
Copper, Solid	mg/Kg	24.06		25.00	0.90	U 96	%	80-120	
Iron, Solid	mg/Kg	91.54		100.00	3.00	U 92	%	80-120	
Magnesium, Solid	mg/Kg	932.25		1000.00	1.70	U 93	%	80-120	
Manganese, Solid	mg/Kg	48.23		50.00	0.13	U 96	%	80-120	
Nickel, Solid	mg/Kg	46.21		50.00	0.25	U 92	%	80-120	
Potassium, Solid	mg/Kg	834.51		1000.00	13.80	U 83	%	80-120	
Silver, Solid	mg/Kg	4.54		5.00	0.31	U 91	%	80-120	
Sodium, Solid	mg/Kg	898.02		1000.00	86.70	U 90	%	80-120	
Thallium, Solid	mg/Kg	10.04		10.00	0.66	U 100	%	80-120	
Zinc, Solid	mg/Kg	45.32		50.00	0.40	U 91	%	80-120	

LCS	Laboratory Control Sample	M03LSPK002	105382-002			12/30/2003	0656		
Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Calcium, Solid	mg/Kg	954.77		1000.00	5.72	B 95	%	80-120	
Copper, Solid	mg/Kg	24.19		25.00	0.90	U 97	%	80-120	
Magnesium, Solid	mg/Kg	944.84		1000.00	1.70	U 94	%	80-120	
Sodium, Solid	mg/Kg	906.37		1000.00	86.70	U 91	%	80-120	

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B

Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4

Batch.....: 105896

Analyst...: tds

MB	Method Blank	105475	105475-001			12/30/2003 0229
----	--------------	--------	------------	--	--	-----------------

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Aluminum, Solid	mg/Kg	2.40	U					
Antimony, Solid	mg/Kg	0.90	U					
Arsenic, Solid	mg/Kg	0.51	U					
Barium, Solid	mg/Kg	0.16	U					
Beryllium, Solid	mg/Kg	0.04	U					
Cadmium, Solid	mg/Kg	0.08	U					
Calcium, Solid	mg/Kg	5.63	B					
Chromium, Solid	mg/Kg	0.22	U					
Cobalt, Solid	mg/Kg	0.14	U					
Copper, Solid	mg/Kg	0.90	U					
Iron, Solid	mg/Kg	3.00	U					
Magnesium, Solid	mg/Kg	1.70	U					
Manganese, Solid	mg/Kg	0.13	U					
Nickel, Solid	mg/Kg	0.25	U					
Potassium, Solid	mg/Kg	13.80	U					
Silver, Solid	mg/Kg	0.31	U					
Sodium, Solid	mg/Kg	86.70	U					
Thallium, Solid	mg/Kg	0.66	U					
Zinc, Solid	mg/Kg	0.40	U					

MB	Method Blank	105382	105382-001			12/30/2003 0649
----	--------------	--------	------------	--	--	-----------------

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Calcium, Solid	mg/Kg	5.72	B					
Copper, Solid	mg/Kg	0.90	U					
Magnesium, Solid	mg/Kg	1.70	U					
Sodium, Solid	mg/Kg	86.70	U					

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B

Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4

Batch.....: 105896

Analyst...: tds

MD	Method Duplicate	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Aluminum, Solid		mg/Kg	8850.25			7753.04	13.2	R 20.0	
Antimony, Solid		mg/Kg	1.02	U		1.02	U 0.09	A 2.28	
Arsenic, Solid		mg/Kg	4.62			5.40	0.78	A 1.14	
Barium, Solid		mg/Kg	106.95			64.46	49.6	R 20.0	*
Beryllium, Solid		mg/Kg	0.59			0.60	0.01	A 0.46	
Cadmium, Solid		mg/Kg	0.09	U		0.09	U 0	A 0.23	
Calcium, Solid		mg/Kg	9728.02			11555.27	17.2	R 20.0	
Chromium, Solid		mg/Kg	14.84			12.07	20.6	R 20.0	*
Cobalt, Solid		mg/Kg	4.51			3.67	20.6	R 20.0	
Copper, Solid		mg/Kg	5.93			6.58	10.4	R 20.0	
Iron, Solid		mg/Kg	12148.97			12583.54	3.5	R 20.0	
Magnesium, Solid		mg/Kg	1875.19			2111.37	11.8	R 20.0	
Manganese, Solid		mg/Kg	378.82			222.71	51.9	R 20.0	*
Nickel, Solid		mg/Kg	9.41			9.87	4.7	R 20.0	
Potassium, Solid		mg/Kg	454.56			448.25	1.4	R 20.0	
Silver, Solid		mg/Kg	0.35	U		0.35	U 0	A 0.57	
Sodium, Solid		mg/Kg	538.88			372.10	166.79	A 113.87	
Thallium, Solid		mg/Kg	0.75	U		0.75	U 0	A 1.14	
Zinc, Solid		mg/Kg	20.61			21.21	2.9	R 20.0	

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B

Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4

Batch.....: 105896

Analyst...: tds

MS	Matrix Spike	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Aluminum, Solid	mg/Kg	15740.93		221.00	7753.04	3614		%	75-125	4
Antimony, Solid	mg/Kg	28.96		55.25	0.99	U 52		%	75-125	N
Arsenic, Solid	mg/Kg	14.38		11.05	5.40	81		%	75-125	
Barium, Solid	mg/Kg	283.06		221.00	64.46	99		%	75-125	
Beryllium, Solid	mg/Kg	5.49		5.53	0.60	89		%	75-125	
Cadmium, Solid	mg/Kg	4.49		5.53	0.09	U 81		%	75-125	
Calcium, Solid	mg/Kg	11031.12		1105.00	11555.27	-47		%	75-125	4
Chromium, Solid	mg/Kg	38.26		22.10	12.07	119		%	75-125	
Cobalt, Solid	mg/Kg	51.23		55.25	3.67	86		%	75-125	
Copper, Solid	mg/Kg	32.81		27.63	6.58	95		%	75-125	
Iron, Solid	mg/Kg	15247.66		110.50	12583.54	2411		%	75-125	4
Magnesium, Solid	mg/Kg	3617.95		1105.00	2111.37	136		%	75-125	N
Manganese, Solid	mg/Kg	232.68		55.25	222.71	18		%	75-125	
Nickel, Solid	mg/Kg	56.71		55.25	9.87	85		%	75-125	
Potassium, Solid	mg/Kg	1644.77		1105.00	448.25	108		%	75-125	
Silver, Solid	mg/Kg	4.76		5.53	0.34	U 86		%	75-125	
Sodium, Solid	mg/Kg	1621.86		1105.00	372.10	113		%	75-125	
Thallium, Solid	mg/Kg	10.34		11.05	0.73	U 94		%	75-125	
Zinc, Solid	mg/Kg	69.55		55.25	21.21	87		%	75-125	

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B

Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4

Batch.....: 105896

Analyst...: tds

MSD	Matrix Spike Duplicate	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Aluminum, Solid	mg/Kg	13647.19	15740.93	227.30	7753.04	2593 32.9	% R 20	75-125	4 *	
Antimony, Solid	mg/Kg	29.13	28.96	56.82	1.02	U 51 1.9	% R 20	75-125	N	
Arsenic, Solid	mg/Kg	13.98	14.38	11.36	5.40	76 6.4	% R 20	75-125		
Barium, Solid	mg/Kg	287.58	283.06	227.30	64.46	98 1.0	% R 20	75-125		
Beryllium, Solid	mg/Kg	5.58	5.49	5.68	0.60	88 1.1	% R 20	75-125		
Cadmium, Solid	mg/Kg	4.66	4.49	5.68	0.09	U 82 1.2	% R 20	75-125		
Calcium, Solid	mg/Kg	7848.16	11031.12	1136.00	11555.27	-326 -149.6	% R 20	75-125	4	
Chromium, Solid	mg/Kg	36.12	38.26	22.73	12.07	106 11.6	% R 20	75-125		
Cobalt, Solid	mg/Kg	53.25	51.23	56.82	3.67	87 1.2	% R 20	75-125		
Copper, Solid	mg/Kg	32.24	32.81	28.41	6.58	90 5.4	% R 20	75-125		
Iron, Solid	mg/Kg	13455.14	15247.66	113.60	12583.54	767 103.5	% R 20	75-125	4 *	
Magnesium, Solid	mg/Kg	3401.86	3617.95	1136.00	2111.37	114 17.6	% R 20	75-125		
Manganese, Solid	mg/Kg	309.73	232.68	56.82	222.71	153 157.9	% R 20	75-125	N *	
Nickel, Solid	mg/Kg	58.47	56.71	56.82	9.87	86 1.2	% R 20	75-125		
Potassium, Solid	mg/Kg	1585.15	1644.77	1136.00	448.25	100 7.7	% R 20	75-125		
Silver, Solid	mg/Kg	4.95	4.76	5.68	0.35	U 87 1.2	% R 20	75-125		
Sodium, Solid	mg/Kg	1289.27	1621.86	1136.00	372.10	81 33.0	% R 20	75-125	*	
Thallium, Solid	mg/Kg	10.35	10.34	11.36	0.75	U 91 3.2	% R 20	75-125		
Zinc, Solid	mg/Kg	70.36	69.55	56.82	21.21	87 0.0	% R 20	75-125		

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code.....: ICP4
Batch.....: 105896

Analyst...: tds

SD	Serial Dilution			223146-10			12/30/2003	0409	
Parameter/Test Description		Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Aluminum, Solid		mg/Kg	1616.18			7753.04	4.2	D 10.0	
Antimony, Solid		mg/Kg	1.00	U		1.00	U		
Arsenic, Solid		mg/Kg	1.21			5.40			
Barium, Solid		mg/Kg	13.52			64.46	4.9	D 10.0	
Beryllium, Solid		mg/Kg	0.13	B		0.60			
Cadmium, Solid		mg/Kg	0.09	U		0.09	U		
Calcium, Solid		mg/Kg	2452.55			11555.27	6.1	D 10.0	
Chromium, Solid		mg/Kg	2.52			12.07			
Cobalt, Solid		mg/Kg	0.78			3.67			
Copper, Solid		mg/Kg	1.36			6.58			
Iron, Solid		mg/Kg	2723.11			12583.54	8.2	D 10.0	
Magnesium, Solid		mg/Kg	453.57			2111.37	7.4	D 10.0	
Manganese, Solid		mg/Kg	47.94			222.71	7.6	D 10.0	
Nickel, Solid		mg/Kg	2.17			9.87			
Potassium, Solid		mg/Kg	91.41			448.25			
Silver, Solid		mg/Kg	0.34	U		0.34	U		
Sodium, Solid		mg/Kg	96.08	U		372.10			
Thallium, Solid		mg/Kg	0.73	U		0.73	U		
Zinc, Solid		mg/Kg	4.81			21.21			

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B

Equipment Code....: ICP5

Analyst...: tds

Method Description.: Metals Analysis (ICAP Trace)

Batch.....: 106023

LCS	Laboratory Control Sample	M03LSPK002	105475-002			12/30/2003	1307		
Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Lead, Solid	mg/Kg	9.90		10.00	0.43	U 99	%	80-120	
Selenium, Solid	mg/Kg	8.68		10.00	0.40	U 87	%	80-120	
Vanadium, Solid	mg/Kg	47.79		50.00	0.21	U 96	%	80-120	

Q U A L I T Y C O N T R O L R E S U L T S

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN:	
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date Time

Test Method.....: 6010B Method Description.: Metals Analysis (ICAP Trace)	Equipment Code....: ICP5 Batch.....: 106023	Analyst...: tds
--	--	-----------------

MB	Method Blank	105475	105475-001		12/30/2003	1300				
Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F	
Lead, Solid	mg/Kg	0.43	U							
Selenium, Solid	mg/Kg	0.40	U							

Vanadium, Solid
mg/Kg 0.21 U

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B

Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP5

Batch.....: 106023

Analyst...: tds

MD	Method Duplicate			223146-10				12/30/2003	1454
	Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits F
Lead, Solid	mg/Kg	15.05			13.44	11.3	R	20.0	
Selenium, Solid	mg/Kg	0.46	U		0.46	U 11.19	A	1.14	
Vanadium, Solid	mg/Kg	23.29			24.96	6.9	R	20.0	

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLCP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP5
Batch.....: 106023

Analyst...: tds

MS	Matrix Spike	M03LSPK002	223146-10		12/30/2003	1501				
Parameter/Test Description		Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Lead, Solid		mg/Kg	21.21		11.05	13.44	70	%	75-125	N
Selenium, Solid		mg/Kg	8.73		11.05	0.44	U 79	%	75-125	
Vanadium, Solid		mg/Kg	77.42		55.25	24.96	95	%	75-125	

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B

Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP5

Batch.....: 106023

Analyst...: tds

MSD	Matrix Spike Duplicate	M03LSPK002	223146-10			12/30/2003	1508		
Parameter/Test Description		Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Lead, Solid		mg/Kg	24.40	21.21	11.36	13.44	96	% 75-125	*
Selenium, Solid		mg/Kg	9.18	8.73	11.36	0.45	U 81	% 75-125	
Vanadium, Solid		mg/Kg	75.39	77.42	56.82	24.96	2.5 89 6.5	R 20 % 75-125	

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc. PROJECT: GSA - SLOP ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B Equipment Code....: ICP5 Analyst...: tds
 Method Description.: Metals Analysis (ICAP Trace) Batch.....: 106023

SD	Serial Dilution			223146-10			12/30/2003	1447
Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Lead, Solid	mg/Kg	2.98			13.44			
Selenium, Solid	mg/Kg	0.44	U		0.44	U		
Vanadium, Solid	mg/Kg	5.19			24.96	4.0	D 10.0	

Q U A L I T Y C O N T R O L R E S U L T S

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B

Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP3

Batch.....: 106067

Analyst...: tds

LCS	Laboratory Control Sample	M03LSPK002	105477-002			12/30/2003	1719
Vanadium, Solid	mg/Kg	45.04		50.00	0.21	U 90	% 80-120

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B

Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP3

Batch.....: 106067

Analyst...: tds

MB	Method Blank		105477	105477-001			12/30/2003	1712
Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F

Vanadium, Solid mg/Kg 0.21 U

QUALITY CONTROL RESULTS

Job Number.: 223146

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN: David Brewer

Test Method.....: Method
 Method Description.: % Solids Determination
 Parameter.....: % Solids

Batch.....: 105796
 Equipment Code....:

Analyst...: lmr
 Test Code.: %SOLID

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc. F	*	Limits	Date	Time
MB	105796-001		%	0.1000	U						12/29/2003	2140

Test Method.....: 7471A
 Method Description.: Mercury (CVAA) Solids
 Parameter.....: Mercury

Batch.....: 105685
 Equipment Code....: HG3

Analyst...: gok
 Test Code.: HG

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc. F	*	Limits	Date	Time
MB	105667-007		mg/Kg	0.00	U						12/26/2003	1520
LCS	105667-008	M02ESTK010	mg/Kg	0.17		0.17	0.00	U	99	%	80-120	12/26/2003 1522

Q U A L I T Y A S S U R A N C E M E T H O D S

R E F E R E N C E S A N D N O T E S

Report Date: 01/28/2004

REPORT COMMENTS

- 1) All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.
- 2) Soil, sediment and sludge sample results are reported on a "dry weight" basis except when analyzed for landfill disposal or incineration parameters. All other solid matrix samples are reported on an "as received" basis unless noted differently.
- 3) Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.
- 4) The test results for the noted analytical method(s) meet the requirements of NELAC. Lab Cert. ID# 100201
- 5) According to 40CFR Part 136.3, pH, Chlorine Residual and Dissolved Oxygen analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field (e.g. pH Field) they were not analyzed immediately, but as soon as possible on laboratory receipt.

Glossary of flags, qualifiers and abbreviations (any number of which may appear in the report)

Inorganic Qualifiers (Q-Column)

- U Analyte was not detected at or above the stated limit.
- < Not detected at or above the reporting limit.
- J Result is less than the RL, but greater than or equal to the method detection limit.
- B Result is less than the CRDL/RL, but greater than or equal to the IDL/MDL.
- S Result was determined by the Method of Standard Additions.
- F AFCEE: Result is less than the RL, but greater than or equal to the method detection limit.

Inorganic Flags (Flag Column)

- ICV,CCV,ICB,CCB,ISA,ISB,CRI,CRA,MRL: Instrument related QC exceed the upper or lower control limits.
- * LCS, LCD, MD: Batch QC exceeds the upper or lower control limits.
- + MSA correlation coefficient is less than 0.995.
- 4 MS, MSD: The analyte present in the original sample is 4 times greater than the matrix spike concentration; therefore, control limits are not applicable.
- E SD: Serial dilution exceeds the control limits.
- H MB, EB1, EB2, EB3: Batch QC is greater than reporting limit or had a negative instrument reading lower than the absolute value of the reporting limit.
- N MS, MSD: Spike recovery exceeds the upper or lower control limits.
- W AS(GFAA) Post-digestion spike was outside 85-115% control limits.

Organic Qualifiers (Q - Column)

- U Analyte was not detected at or above the stated limit.
- ND Compound not detected.
- J Result is an estimated value below the reporting limit or a tentatively identified compound (TIC).
- Q Result was qualitatively confirmed, but not quantified.
- C Pesticide identification was confirmed by GC/MS.
- Y The chromatographic response resembles a typical fuel pattern.
- Z The chromatographic response does not resemble a typical fuel pattern.
- E Result exceeded calibration range, secondary dilution required.
- F AFCEE:Result is an estimated value below the reporting limit or a tentatively identified compound (TIC)

Organic Flags (Flags Column)

- B MB: Batch QC is greater than reporting limit.
- * LCS, LCD, ELC, ELD, CV, MS, MSD, Surrogate: Batch QC exceeds the upper or lower control limits.
- EB1, EB2, EB3, MLE: Batch QC is greater than reporting Limit
- A Concentration exceeds the instrument calibration range
- a Concentration is below the method Reporting Limit (RL)
- B Compound was found in the blank and sample.
- D Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution will be flagged with a D.
- H Alternate peak selection upon analytical review
- I Indicates the presence of an interference, recovery is not calculated.
- M Manually integrated compound.
- P The lower of the two values is reported when the % difference between the results of two GC columns is

QUALITY ASSURANCE METHODS

REFERENCES AND NOTES

Report Date: 01/28/2004

greater than 25%.

Abbreviations

AS	Post Digestion Spike (GFAA Samples - See Note 1 below)
Batch	Designation given to identify a specific extraction, digestion, preparation set, or analysis set
CAP	Capillary Column CCB Continuing Calibration Blank
CCV	Continuing Calibration Verification
CF	Confirmation analysis of original
C1	Confirmation analysis of A1 or D1
C2	Confirmation analysis of A2 or D2
C3	Confirmation analysis of A3 or D3
CRA	Low Level Standard Check - GFAA; Mercury
CRI	Low Level Standard Check - ICP
CV	Calibration Verification Standard
Dil Fac	Dilution Factor - Secondary dilution analysis
D1	Dilution 1
D2	Dilution 2
D3	Dilution 3
DLFac	Detection Limit Factor
DSH	Distilled Standard - High Level
DSL	Distilled Standard - Low Level
DSM	Distilled Standard - Medium Level
EB1	Extraction Blank 1
EB2	Extraction Blank 2
EB3	DI Blank
ELC	Method Extracted LCS
ELD	Method Extracted LCD
ICAL	Initial calibration
ICB	Initial Calibration Blank
ICV	Initial Calibration Verification
IDL	Instrument Detection Limit
ISA	Interference Check Sample A - ICAP
ISB	Interference Check Sample B - ICAP
Job No.	The first six digits of the sample ID which refers to a specific client, project and sample group Lab ID An 8 number unique laboratory identification
LCD	Laboratory Control Standard Duplicate
LCS	Laboratory Control Standard with reagent grade water or a matrix free from the analyte of interest
MB	Method Blank or (PB) Preparation Blank
MD	Method Duplicate
MDL	Method Detection Limit
MLE	Medium Level Extraction Blank
MRL	Method Reporting Limit Standard
MSA	Method of Standard Additions
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ND	Not Detected
PREPF	Preparation factor used by the Laboratory's Information Management System (LIMS)
PDS	Post Digestion Spike (ICAP)
RA	Re-analysis of original
A1	Re-analysis of D1
A2	Re-analysis of D2
A3	Re-analysis of D3
RD	Re-extraction of dilution
RE	Re-extraction of original
RC	Re-extraction Confirmation
RL	Reporting Limit
RPD	Relative Percent Difference of duplicate (unrounded) analyses
RRF	Relative Response Factor
RT	Retention Time

QUALITY ASSURANCE METHODS

REFERENCES AND NOTES

Report Date: 01/28/2004

RTW Retention Time Window Sample ID A 9 digit number unique for each sample, the first six digits are referred as the job number

SCB Seeded Control Blank

SD Serial Dilution (Calculated when sample concentration exceeds 50 times the MDL)

UCB Unseeded Control Blank

SSV Second Source Verification Standard

SLCS Solid Laboratory Control Standard(LCS)

PHC pH Calibration Check LCSP pH Laboratory Control Sample

LCDP pH Laboratory Control Sample Duplicate

MDPH pH Sample Duplicate

MDFP Flashpoint Sample Duplicate

LCFP Flashpoint LCS

G1 Gelex Check Standard Range 0-1

G2 Gelex Check Standard Range 1-10

G3 Gelex Check Standard Range 10-100

G4 Gelex Check Standard Range 100-1000

Note 1: The Post Spike Designation on Batch QC for GFAA is designated with an "S" added to the current abbreviation used. EX. LCS S=LCS Post Spike (GFAA); MSS=MS Post Spike (GFAA)

Note 2: The MD calculates an absolute difference (A) when the sample concentration is less than 5 times the reporting limit. The control limit is represented as +/- the RL.

SEVERN
TRENT

STL

STL Chicago
2417 Bond Street
University Park, IL 60466

Tel: 708 534 5200 Fax: 708 534 5211
www.stl-inc.com

SEVERN TRENT LABORATORIES ANALYTICAL REPORT

JOB NUMBER: 223164

Prepared For:

SCS Engineers, Inc.
10401 Holmes Road
Suite 400
Kansas City, MO 64131

Project: GSA - SLOP - Investigation

Attention: David Brewer

Date: 12/31/2003

(b) (6)

Signature

Name: Richard C. Wright

Title: Project Manager

E-Mail: rwright@stl-inc.com

12/31/03

Date

STL Chicago
2417 Bond Street
University Park, IL 60466

PHONE: (708) 534-5200
FAX...: (708) 534-5211

This Report Contains 105 Pages

STL Chicago
PCB Case Narrative

SCS Engineers, Inc.
GSA – SLOP - Investigation
Job #: 223164-1 through 30
PCBs

1. STL Chicago used the following Gas Chromatographic systems for the analysis of PCBs:

ID#	INSTRUMENT	COLUMN TYPE	DETECTOR
41	HP 6890	Rtx-5	Electron Capture
42	HP 6890	Rtx-35	Electron Capture

2. These soil samples were extracted based on SW846 method 3550. All extracts were analyzed for PCBs based on SW846 method 8082. All extracts received a sulfuric acid cleanup and a GPC cleanup in order to reduce matrix interference.
3. All required holding times were met for the extraction and analysis.
4. The method blanks were below the reporting limits for all Aroclors.
5. The surrogate compounds used for this analysis were Decachlorobiphenyl (DCB) and Tetrachloro-m-xylene (TCX). All surrogate recoveries were within statistical control limits except sample 223164-27, which had TCX with 36% recovery, sample 223164-29, which had both surrogates diluted out and flagged "D", and sample 223164-30, which had TCX with 118% recovery and DCB with 130% recovery.
6. A solution containing Aroclor 1016 and Aroclor 1260 was used for spiking.
7. The blank spike recoveries were within statistical control limits.
8. A matrix spike and a matrix spike duplicate were performed on samples 223164-2 (SS-1 DEEP) and 223164-30 (SS-18). All matrix spike and matrix spike duplicate recoveries and RPDs for sample 223164-2 were within statistical control limits. All matrix spike and matrix spike duplicate recoveries and RPDs for sample 223164-30 were within statistical control limits except Aroclor 1016, which had recoveries of 187% and 180%, respectively and Aroclor 1260, which had 64% recovery in the matrix spike duplicate.
9. All initial and continuing (grand mean <15% difference) standard calibrations associated with these samples were in control on both columns with the following exceptions:

CCV that ran 12/27/03 at 21:54 on the primary column (Rtx-5), had Aroclor 1016 biased low with 18.0% difference. Aroclor 1016 was not detected in these samples.

CCV that ran 12/27/03 at 22:29 on the confirmation column (Rtx-35), had Aroclor 1016 biased low with 26.0% difference and Aroclor 1260 biased low with 18.5% difference. Samples 223164-26, -27, -28, -29, and -30 were associated with this CCV. However, all results were reported from the primary column.

10. Target compounds were confirmed using a second column.
11. Samples 223164-29 and 223164-30 were diluted 1/2 prior to GPC due to sample matrix. Some samples were then analyzed at various dilutions due to level of target compounds as well as sample matrix. Reporting limits have been adjusted to reflect the necessary dilutions.

(b) (6)

12/30/03

Date

Patti Gibson
Organics Section Manager

Severn Trent Laboratories - Chicago
METALS CASE NARRATIVE

Client: SCS Engineers, Inc.

Date Rec'd: 12/17/03

Project: GSA - SLOP

STL#: 223164

1. This narrative covers Metals analysis of samples in the above Job 223164.

Method Refs: USEPA, SW-846

2. All analyses were performed within the required holding times.
3. All Initial and Continuing Calibration Verification (ICV/CCV's) that bracket the samples were within control limits.
4. All Initial and Continuing Calibration Blanks (ICB/CCB's) that bracket the samples were within control limits.
5. All ICP Interference (ICSA/ICSAB) check Standards were within control limits.
6. All Preparation/Method Blanks were less than the Reporting Limit.
7. Laboratory Control Sample (LCS) recoveries were within the 80-120% control limit.
8. Matrix QC performed on Sample 1.

Serial dilution analysis was within control limits except for Pb and Zn.

Matrix Spike recovery was within the 75-125% control limits except for Sb and Zn (MS/MSD). (Control limits are not applicable when the sample concentration exceeds the spike added concentration by a factor of 4 or more)

Duplicate analysis was within the 20% RPD control limits for sample concentrations greater than 5X the RL or +/- the RL for sample concentrations less than 5X the RL except for Co, Pb and Zn.

(b) (6)



Jodi L. Wojcik
Metals Unit Leader



12/31/03

Date

STL Chicago is part of Severn Trent Laboratories, Inc.

S A M P L E I N F O R M A T I O N
Date: 12/31/2003

Job Number.: 223164
Customer...: SCS Engineers, Inc.
Attn.....: David Brewer

Project Number.....: 20002601
Customer Project ID....: GSA - SLOP
Project Description....: GSA - SLOP - Investigation

Laboratory Sample ID	Customer Sample ID	Sample Matrix	Date Sampled	Time Sampled	Date Received	Time Received
223164-1	SS-1 SHALLOW	Soil	12/16/2003	12:30	12/17/2003	12:10
223164-2	SS-1 DEEP	Soil	12/16/2003	12:40	12/17/2003	12:10
223164-3	SS-2 SHALLOW	Soil	12/16/2003	13:10	12/17/2003	12:10
223164-4	SS-2 DEEP	Soil	12/16/2003	13:15	12/17/2003	12:10
223164-5	SS-3 SHALLOW	Soil	12/16/2003	13:30	12/17/2003	12:10
223164-6	SS-3 DEEP	Soil	12/16/2003	13:30	12/17/2003	12:10
223164-7	SS-4 SHALLOW	Soil	12/16/2003	13:45	12/17/2003	12:10
223164-8	SS-4 DEEP	Soil	12/16/2003	13:45	12/17/2003	12:10
223164-9	SS-5 SHALLOW	Soil	12/16/2003	14:00	12/17/2003	12:10
223164-10	SS-5 DEEP	Soil	12/16/2003	14:00	12/17/2003	12:10
223164-11	SS-6 SHALLOW	Soil	12/16/2003	14:15	12/17/2003	12:10
223164-12	SS-6 DEEP	Soil	12/16/2003	14:15	12/17/2003	12:10
223164-13	SS-7	Soil	12/16/2003	14:25	12/17/2003	12:10
223164-14	SS-8	Soil	12/16/2003	14:35	12/17/2003	12:10
223164-15	SS-9	Soil	12/16/2003	14:40	12/17/2003	12:10
223164-16	SS-10 SHALLOW	Soil	12/16/2003	14:50	12/17/2003	12:10
223164-17	SS-10 DEEP	Soil	12/16/2003	14:50	12/17/2003	12:10
223164-18	SS-11 SHALLOW	Soil	12/16/2003	15:00	12/17/2003	12:10
223164-19	SS-11 DEEP	Soil	12/16/2003	15:00	12/17/2003	12:10
223164-20	SS-12	Soil	12/16/2003	16:10	12/17/2003	12:10
223164-21	SS-13 SHALLOW	Soil	12/16/2003	17:00	12/17/2003	12:10
223164-22	SS-13 DEEP	Soil	12/16/2003	17:00	12/17/2003	12:10
223164-23	SS-14 SHALLOW	Soil	12/16/2003	17:15	12/17/2003	12:10
223164-24	SS-14 DEEP	Soil	12/16/2003	17:15	12/17/2003	12:10
223164-25	SS-15 SHALLOW	Soil	12/16/2003	17:30	12/17/2003	12:10
223164-26	SS-15 DEEP	Soil	12/16/2003	17:30	12/17/2003	12:10

STL Chicago is part of Severn Trent Laboratories, Inc.

S A M P L E I N F O R M A T I O N
Date:

Job Number.: 223164
Customer...: SCS Engineers, Inc.
Attn.....: David Brewer

Project Number.....: 20002601
Customer Project ID....: GSA - SLOP
Project Description....: GSA - SLOP - Investigation

Laboratory Sample ID	Customer Sample ID	Sample Matrix	Date Sampled	Time Sampled	Date Received	Time Received
223164-27	SS-16 SHALLOW	Soil	12/16/2003	17:40	12/17/2003	12:10
223164-28	SS-16 DEEP	Soil	12/16/2003	17:40	12/17/2003	12:10
223164-29	SS-17	Soil	12/16/2003	12:45	12/17/2003	12:10
223164-30	SS-18	Soil	12/16/2003	13:30	12/17/2003	12:10

LABORATORY TEST RESULTS										Date:12/31/2003
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer						
		Laboratory Sample ID: 223164-1 Date Received.....: 12/17/2003 Time Received.....: 12:10								
TEST/METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MOL	RL	DILUTION	UNITS	BATCH	DT
Method	% Solids Determination % Solids, Solid % Moisture, Solid	78.4 21.6			0.10 0.10	0.10 0.10	1 1	%	105799 105799	12/29/03 2140 12/29/03 2140
8082	PCB Analysis Aroclor 1016, Solid* Aroclor 1221, Solid* Aroclor 1232, Solid* Aroclor 1242, Solid* Aroclor 1248, Solid* Aroclor 1254, Solid* Aroclor 1260, Solid*	ND ND ND ND ND ND ND ND	U U U U U U U U	3.7 8.5 3.8 8.0 2.9 3.4 3.2	21 21 21 21 21 21 21	1.00000 1.00000 1.00000 1.00000 1.00000 1.00000 1.00000	ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg	105835 105835 105835 105835 105835 105835 105835	12/26/03 2217 12/26/03 2217 12/26/03 2217 12/26/03 2217 12/26/03 2217 12/26/03 2217 12/26/03 2217	mgk mgk mgk mgk mgk mgk mgk
7471A	Mercury (CVAA) Solids Mercury, Solid*	0.030			0.0055	0.021	1	mg/Kg	105789	12/29/03 1405
6010B	Metals Analysis (ICAP Trace) Aluminum, Solid* Antimony, Solid* Arsenic, Solid* Barium, Solid* Beryllium, Solid* Cadmium, Solid* Calcium, Solid* Chromium, Solid* Cobalt, Solid* Copper, Solid* Iron, Solid* Lead, Solid*	9700 1.1 4.7 95 0.77 ND 3100 20 3.9 11 12000 160	B B B B U ND ND ND ND ND	2.8 1.1 0.60 0.19 0.052 0.094 3.6 0.26 0.16 1.1 3.5 0.51	24 2.4 1.2 1.2 0.47 0.24 12 1.2 0.59 1.2 5.9 0.59	1 1 1 1 1 1 1 1 1 1 1 1	mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg	106019 106019 106019 106019 106019 106019 106019 106019 106019 106019 106019 106019	12/30/03 1800 12/30/03 1800	tds tds tds tds tds tds tds tds tds tds tds tds

* In Description = Dry Wgt.

LABORATORY TEST RESULTS											
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer		Date:12/31/2003					
Customer Sample ID: SS-1 SHALLOW Date Sampled.....: 12/16/2003 Time Sampled.....: 12:30 Sample Matrix....: Soil				Laboratory Sample ID: 223164-1 Date Received.....: 12/17/2003 Time Received.....: 12:10							
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Magnesium, Solid*	2500		2.0	12	1	mg/Kg	106019	12/30/03	1800	tds
	Manganese, Solid*	72		0.15	1.2	1	mg/Kg	106019	12/30/03	1800	tds
	Nickel, Solid*	10		0.29	1.2	1	mg/Kg	106019	12/30/03	1800	tds
	Potassium, Solid*	510		16	59	1	mg/Kg	106067	12/30/03	1726	tds
	Selenium, Solid*		U	0.47	1.2	1	mg/Kg	106019	12/30/03	1800	tds
	Silver, Solid*		U	0.36	0.59	1	mg/Kg	106019	12/30/03	1800	tds
	Sodium, Solid*	230		100	120	1	mg/Kg	106019	12/30/03	1800	tds
	Thallium, Solid*		U	0.78	1.2	1	mg/Kg	106019	12/30/03	1800	tds
	Vanadium, Solid*		ND	0.25	0.59	1	mg/Kg	106067	12/30/03	1726	tds
	Zinc, Solid*	25	71	0.47	2.4	1	mg/Kg	106019	12/30/03	1800	tds

* In Description = Dry Wgt.

LABORATORY TEST REQUESTS

Job Number: 223164

Date: 12/31/2003

CUSTOMER: SCS Engineers, Inc.

Customer Sample ID: SS-1 DEEP
Date Sampled.....: 12/16/2003
Time Sampled.....: 12:40
Sample Matrix.....: Soil

PROJECT: GSA - Stop

Laboratory Sample ID: 223164-2
Date Received.....: 12/17/2003
Time Received.....: 12:10

ATTN: David Brewer

Metals Analysis (ICAP Trace)	
Aluminum, Solid*	Mercury, CVAAS Solids
Antimony, Solid*	Mercury, Solid*
Arsenic, Solid*	
Barium, Solid*	
Beryllium, Solid*	
Cadmium, Solid*	
Calcium, Solid*	
Chromium, Solid*	
Cobalt, Solid*	
Copper, Solid*	
Iron, Solid*	
Lead, Solid*	

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:12/31/2003		
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer								
Customer Sample ID:	SS-1 DEEP	Laboratory Sample ID:	223164-2									
Date Sampled.....:	12/16/2003	Date Received.....:	12/17/2003									
Time Sampled.....:	12:40	Time Received.....:	12:10									
Sample Matrix.....:	Soil											
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Magnesium, Solid*	5600				1.9	11	1	mg/Kg	106019	12/30/03	1831	tds
Manganese, Solid*	260				0.15	1.1	1	mg/Kg	106019	12/30/03	1831	tds
Nickel, Solid*	13				0.28	1.1	1	mg/Kg	106019	12/30/03	1831	tds
Potassium, Solid*	750				16	57	1	mg/Kg	106057	12/30/03	1759	tds
Selenium, Solid*	ND	U			0.46	1.1	1	mg/Kg	106019	12/30/03	1831	tds
Silver, Solid*	ND	U			0.35	0.57	1	mg/Kg	106019	12/30/03	1831	tds
Sodium, Solid*	700	U			99	110	1	mg/Kg	106019	12/30/03	1831	tds
Thallium, Solid*	ND	U			0.75	1.1	1	mg/Kg	106019	12/30/03	1831	tds
Vanadium, Solid*	27				0.24	0.57	1	mg/Kg	106057	12/30/03	1759	tds
Zinc, Solid*	44				0.46	2.3	1	mg/Kg	106019	12/30/03	1831	tds

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date: 12/31/2003	
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - STAP		ATTN: David Brewer							
Customer Sample ID: SS-2 SHALLOW		Laboratory Sample ID: 223164-3		Date Received.....:	12/17/2003	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME
Date Sampled.....:	12/16/2003	Date Received.....:	12/17/2003	Time Sampled.....:	13:10	0.10	1	%	105799	12/29/03 2140	1mR
Sample Matrix....:	Soil	Time Received.....:	12:10	%	0.10	1	%	%	105799	12/29/03 2140	1mR
TEST/METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME
Method	% Solids Determination % Solids, Solid % Moisture, Solid	80.9 19.1			0.10 0.10	0.10 0.10					
8082	PCB Analysis Aroclor 1016, Solid* Aroclor 1221, Solid* Aroclor 1232, Solid* Aroclor 1242, Solid* Aroclor 1248, Solid* Aroclor 1254, Solid* Aroclor 1260, Solid*	ND ND ND ND ND ND ND ND	U U U U U U U U	7.0 16 7.2 15 4.0 5.5 6.5 6.0	4.0 2.00000 2.00000 2.00000 4.0 2.00000 2.00000 4.0	ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg	105835 105835 105835 105835 105835 105835 105835 105835	12/27/03 0039 12/27/03 0039 12/27/03 0039 12/27/03 0039 12/27/03 0039 12/27/03 0039 12/27/03 0039 12/27/03 0039	mgk mgk mgk mgk mgk mgk mgk mgk		
7471A	Mercury (CVAA) Solids Mercury, Solid*	0.036			0.0053	0.020	1	mg/Kg	105789	12/29/03 1420	90k
6010B	Metals Analysis (ICAP Trace) Aluminum, Solid* Antimony, Solid* Arsenic, Solid* Barium, Solid* Beryllium, Solid* Cadmium, Solid* Calcium, Solid* Chromium, Solid* Cobalt, Solid* Copper, Solid* Iron, Solid* Lead, Solid*	11000 1.6 2.8 230 0.74 ND 8500 23 3.4 11 12000 140	B B B B U B B B B B B	2.7 1.0 0.57 0.18 0.049 0.090 3.5 0.25 0.16 1.0 3.4 1.1 0.56 1.1 0.56 0.48	22 2.2 1.1 1.1 0.45 0.22 11 1.1 0.56 1.1 0.56 11 1.1 0.56 1.1 0.56 1	mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg	106019 106019 106019 106019 106019 106019 106019 106019 106019 106019 106019 106019 106019 106019 106019 106019 106019	12/30/03 1837 12/30/03 1837	tds tds tds tds tds tds tds tds tds tds tds tds tds tds tds tds tds tds		

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:12/31/2003		
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - STOP		ATTN: David Brewer								
Customer Sample ID: SS-2 SHALLOW		Laboratory Sample ID: 223164-3										
Date Sampled.....: 12/16/2003		Date Received.....:	12/17/2003									
Time Sampled.....: 13:10		Time Received.....:	12:10									
Sample Matrix.....: Soil												
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Magnesium, Solid*	3000				1.9	11	1	mg/Kg	106019	12/30/03	1837	tds
Manganese, Solid*	67				0.15	1.1	1	mg/Kg	106019	12/30/03	1837	tds
Nickel, Solid*	9.7				0.28	1.1	1	mg/Kg	106019	12/30/03	1837	tds
Potassium, Solid*	600		U		16	56	1	mg/Kg	106067	12/30/03	1835	tds
Selenium, Solid*	ND		U		0.45	1.1	1	mg/Kg	106019	12/30/03	1837	tds
Silver, Solid*	ND		U		0.35	0.56	1	mg/Kg	106019	12/30/03	1837	tds
Sodium, Solid*	800		U		98	110	1	mg/Kg	106019	12/30/03	1837	tds
Thallium, Solid*	ND		U		0.74	1.1	1	mg/Kg	106019	12/30/03	1837	tds
Vanadium, Solid*	ND		22		0.24	0.56	1	mg/Kg	106067	12/30/03	1835	tds
Zinc, Solid*	40		40		0.45	2.2	1	mg/Kg	106019	12/30/03	1837	tds

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:12/31/2003		
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SDOP		ATTN: David Brewer								
Customer Sample ID: SS-2 DEEP Date Sampled.....: 12/16/2003 Time Sampled.....: 13:15 Sample Matrix.....: Soil						Laboratory Sample ID: 223164-4 Date Received.....: 12/17/2003 Time Received.....: 12:10						
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination	80.4			0.10	0.10	1	%	105799	12/29/03	2140	
	% Solids, Solid	19.6			0.10	0.10	1	%	105799	12/29/03	2140	
	% Moisture, Solid											
8082	PCB Analysis											
	Aroclor 1016, Solid*	ND			3.6	21	1.00000	ug/Kg	105835	12/27/03	0114	
	Aroclor 1221, Solid*	ND			8.3	21	1.00000	ug/Kg	105835	12/27/03	0114	
	Aroclor 1232, Solid*	ND			3.7	21	1.00000	ug/Kg	105835	12/27/03	0114	
	Aroclor 1242, Solid*	ND			7.8	21	1.00000	ug/Kg	105835	12/27/03	0114	
	Aroclor 1248, Solid*	ND			2.9	21	1.00000	ug/Kg	105835	12/27/03	0114	
	Aroclor 1254, Solid*	ND			3.4	21	1.00000	ug/Kg	105835	12/27/03	0114	
	Aroclor 1260, Solid*	ND			3.1	21	1.00000	ug/Kg	105835	12/27/03	0114	
7471A	Mercury (CVAA) Solids											
	Mercury, Solid*	0.037			0.0053	0.021	1	mg/Kg	105789	12/29/03	1422	
6010B	Metals Analysis (ICAP Trace)											
	Aluminum, Solid*	12000	U		3.0	25	1	mg/Kg	106019	12/30/03	1843	
	Antimony, Solid*	ND			1.1	2.5	1	mg/Kg	106019	12/30/03	1843	
	Arsenic, Solid*	3.0			0.63	1.2	1	mg/Kg	106019	12/30/03	1843	
	Barium, Solid*	120			0.20	1.2	1	mg/Kg	106019	12/30/03	1843	
	Beryllium, Solid*	0.83	U		0.055	0.50	1	mg/Kg	106019	12/30/03	1843	
	Cadmium, Solid*	ND			0.099	0.25	1	mg/Kg	106019	12/30/03	1843	
	Calcium, Solid*	3400			3.8	12	1	mg/Kg	106019	12/30/03	1843	
	Chromium, Solid*	21			0.27	1.2	1	mg/Kg	106019	12/30/03	1843	
	Cobalt, Solid*	7.1			0.17	0.62	1	mg/Kg	106019	12/30/03	1843	
	Copper, Solid*	11			1.1	1.2	1	mg/Kg	106019	12/30/03	1843	
	Iron, Solid*	14000			3.7	6.2	1	mg/Kg	106019	12/30/03	1843	
	Lead, Solid*	49			0.53	0.62	1	mg/Kg	106019	12/30/03	1843	

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:12/31/2003	
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer							
Customer Sample ID: SS-2 DEEP Date Sampled.....: 12/16/2003 Time Sampled.....: 13:15 Sample Matrix.....: Soil						Laboratory Sample ID: 223164-4 Date Received.....: 12/17/2003 Time Received.....: 12:10					
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Magnesium, Solid*	2800		2.1	12	1	mg/Kg	106019	12/30/03	1843	tds
	Manganese, Solid*	95		0.16	1.2	1	mg/Kg	106019	12/30/03	1843	tds
	Nickel, Solid*	11		0.31	1.2	1	mg/Kg	106019	12/30/03	1843	tds
	Potassium, Solid*	520	U	17	62	1	mg/Kg	106067	12/30/03	1842	tds
	Selenium, Solid*	ND	U	0.50	1.2	1	mg/Kg	106019	12/30/03	1843	tds
	Silver, Solid*	ND	U	0.38	0.62	1	mg/Kg	106019	12/30/03	1843	tds
	Sodium, Solid*	360	U	110	120	1	mg/Kg	106019	12/30/03	1843	tds
	Thallium, Solid*	ND	U	0.82	1.2	1	mg/Kg	106019	12/30/03	1843	tds
	Vanadium, Solid*	29		0.26	0.62	1	mg/Kg	106067	12/30/03	1842	tds
	Zinc, Solid*	40		0.50	2.5	1	mg/Kg	106019	12/30/03	1843	tds

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:12/31/2003	
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer							
		Laboratory Sample ID: 223164-5 Date Received.....: 12/17/2003 Time Received.....: 12:10									
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	
Method	% Solids Determination % Solids, Solid % Moisture, Solid	81.5 18.5		0.10 0.10	0.10 0.10	1 1	%	105799 105799	12/29/03 12/29/03	2140 2140 lhr lhr	
8082	PCB Analysis Aroclor 1016, Solid* Aroclor 1221, Solid* Aroclor 1232, Solid* Aroclor 1242, Solid* Aroclor 1248, Solid* Aroclor 1254, Solid* Aroclor 1260, Solid*	ND ND ND ND ND ND ND ND	U U U U U U U U	7.0 16 7.2 15 5.6 6.5 6.0	40 40 40 40 40 40 40	2.000000 2.000000 2.000000 2.000000 2.000000 2.000000 2.000000	ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg	105835 105835 105835 105835 105835 105835 105835	12/27/03 12/27/03 12/27/03 12/27/03 12/27/03 12/27/03 12/27/03	0150 0150 0150 0150 0150 0150 0150	mgk mgk mgk mgk mgk mgk mgk
7471A	Mercury (CVAA) Solids Mercury, Solid*	0.037		0.0053	0.020	1	mg/Kg	105789	12/29/03	1424 gok	
6010B	Metals Analysis (ICAP Trace) Aluminum, Solid* Antimony, Solid* Arsenic, Solid* Barium, Solid* Beryllium, Solid* Cadmium, Solid* Calcium, Solid* Chromium, Solid* Cobalt, Solid* Copper, Solid* Iron, Solid* Lead, Solid*	11000 ND 3.5 93 0.75 ND 4700 19 4.6 8.7 15000 69	U U U U U U U U U U U U	2.9 1.1 0.62 0.19 0.053 0.097 3.7 0.27 0.17 1.1 3.6 0.52	24 2.4 1.2 1.2 0.48 0.24 12 1.2 0.60 1.2 6.0 0.60	1 1 1 1 1 1 1 1 1 1 1 1	mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg	106019 106019 106019 106019 106019 106019 106019 106019 106019 106019 106019 106019	12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03	1917 1917 1917 1917 1917 1917 1917 1917 1917 1917 1917 1917	tds tds tds tds tds tds tds tds tds tds tds tds

* In Description = Dry Wgt.

LABORATORY TEST RESULTS											
Date:12/31/2003											
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer							
Customer Sample ID: SS-3 SHALLOW Date Sampled.....: 12/16/2003 Time Sampled.....: 13:30 Sample Matrix....: Soil									Laboratory Sample ID: 223164-5 Date Received.....: 12/17/2003 Time Received.....: 12:10		
TEST/METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Magnesium, Solid*	3400		2.1	12	1	mg/Kg	106019	12/30/03	1917	tds
	Manganese, Solid*	110		0.16	1.2	1	mg/Kg	106019	12/30/03	1917	tds
	Nickel, Solid*	11		0.30	1.2	1	mg/Kg	106019	12/30/03	1917	tds
	Potassium, Solid*	500	U	17	60	1	mg/Kg	106067	12/30/03	1849	tds
	Selenium, Solid*	ND	U	0.48	1.2	1	mg/Kg	106019	12/30/03	1917	tds
	Silver, Solid*	ND	U	0.37	0.60	1	mg/Kg	106019	12/30/03	1917	tds
	Sodium, Solid*	1500	U	100	120	1	mg/Kg	106019	12/30/03	1917	tds
	Thallium, Solid*	ND	U	0.80	1.2	1	mg/Kg	106019	12/30/03	1917	tds
	Vanadium, Solid*	26		0.25	0.60	1	mg/Kg	106067	12/30/03	1849	tds
	Zinc, Solid*	80		0.48	2.4	1	mg/Kg	106019	12/30/03	1917	tds

* In Description = Dry Wgt.

LABORATORY TEST RESULTS												
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		Date: 12/31/2003								
Customer Sample ID: SS-3 DEEP Date Sampled.....: 12/16/2003 Time Sampled.....: 13:30 Sample Matrix....: Soil		Customer Sample ID: 223164-6 Date Received.....: 12/17/2003 Time Received.....: 12:10		ATTN: David Brewer								
TEST METHOD												
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination % Solids, Solid % Moisture, Solid	79.4 20.6			0.10 0.10	0.10 0.10	1 1	%	105799 105799	12/29/03 12/29/03	2140 2140	lmr lmr
8082	PCB Analysis Aroclor 1016, Solid* Aroclor 1221, Solid* Aroclor 1232, Solid* Aroclor 1242, Solid* Aroclor 1248, Solid* Aroclor 1254, Solid* Aroclor 1260, Solid*	ND ND ND ND ND ND ND ND	U U U U U U U U	7.1 16 7.3 15 41 41 5.6 6.6	41 41 41 41 41 41 41 41	2.00000 2.00000 2.00000 2.00000 2.00000 2.00000 2.00000 2.00000	ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg	105835 105835 105835 105835 105835 105835 105835 105835	12/27/03 12/27/03 12/27/03 12/27/03 12/27/03 12/27/03 12/27/03 12/27/03	0336 0336 0336 0336 0336 0336 0336 0336	mgk mgk mgk mgk mgk mgk mgk mgk	
7471A	Mercury (CVAA) Solids Mercury, Solid*	0.038			0.0054	0.021	1	mg/Kg	105789	12/29/03	1426	gok
6010B	Metals Analysis (ICAP Trace) Aluminum, Solid* Antimony, Solid* Arsenic, Solid* Barium, Solid* Beryllium, Solid* Cadmium, Solid* Calcium, Solid* Chromium, Solid* Cobalt, Solid* Copper, Solid* Iron, Solid* Lead, Solid*	12000 ND 4.3 130 0.88 ND 3400 21 4.2 10 18000 28	U U U U U ND U U U U U	2.8 1.0 0.59 0.18 0.051 0.092 3.6 0.25 0.16 1.0 3.4 0.49	23 2.3 1.1 1.1 0.46 0.23 11 1.1 0.57 1.1 5.7 0.57	1 1 1 1 1 1 1 1 1 1 1	mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg	106019 106019 106019 106019 106019 106019 106019 106019 106019 106019 106019 106019	12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03	1923 1923 1923 1923 1923 1923 1923 1923 1923 1923 1923 1923	tds tds tds tds tds tds tds tds tds tds tds tds	

* In Description = Dry Wgt.

LABORATORY TEST RESULTS									
Date: 12/31/2003									
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer					
Customer Sample ID: SS-3 DEEP Date Sampled.....: 12/16/2003 Time Sampled.....: 13:30 Sample Matrix....: Soil				Laboratory Sample ID: 223164-6 Date Received.....: 12/17/2003 Time Received.....: 12:10					
TEST METHOD	PARAMETER/TEST DESCRIPTION		SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH
	Magnesium, Solid*	3000	2.0		11	1		mg/Kg	106019
	Manganese, Solid*	82	0.15		1.1	1		mg/Kg	106019
	Nickel, Solid*	12	0.29		1.1	1		mg/Kg	106019
	Potassium, Solid*	520	16		57	1		mg/Kg	106067
	Selenium, Solid*	ND	0.46		1.1	1		mg/Kg	106019
	Silver, Solid*	ND	0.36		0.57	1		mg/Kg	106019
	Sodium, Solid*	970	100		110	1		mg/Kg	106019
	Thallium, Solid*	ND	0.76		1.1	1		mg/Kg	106019
	Vanadium, Solid*	33	0.24		0.57	1		mg/Kg	106067
	Zinc, Solid*	51	0.46		2.3	1		mg/Kg	106019

* In Description = Dry Wgt.

Job Number: 223164

LABORATORY TEST RESULTS Date: 12/31/2003

LABORATORY TEST RESULTS

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA + STOP

ATTINE - David Brewster

Customer Sample ID: SS-4 SHALLOW
Date Sampled.....: 12/16/2003
Time Sampled.....: 13:45
Sample Matrix....: Soil

Laboratory Sample ID: 223164-7
Date Received.....: 12/17/2003
Time Received.....: 12:10

* in Description = Dry Wgt.

LABORATORY TEST RESULTS									
Date:12/31/2003									
PROJECT: GSA - SLOP									
ATTN: David Brewer									
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH
	Magnesium, Solid*	3400			1.8	11		mg/Kg	106019
	Manganese, Solid*	230			0.14	1.1		mg/Kg	106019
	Nickel, Solid*	12			0.27	1.1		mg/Kg	106019
	Potassium, Solid*	520	U		15	53		mg/Kg	106067
	Selenium, Solid*	ND	U		0.42	1.1		mg/Kg	106019
	Silver, Solid*	ND	U		0.33	0.53		mg/Kg	106019
	Sodium, Solid*	2700	U		92	110		mg/Kg	106019
	Thallium, Solid*	ND	U		0.70	1.1		mg/Kg	106019
	Vanadium, Solid*	26	38		0.22	0.53		mg/Kg	106067
	Zinc, Solid*				0.42	2.1		mg/Kg	106019

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:12/31/2003		
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer								
Customer Sample ID: SS-4, DEEP		Laboratory Sample ID: 223164-8		Date Received.....:	12/17/2003							
Date Sampled.....:	12/16/2003	Date Received.....:		Time Received.....:	13:45							
Sample Matrix.....:	Soil	Time Received.....:			12:10							
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination	80.4			0.10	0.10	1	%	105799	12/29/03	2140	lml
	% Solids, Solid	19.6			0.10	0.10	1	%	105799	12/29/03	2140	lml
	% Moisture, Solid											
8082	PCB Analysis	ND			3.6	20	1.00000	ug/Kg	105835	12/27/03	0447	mgk
	Aroclor 1016, Solid*	ND			8.2	20	1.00000	ug/Kg	105835	12/27/03	0447	mgk
	Aroclor 1221, Solid*	ND			3.7	20	1.00000	ug/Kg	105835	12/27/03	0447	mgk
	Aroclor 1232, Solid*	ND			7.7	20	1.00000	ug/Kg	105835	12/27/03	0447	mgk
	Aroclor 1242, Solid*	ND			2.8	20	1.00000	ug/Kg	105835	12/27/03	0447	mgk
	Aroclor 1248, Solid*	ND			3.3	20	1.00000	ug/Kg	105835	12/27/03	0447	mgk
	Aroclor 1254, Solid*	ND			3.1	20	1.00000	ug/Kg	105835	12/27/03	0447	mgk
	Aroclor 1260, Solid*											
7471A	Mercury (CVAA) Solids											
	Mercury, Solid*	0.037			0.0053	0.021	1	mg/Kg	105789	12/29/03	1431	gok
6010B	Metals Analysis (ICAP Trace)											
	Aluminum, Solid*	10000			2.8	23	1	mg/Kg	106019	12/30/03	1936	tds
	Antimony, Solid*		1.2	B	1.1	2.3	1	mg/Kg	106019	12/30/03	1936	tds
	Arsenic, Solid*		6.2		0.60	1.2	1	mg/Kg	106019	12/30/03	1936	tds
	Barium, Solid*		110		0.19	1.2	1	mg/Kg	106019	12/30/03	1936	tds
	Beryllium, Solid*		0.98	U	0.051	0.47	1	mg/Kg	106019	12/30/03	1936	tds
	Cadmium, Solid*	ND			0.094	0.23	1	mg/Kg	106019	12/30/03	1936	tds
	Calcium, Solid*	3200			3.6	12	1	mg/Kg	106019	12/30/03	1936	tds
	Chromium, Solid*	21			0.26	1.2	1	mg/Kg	106019	12/30/03	1936	tds
	Cobalt, Solid*		6.8		0.16	0.58	1	mg/Kg	106019	12/30/03	1936	tds
	Copper, Solid*		13		1.1	1.2	1	mg/Kg	106019	12/30/03	1936	tds
	Iron, Solid*	19000			3.5	5.8	1	mg/Kg	106019	12/30/03	1936	tds
	Lead, Solid*		14		0.50	0.58	1	mg/Kg	106019	12/30/03	1936	tds

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:12/31/2003		
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer								
Customer Sample ID: SS-4 DEEP Date Sampled.....: 12/16/2003 Time Sampled.....: 13:45 Sample Matrix....: Soil						Laboratory Sample ID: 223164-8 Date Received.....: 12/17/2003 Time Received.....: 12:10						
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Magnesium, Solid*	2700			2.0	12	1	mg/Kg	106019	12/30/03	1936	tds
	Manganese, Solid*	220			0.15	1.2	1	mg/Kg	106019	12/30/03	1936	tds
	Nickel, Solid*	13			0.29	1.2	1	mg/Kg	106019	12/30/03	1936	tds
	Potassium, Solid*	500	U		16	58	1	mg/Kg	106067	12/30/03	1909	tds
	Selenium, Solid*	ND	U		0.47	1.2	1	mg/Kg	106019	12/30/03	1936	tds
	Silver, Solid*	ND	U		0.36	0.58	1	mg/Kg	106019	12/30/03	1936	tds
	Sodium, Solid*	580	U		100	120	1	mg/Kg	106019	12/30/03	1936	tds
	Thallium, Solid*	ND	U		0.77	1.2	1	mg/Kg	106019	12/30/03	1936	tds
	Vanadium, Solid*	36			0.25	0.58	1	mg/Kg	106067	12/30/03	1909	tds
	Zinc, Solid*	35			0.47	2.3	1	mg/Kg	106019	12/30/03	1936	tds

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date: 12/31/2003			
PROJECT: GSA - SLOP										ATTN: David Brewer			
Customer Sample ID: SS-5 SHALLOW													
Date Sampled.....: 12/16/2003													
Time Sampled.....: 14:00													
Sample Matrix.....: Soil													
TEST METHOD	PARAMETER/TEST DESCRIPTION			SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination								%	105799	12/29/03 2140	Lmr	
	% Solids, Solid								%	105799	12/29/03 2140	Lmr	
	% Moisture, Solid												
8082	PCB Analysis												
	Aroclor 1016, Solid*	ND	U	83.8		0.10	0.10	1					
	Aroclor 1221, Solid*	ND	U	16.2		0.10	0.10	1					
	Aroclor 1222, Solid*	ND	U										
	Aroclor 1222, Solid*	ND	U	6.9		40	2.00000	ug/Kg	ug/Kg	105835	12/27/03 0522	mgk	
	Aroclor 1222, Solid*	ND	U	16		40	2.00000	ug/Kg	ug/Kg	105835	12/27/03 0522	mgk	
	Aroclor 1222, Solid*	ND	U	7.1		40	2.00000	ug/Kg	ug/Kg	105835	12/27/03 0522	mgk	
	Aroclor 1222, Solid*	ND	U	15		40	2.00000	ug/Kg	ug/Kg	105835	12/27/03 0522	mgk	
	Aroclor 1222, Solid*	ND	U	5.5		40	2.00000	ug/Kg	ug/Kg	105835	12/27/03 0522	mgk	
	Aroclor 1222, Solid*	ND	U	6.4		40	2.00000	ug/Kg	ug/Kg	105835	12/27/03 0522	mgk	
	Aroclor 1222, Solid*	ND	U	5.9		40	2.00000	ug/Kg	ug/Kg	105835	12/27/03 0522	mgk	
7471A	Mercury (CWA) Solids												
	Mercury, Solid*												
	Mercury, Solid*			0.044		0.0051	0.020	1	mg/Kg	105789	12/29/03 1433	gok	
6010B	Metals Analysis (ICAP Trace)												
	Aluminum, Solid*	ND	U	2.6		22	1		mg/Kg	106019	12/30/03 1942	tds	
	Antimony, Solid*			0.97		2.2	1		mg/Kg	106019	12/30/03 1942	tds	
	Arsenic, Solid*			0.55		1.1	1		mg/Kg	106019	12/30/03 1942	tds	
	Barium, Solid*			0.17		1.1	1		mg/Kg	106019	12/30/03 1942	tds	
	Beryllium, Solid*			0.048		0.43	1		mg/Kg	106019	12/30/03 1942	tds	
	Cadmium, Solid*			0.087		0.22	1		mg/Kg	106019	12/30/03 1942	tds	
	Calcium, Solid*			3.4		11	1		mg/Kg	106019	12/30/03 1942	tds	
	Chromium, Solid*			0.24		1.1	1		mg/Kg	106019	12/30/03 1942	tds	
	Cobalt, Solid*			0.15		0.54	1		mg/Kg	106019	12/30/03 1942	tds	
	Copper, Solid*			6.3		1.1	1		mg/Kg	106019	12/30/03 1942	tds	
	Iron, Solid*			14		0.97	1.1		mg/Kg	106019	12/30/03 1942	tds	
	Lead, Solid*			14000		3.2	5.4		mg/Kg	106019	12/30/03 1942	tds	
				60		0.47	0.47		mg/Kg	106019	12/30/03 1942	tds	

* In Description = Dry Wgt.

LABORATORY TEST RESULTS									
Date: 12/31/2003									
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer					
Customer Sample ID: SS-5 SHALLOW Date Sampled.....: 12/16/2003 Time Sampled.....: 14:00 Sample Matrix....: Soil									
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT DATE/TIME
	Magnesium, Solid*	3900		1.8	11	1	mg/Kg	106019	12/30/03 1942 tds
	Manganese, Solid*	110		0.14	1.1	1	mg/Kg	106019	12/30/03 1942 tds
	Nickel, Solid*	12		0.27	1.1	1	mg/Kg	106019	12/30/03 1942 tds
	Potassium, Solid*	670		15	54	1	mg/Kg	106067	12/30/03 1916 tds
	Selenium, Solid*	ND	U	0.43	1.1	1	mg/Kg	106019	12/30/03 1942 tds
	Silver, Solid*	ND	U	0.34	0.54	1	mg/Kg	106019	12/30/03 1942 tds
	Sodium, Solid*	2300		94	110	1	mg/Kg	106019	12/30/03 1942 tds
	Thallium, Solid*	ND	U	0.71	1.1	1	mg/Kg	106019	12/30/03 1942 tds
	Vanadium, Solid*	ND	25	0.23	0.54	1	mg/Kg	106067	12/30/03 1916 tds
	Zinc, Solid*	45		0.43	2.2	1	mg/Kg	106019	12/30/03 1942 tds

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:12/31/2003		
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATIN: David Brewer								
Customer Sample ID: SS-5 DEEP		Laboratory Sample ID: 223164-10										
Date Sampled.....: 12/16/2003		Date Received.....: 12/17/2003										
Time Sampled.....: 14:00		Time Received.....: 12:10										
Sample Matrix.....: Soil												
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination	80.7			0.10	0.10				105799	12/29/03 2140	lmr
	% Solids, Solid	19.3			0.10	0.10				105799	12/29/03 2140	lmr
	% Moisture, Solid											
8082	PCB Analysis											
	Aroclor 1016, Solid*	ND		U	3.5	20	1.00000	ug/Kg	105835	12/27/03 0557	mgK	
	Aroclor 1221, Solid*	ND		U	8.2	20	1.00000	ug/Kg	105835	12/27/03 0557	mgK	
	Aroclor 1232, Solid*	ND		U	3.7	20	1.00000	ug/Kg	105835	12/27/03 0557	mgK	
	Aroclor 1242, Solid*	ND		U	7.7	20	1.00000	ug/Kg	105835	12/27/03 0557	mgK	
	Aroclor 1248, Solid*	ND		U	2.8	20	1.00000	ug/Kg	105835	12/27/03 0557	mgK	
	Aroclor 1254, Solid*	ND		U	3.3	20	1.00000	ug/Kg	105835	12/27/03 0557	mgK	
	Aroclor 1260, Solid*	ND		U	3.0	20	1.00000	ug/Kg	105835	12/27/03 0557	mgK	
7471A	Mercury (CVAA) Solids											
	Mercury, Solid*	0.023			0.0053	0.020	1	mg/Kg	105789	12/29/03 1435	gok	
6010B	Metals Analysis (ICAP Trace)											
	Aluminum, Solid*	11000		U	2.9	24	1	mg/Kg	106019	12/30/03 1948	tds	
	Antimony, Solid*	ND		U	1.1	2.4	1	mg/Kg	106019	12/30/03 1948	tds	
	Arsenic, Solid*	2.7			0.62	1.2	1	mg/Kg	106019	12/30/03 1948	tds	
	Barium, Solid*	100		U	0.20	0.20	1	mg/Kg	106019	12/30/03 1948	tds	
	Beryllium, Solid*	0.87			0.054	0.49	1	mg/Kg	106019	12/30/03 1948	tds	
	Cadmium, Solid*	ND		U	0.098	0.24	1	mg/Kg	106019	12/30/03 1948	tds	
	Calcium, Solid*	2800			3.8	12	1	mg/Kg	106019	12/30/03 1948	tds	
	Chromium, Solid*	18			0.27	1.2	1	mg/Kg	106019	12/30/03 1948	tds	
	Cobalt, Solid*	5.7			0.17	0.61	1	mg/Kg	106019	12/30/03 1948	tds	
	Copper, Solid*	11			1.1	1.2	1	mg/Kg	106019	12/30/03 1948	tds	
	Iron, Solid*	16000			3.7	6.1	1	mg/Kg	106019	12/30/03 1948	tds	
	Lead, Solid*	8.6			0.52	0.61	1	mg/Kg	106019	12/30/03 1948	tds	

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										
Date:12/31/2003										
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer						
Customer Sample ID: SS-5 DEEP Date Sampled.....: 12/16/2003 Time Sampled.....: 14:00 Sample Matrix....: Soil				Laboratory Sample ID: 223164-10 Date Received.....: 12/17/2003 Time Received.....: 12:10						
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT DATE/TIME	TECH
	Magnesium, Solid*	2600		2.1	12	1	mg/Kg	106019	12/30/03 1948	tds
	Manganese, Solid*	79		0.16	1.2	1	mg/Kg	106019	12/30/03 1948	tds
	Nickel, Solid*	11		0.30	1.2	1	mg/Kg	106019	12/30/03 1948	tds
	Potassium, Solid*	460	U	17	61	1	mg/Kg	106067	12/30/03 1922	tds
	Selenium, Solid*	ND	ND	0.49	1.2	1	mg/Kg	106019	12/30/03 1948	tds
	Silver, Solid*	470	U	0.38	0.61	1	mg/Kg	106019	12/30/03 1948	tds
	Sodium, Solid*	ND	ND	110	120	1	mg/Kg	106019	12/30/03 1948	tds
	Thallium, Solid*	32		0.81	1.2	1	mg/Kg	106019	12/30/03 1948	tds
	Vanadium, Solid*			0.26	0.61	1	mg/Kg	106067	12/30/03 1922	tds
	Zinc, Solid*			0.49	2.4	1	mg/Kg	106019	12/30/03 1948	tds

* In Description = Dry Wgt.

LABORATORY TEST RESULTS											Date:12/31/2003				
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer											
Customer Sample ID: SS-6 SHALLOW							Laboratory Sample ID: 223164-11								
Date Sampled.....: 12/16/2003							Date Received.....: 12/17/2003								
Time Sampled.....: 14:15							Time Received.....: 12:10								
Sample Matrix.....: Soil															
TEST/METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE	RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH		
Method	% Solids Determination		85.2			0.10	0.10	1	%	105799	12/29/03 2140	lml			
	% Solids, Solid		14.8			0.10	0.10	1	%	105799	12/29/03 2140	lml			
	% Moisture, Solid														
8082	PCB Analysis														
	Aroclor 1016, Solid*	ND		U		3.4		19	1.00000 ug/Kg	105835	12/27/03 0633	mgK			
	Aroclor 1221, Solid*	ND		U		7.8		19	1.00000 ug/Kg	105835	12/27/03 0633	mgK			
	Aroclor 1222, Solid*	ND		U		3.5		19	1.00000 ug/Kg	105835	12/27/03 0633	mgK			
	Aroclor 1242, Solid*	ND		U		7.3		19	1.00000 ug/Kg	105835	12/27/03 0633	mgK			
	Aroclor 1248, Solid*	ND		U		2.7		19	1.00000 ug/Kg	105835	12/27/03 0633	mgK			
	Aroclor 1254, Solid*	ND		U		3.1		19	1.00000 ug/Kg	105835	12/27/03 0633	mgK			
	Aroclor 1260, Solid*	ND		U	a	2.9		19	1.00000 ug/Kg	105835	12/27/03 0633	mgK			
7471A	Mercury (CVAA) Solids														
	Mercury, Solid*		0.046			0.0050		0.019	1 mg/Kg	105789	12/29/03 1437	gok			
6010B	Metals Analysis (ICAP Trace)														
	Aluminum, Solid*	11000		U		2.8		23	1 mg/Kg	106019	12/30/03 1955	tds			
	Antimony, Solid*	ND		U		1.0		2.3	1 mg/Kg	106019	12/30/03 1955	tds			
	Arsenic, Solid*	7.6				0.59		1.2	1 mg/Kg	106019	12/30/03 1955	tds			
	Barium, Solid*	120				0.19		1.2	1 mg/Kg	106019	12/30/03 1955	tds			
	Beryllium, Solid*	0.87		U		0.051		0.47	1 mg/Kg	106019	12/30/03 1955	tds			
	Cadmium, Solid*	ND		U		0.093		0.23	1 mg/Kg	106019	12/30/03 1955	tds			
	Calcium, Solid*	2800				3.6		12	1 mg/Kg	106019	12/30/03 1955	tds			
	Chromium, Solid*	16				0.26		1.2	1 mg/Kg	106019	12/30/03 1955	tds			
	Cobalt, Solid*	7.8				0.16		0.58	1 mg/Kg	106019	12/30/03 1955	tds			
	Copper, Solid*	14				1.0		1.2	1 mg/Kg	106019	12/30/03 1955	tds			
	Iron, Solid*	19000				3.5		5.8	1 mg/Kg	106019	12/30/03 1955	tds			
	Lead, Solid*	12				0.50		0.58	1 mg/Kg	106019	12/30/03 1955	tds			

* In Description = Dry Wgt.

LABORATORY TEST RESULTS									
Date: 12/31/2003									
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - Slop		ATTN: David Breuer					
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH
	Magnesium, Solid*	2700			2.0	12	1	mg/Kg	106019
	Manganese, Solid*	620			0.15	1.2	1	mg/Kg	106019
	Nickel, Solid*	17			0.29	1.2	1	mg/Kg	106019
	Potassium, Solid*	960			16	58	1	mg/Kg	106067
	Selenium, Solid*	ND	U		0.47	1.2	1	mg/Kg	106019
	Silver, Solid*	ND	U		0.36	0.58	1	mg/Kg	106019
	Sodium, Solid*	330			100	120	1	mg/Kg	106019
	Thallium, Solid*	ND	U		0.77	1.2	1	mg/Kg	106019
	Vanadium, Solid*	29			0.24	0.58	1	mg/Kg	106067
	Zinc, Solid*	46			0.47	2.3	1	mg/Kg	106019

* In Description = Dry Wgt.

LABORATORY TESTS RESULTS

Date: 12/31/2003

CUSTOMER SUPPORT SERVICES

Customer Sample ID: SS-6 DEEP
Date Sampled.....: 12/16/2003
Time Sampled.....: 14:15
Sample Matrix.....: Soil

卷之三

Laboratory Sample ID: 223164-12
Date Received.....: 12/17/2003
Time Received.....: 12:10

卷之三

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:12/31/2003		
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer								
Customer Sample ID: SS-6 DEEP Date Sampled.....: 12/16/2003 Time Sampled.....: 14:15 Sample Matrix....: Soil						Laboratory Sample ID: 223164-12 Date Received.....: 12/17/2003 Time Received.....: 12:10						
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE	RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	
	Magnesium, Solid*	2700				2.0	12	1	mg/Kg	106019	12/30/03 2001	
	Manganese, Solid*	510				0.15	1.2	1	mg/Kg	106019	12/30/03 2001	
	Nickel, Solid*	17				0.29	1.2	1	mg/Kg	106019	12/30/03 2001	
	Potassium, Solid*	1000				16	58	1	mg/Kg	106067	12/30/03 1936	
	Selenium, Solid*	ND	U			0.47	1.2	1	mg/Kg	106019	12/30/03 2001	
	Silver, Solid*	ND	U			0.36	0.58	1	mg/Kg	106019	12/30/03 2001	
	Sodium, Solid*	160	U			100	120	1	mg/Kg	106019	12/30/03 2001	
	Thallium, Solid*	ND	U			0.77	1.2	1	mg/Kg	106019	12/30/03 2001	
	Vanadium, Solid*	29				0.77	0.24	0.58	1	mg/Kg	106067	12/30/03 1936
	Zinc, Solid*	61				0.47	2.3	1	mg/Kg	106019	12/30/03 2001	

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date: 12/31/2003			
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer									
Customer Sample ID: SS-7		Laboratory Sample ID: 223164-13											
Date Sampled.....: 12/16/2003		Date Received.....: 12/17/2003											
Time Sampled.....: 14:25		Time Received.....: 12:10											
Sample Matrix.....: Soil													
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH	
Method	% Solids Determination	99.8			0.10	0.10	1	%	105799	12/29/03	2140	lmlr	
	% Solids, Solid	0.20			0.10	0.10	1	%	105799	12/29/03	2140	lmlr	
	% Moisture, Solid												
8082	PCB Analysis												
	Aroclor 1016, Solid*	ND			2.9		17	1.00000	ug/Kg	105835	12/27/03	0744	mgk
	Aroclor 1221, Solid*	ND			6.7		17	1.00000	ug/Kg	105835	12/27/03	0744	mgk
	Aroclor 1232, Solid*	ND			3.0		17	1.00000	ug/Kg	105835	12/27/03	0744	mgk
	Aroclor 1242, Solid*	ND			6.3		17	1.00000	ug/Kg	105835	12/27/03	0744	mgk
	Aroclor 1248, Solid*	ND			2.3		17	1.00000	ug/Kg	105835	12/27/03	0744	mgk
	Aroclor 1254, Solid*	ND			2.7		17	1.00000	ug/Kg	105835	12/27/03	0744	mgk
	Aroclor 1260, Solid*	ND			2.5		17	1.00000	ug/Kg	105835	12/27/03	0744	mgk
7471A	Mercury (CVAA) Solids												
	Mercury, Solid*	ND			0.0043		0.017	1	mg/Kg	105789	12/29/03	1445	gok
6010B	Metals Analysis (ICAP Trace)												
	Aluminum, Solid*	720			2.1		18	1	mg/Kg	106019	12/30/03	2007	tds
	Antimony, Solid*	ND			0.79		1.8	1	mg/Kg	106019	12/30/03	2007	tds
	Arsenic, Solid*				0.45		0.88	1	mg/Kg	106019	12/30/03	2007	tds
	Barium, Solid*	14			0.14		0.88	1	mg/Kg	106019	12/30/03	2007	tds
	Beryllium, Solid*	12			0.039		0.35	1	mg/Kg	106019	12/30/03	2007	tds
	Cadmium, Solid*	0.13			0.070		0.18	1	mg/Kg	106019	12/30/03	2007	tds
	Calcium, Solid*	ND			0.070		0.18	1	mg/Kg	106019	12/30/03	2007	tds
	Chromium, Solid*	1500			2.7		8.8	1	mg/Kg	106019	12/30/03	2007	tds
	Cobalt, Solid*	2.1			0.19		0.88	1	mg/Kg	106019	12/30/03	2007	tds
	Copper, Solid*	2.1			0.12		0.44	1	mg/Kg	106019	12/30/03	2007	tds
	Iron, Solid*	0.88			0.79		0.88	1	mg/Kg	106019	12/30/03	2007	tds
	Lead, Solid*	2800			2.6		4.4	1	mg/Kg	106019	12/30/03	2007	tds
		11			0.38		0.44	1	mg/Kg	106019	12/30/03	2007	tds

* In Description = Dry Wgt.

LABORATORY TEST RESULTS											
Job Number: 223164											
Date: 12/31/2003											
CUSTOMER: SCS Engineers, Inc.			PROJECT: GSA + SLOP								
Customer Sample ID: SS-7			ATTN: David Brewer								
Date Sampled.....: 12/16/2003			Laboratory Sample ID: 223164-13								
Time Sampled.....: 14:25			Date Received.....: 12/17/2003								
Sample Matrix....: Soil			Time Received.....: 12:10								
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Magnesium, Solid*	820		1.5	8.8	1	mg/Kg	106019	12/30/03	2007	tds
	Manganese, Solid*	68		0.11	0.88	1	mg/Kg	106019	12/30/03	2007	tds
	Nickel, Solid*	4.5		0.22	0.88	1	mg/Kg	106019	12/30/03	2007	tds
	Potassium, Solid*	130	U	12	44	1	mg/Kg	106067	12/30/03	2012	tds
	Selenium, Solid*	ND	U	0.35	0.88	1	mg/Kg	106019	12/30/03	2007	tds
	Silver, Solid*	ND	U	0.27	0.44	1	mg/Kg	106019	12/30/03	2007	tds
	Sodium, Solid*	ND	U	76	88	1	mg/Kg	106019	12/30/03	2007	tds
	Thallium, Solid*	ND	U	0.58	0.88	1	mg/Kg	106019	12/30/03	2007	tds
	Vanadium, Solid*	ND	3.1	0.18	0.44	1	mg/Kg	106067	12/30/03	2012	tds
	Zinc, Solid*	ND	11	0.35	1.8	1	mg/Kg	106019	12/30/03	2007	tds

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date: 12/31/2003		
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer								
Customer Sample ID: SS-8		Laboratory Sample ID: 223164-14										
Date Sampled.....: 12/16/2003		Date Received.....: 12/17/2003										
Time Sampled.....: 14:35		Time Received.....: 12:10										
Sample Matrix.....: Soil												
TEST/METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination	99.7			0.10	0.10						
	% Solids, Solid	0.30			0.10	0.10						
8082	PCB Analysis											
	Aroclor 1016, Solid*	ND		U	14	83	5.00000	ug/Kg	105835	12/27/03	0819	mgk
	Aroclor 1221, Solid*	ND		U	33	83	5.00000	ug/Kg	105835	12/27/03	0819	mgk
	Aroclor 1222, Solid*	ND		U	15	83	5.00000	ug/Kg	105835	12/27/03	0819	mgk
	Aroclor 1242, Solid*	ND		U	31	83	5.00000	ug/Kg	105835	12/27/03	0819	mgk
	Aroclor 1248, Solid*	ND		U	11	83	5.00000	ug/Kg	105835	12/27/03	0819	mgk
	Aroclor 1254, Solid*	ND		U	13	83	5.00000	ug/Kg	105835	12/27/03	0819	mgk
	Aroclor 1260, Solid*	ND		U	12	83	5.00000	ug/Kg	105835	12/27/03	0819	mgk
7471A	Mercury (CVAA) Solids											
	Mercury, Solid*	0.011	B	0.0043	0.017	1	mg/Kg	105789	12/29/03	1447	gok	
6010B	Metals Analysis (ICAP Trace)											
	Aluminum, Solid*	ND	U	11	96	5	mg/Kg	106019	12/30/03	2041	tds	
	Antimony, Solid*	21000	U	17	38	20	mg/Kg	106019	12/30/03	2054	tds	
	Arsenic, Solid*	560		2.4	4.8	5	mg/Kg	106019	12/30/03	2041	tds	
	Barium, Solid*	5.4	U	0.77	4.8	5	mg/Kg	106019	12/30/03	2041	tds	
	Beryllium, Solid*			0.21	1.9	5	mg/Kg	106019	12/30/03	2041	tds	
	Cadmium, Solid*	ND	U	0.38	0.96	5	mg/Kg	106019	12/30/03	2041	tds	
	Calcium, Solid*	750	U	15	4.8	5	mg/Kg	106019	12/30/03	2041	tds	
	Chromium, Solid*	ND	U	1.1	4.8	5	mg/Kg	106019	12/30/03	2041	tds	
	Cobalt, Solid*	ND	U	0.67	2.4	5	mg/Kg	106019	12/30/03	2041	tds	
	Copper, Solid*	450		4.3	4.8	5	mg/Kg	106019	12/30/03	2041	tds	
	Iron, Solid*	150		14	24	5	mg/Kg	106019	12/30/03	2041	tds	
	Lead, Solid*	160000		8.2	9.6	20	mg/Kg	106070	12/31/03	0925	tds	

* In Description = Dry Wgt.

LABORATORY TEST RESULTS											
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer		Date:12/31/2003					
Customer Sample ID: SS-8				Laboratory Sample ID: 223164-14							
Date Sampled.....: 12/16/2003				Date Received.....: 12/17/2003							
Time Sampled.....: 14:35				Time Received.....: 12:10							
Sample Matrix.....: Soil											
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT		
Magnesium, Solid*	140	0.99	B	8.1	48	5	mg/Kg	106019	12/30/03 2041		
Manganese, Solid*	3.4	3.4	B	0.62	4.8	5	mg/Kg	106019	12/30/03 2041		
Nickel, Solid*	ND	320	U	1.2	4.8	5	mg/Kg	106019	12/30/03 2041		
Potassium, Solid*				66	240	5	mg/Kg	106067	12/30/03 2019		
Selenium, Solid*				1.9	4.8	5	mg/Kg	106019	12/30/03 2041		
Silver, Solid*				1.5	2.4	5	mg/Kg	106019	12/30/03 2041		
Sodium, Solid*	1700	4.7	U	420	480	5	mg/Kg	106019	12/30/03 2041		
Thallium, Solid*	ND	4.9	U	3.2	4.8	5	mg/Kg	106019	12/30/03 2041		
Vanadium, Solid*				2.0	4.8	10	mg/Kg	106067	12/30/03 2028		
Zinc, Solid*		42		1.9	9.6	5	mg/Kg	106019	12/30/03 2041		

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 223164

Date:12/31/2003

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - STOP

Customer Sample ID: SS-9
 Date Sampled.....: 12/16/2003
 Time Sampled.....: 14:40
 Sample Matrix.....: Soil

Laboratory Sample ID: 223164-15
 Date Received.....: 12/17/2003
 Time Received.....: 12:10

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination	99.7									
	% Solids, Solid	0.30									
	% Moisture, Solid										
8082	PCB Analysis										
	Aroclor 1016, Solid*	ND	U	2.8	16	1.00000	ug/Kg	105835	12/27/03	0854	mgk
	Aroclor 1221, Solid*	ND	U	6.6	16	1.00000	ug/Kg	105835	12/27/03	0854	mgk
	Aroclor 1232, Solid*	ND	U	2.9	16	1.00000	ug/Kg	105835	12/27/03	0854	mgk
	Aroclor 1242, Solid*	ND	U	6.2	16	1.00000	ug/Kg	105835	12/27/03	0854	mgk
	Aroclor 1248, Solid*	ND	U	2.3	16	1.00000	ug/Kg	105835	12/27/03	0854	mgk
	Aroclor 1254, Solid*	ND	U	2.7	16	1.00000	ug/Kg	105835	12/27/03	0854	mgk
	Aroclor 1260, Solid*	ND	U	2.5	16	1.00000	ug/Kg	105835	12/27/03	0854	mgk
7471A	Mercury (CVAA) Solids										
	Mercury, Solid*	ND	U	0.003	0.017	1	mg/Kg	105789	12/29/03	1449	gok
6010B	Metals Analysis (ICAP Trace)										
	Aluminum, Solid*	720	2.3	2.3	19	1	mg/Kg	106019	12/30/03	2109	tds
	Antimony, Solid*		0.87	0.49	1.9	1	mg/Kg	106019	12/30/03	2109	tds
	Arsenic, Solid*	0.98	0.16	0.43	0.97	1	mg/Kg	106019	12/30/03	2109	tds
	Barium, Solid*	11	0.13	0.043	0.97	1	mg/Kg	106019	12/30/03	2109	tds
	Beryllium, Solid*		B	0.078	0.39	1	mg/Kg	106019	12/30/03	2109	tds
	Cadmium, Solid*	ND	14.00	3.0	0.19	1	mg/Kg	106019	12/30/03	2109	tds
	Calcium, Solid*			9.7	0.78	1	mg/Kg	106019	12/30/03	2109	tds
	Chromium, Solid*			0.21	0.97	1	mg/Kg	106019	12/30/03	2109	tds
	Cobalt, Solid*	ND	2.900	0.14	0.48	1	mg/Kg	106019	12/30/03	2109	tds
	Copper, Solid*		6.8	0.87	0.97	1	mg/Kg	106019	12/30/03	2109	tds
	Iron, Solid*			2.9	4.8	1	mg/Kg	106019	12/30/03	2109	tds
	Lead, Solid*			0.42	0.48	1	mg/Kg	106019	12/30/03	2109	tds

* In Description = Dry Wgt.

LABORATORY TEST RESULTS									
Date:12/31/2003									
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer					
Laboratory Sample ID: 223164-15 Date Received.....: 12/17/2003 Time Received.....: 12:10 Sample Matrix....: Soil									
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	NOL	RL	DILUTION	UNITS	BATCH	DT DATE/TIME
	Magnesium, Solid*	820			1.6	9.7	1	mg/Kg	106019 12/30/03 2109 tds
	Manganese, Solid*	57			0.13	0.97	1	mg/Kg	106019 12/30/03 2109 tds
	Nickel, Solid*	4.1			0.24	0.97	1	mg/Kg	106019 12/30/03 2109 tds
	Potassium, Solid*	120	U	13	4.8	1	mg/Kg	106067 12/30/03 2050 tcs	
	Selenium, Solid*	ND	U	0.39	0.97	1	mg/Kg	106019 12/30/03 2109 tds	
	Silver, Solid*	ND	U	0.30	0.48	1	mg/Kg	106019 12/30/03 2109 tds	
	Sodium, Solid*	ND	U	84	97	1	mg/Kg	106019 12/30/03 2109 tcs	
	Thallium, Solid*	ND	U	0.64	0.97	1	mg/Kg	106019 12/30/03 2109 tds	
	Vanadium, Solid*	ND	3.4	0.20	0.48	1	mg/Kg	106067 12/30/03 2050 tcs	
	Zinc, Solid*	11	11	0.39	1.9	1	mg/Kg	106019 12/30/03 2109 tds	

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:12/31/2003						
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer												
Customer Sample ID: SS-10 SHALLOW						Laboratory Sample ID: 223164-16										
Date Sampled.....: 12/16/2003						Date Received.....: 12/17/2003										
Time Sampled.....: 14:50						Time Received.....: 12:10										
Sample Matrix.....: Soil																
TEST METHOD	PARAMETER/TEST DESCRIPTION		SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME				
Method	% Solids Determination % Solids, Solid % Moisture, Solid	90.0 10.0				0.10 0.10	0.10 0.10	1	%	105799 105799	12/29/03 12/29/03	2140 2140				
8082	PCB Analysis Aroclor 1016, Solid* Aroclor 1221, Solid* Aroclor 1232, Solid* Aroclor 1242, Solid* Aroclor 1246, Solid* Aroclor 1254, Solid* Aroclor 1260, Solid*	ND ND ND ND ND ND ND ND	U U U U U U U U	16 37 16 35 92 13 15 170		92 92 92 92 92 92 92 92	5.00000 5.00000 5.00000 5.00000 5.00000 5.00000 5.00000 5.00000	ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg	105835 105835 105835 105835 105835 105835 105835 105835	12/27/03 12/27/03 12/27/03 12/27/03 12/27/03 12/27/03 12/27/03 12/27/03	1005 1005 1005 1005 1005 1005 1005 1005	mgK mgK mgK mgK mgK mgK mgK mgK				
7471A	Mercury (CVAA) Solids Mercury, Solid*	0.040				0.0048	0.018	1	mg/Kg	105789	12/29/03	1452				
6010B	Metals Analysis (ICAP Trace) Aluminum, Solid* Antimony, Solid* Arsenic, Solid* Barium, Solid* Beryllium, Solid* Cadmium, Solid* Calcium, Solid* Chromium, Solid* Cobalt, Solid* Copper, Solid* Iron, Solid* Lead, Solid*	12000 2.4 3.6 88 0.69 ND	2.6 0.96 0.55 0.17 0.047 0.086 3.3 0.24 0.15 0.96 3.2 0.46		21 2.1 1.1 1.1 0.43 0.21 11 1.1 0.54 1.1 5.4 1				mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg	106019 106019 106019 106019 106019 106019 106019 106019 106019 106019 106019 106019	12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03	2115 2115 2115 2115 2115 2115 2115 2115 2115 2115 2115 2115	tds tds tds tds tds tds tds tds tds tds tds tds			

* In Description = Dry Wgt.

LABORATORY TEST RESULTS											
Date:12/31/2003											
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer							
Customer Sample ID: SS-10 SHALLOW Date Sampled.....: 12/16/2003 Time Sampled.....: 14:50 Sample Matrix.....: Soil				Laboratory Sample ID: 223164-16 Date Received.....: 12/17/2003 Time Received.....: 12:10							
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Magnesium, Solid*	2500		1.8	11	1	mg/Kg	106019	12/30/03	2115	tds
	Manganese, Solid*	230		0.14	1.1	1	mg/Kg	106019	12/30/03	2115	tds
	Nickel, Solid*	10		0.27	1.1	1	mg/Kg	106019	12/30/03	2115	tds
	Potassium, Solid*	550		15	54	1	mg/Kg	106067	12/30/03	2057	tds
	Selenium, Solid*	ND	U	0.43	1.1	1	mg/Kg	106019	12/30/03	2115	tds
	Silver, Solid*	ND	U	0.33	0.54	1	mg/Kg	106019	12/30/03	2115	tds
	Sodium, Solid*	1200		93	110	1	mg/Kg	106019	12/30/03	2115	tds
	Thallium, Solid*	ND	U	0.71	1.1	1	mg/Kg	106019	12/30/03	2115	tds
	Vanadium, Solid*	ND	23	0.22	0.54	1	mg/Kg	106067	12/30/03	2057	tds
	Zinc, Solid*	ND	24	0.43	2.1	1	mg/Kg	106019	12/30/03	2115	tds

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date: 12/31/2003		
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA ~ SLOP		ATTN: David Brewer								
Customer Sample ID: SS-10 DEEP Date Sampled.....: 12/16/2003 Time Sampled.....: 14:50 Sample Matrix.....: Soil		Laboratory Sample ID: 223164-17 Date Received.....: 12/17/2003 Time Received.....: 12:10										
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAG	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination % Solids, Solid % Moisture, Solid	80.2 19.8			0.10 0.10	0.10 0.10	1 1	%	105799 105799	12/29/03 12/29/03	2140 2140	lrr lrr
8082	PCB Analysis Aroclor 1016, Solid* Aroclor 1221, Solid* Aroclor 1232, Solid* Aroclor 1242, Solid* Aroclor 1248, Solid* Aroclor 1254, Solid* Aroclor 1260, Solid*	ND ND ND ND ND ND ND ND		U U U U U U U U	3.6 8.3 3.7 7.8 2.9 3.3 3.1	21 21 21 21 21 21 21 21	1.00000 1.00000 1.00000 1.00000 1.00000 1.00000 1.00000 1.00000	ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg	105835 105835 105835 105835 105835 105835 105835 105835	12/27/03 12/27/03 12/27/03 12/27/03 12/27/03 12/27/03 12/27/03 12/27/03	1152 1152 1152 1152 1152 1152 1152 1152	mgk mgk mgk mgk mgk mgk mgk mgk
7471A	Mercury (CVAA) Solids Mercury, Solid*	0.022			0.0054	0.021	1	mg/Kg	105789	12/29/03	1454	90k
6010B	Metals Analysis (ICAP Trace) Aluminum, Solid* Antimony, Solid* Arsenic, Solid* Barium, Solid* Beryllium, Solid* Cadmium, Solid* Calcium, Solid* Chromium, Solid* Cobalt, Solid* Copper, Solid* Iron, Solid* Lead, Solid*	14000 1.4 5.2 78 0.71 ND		B U	2.9 1.1 0.62 0.19 0.053 0.097 3.8 0.27 0.17 1.1 3.6 0.52	24 2.4 1.2 1.2 0.49 0.24 12 1.2 0.61 1.2 6.1 0.61	1 1 1 1 1 1 1 1 1 1 1 1	mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg	106019 106019 106019 106019 106019 106019 106019 106019 106019 106019 106019 106019	12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03	2121 2121 2121 2121 2121 2121 2121 2121 2121 2121 2121 2121	tds tds tds tds tds tds tds tds tds tds tds tds

* In Description = Dry Wgt.

LABORATORY TEST RESULTS									
Date:12/31/2003									
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - STOP		ATTN: David Brewer					
Customer Sample ID: SS-10 DEEP Date Sampled.....: 12/16/2003 Time Sampled.....: 14:50 Sample Matrix....: Soil									
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT DATE/TIME
	Magnesium, Solid*	2200		2.1	12	1	mg/kg	106019	12/30/03 21:21 tds
	Manganese, Solid*	110		0.16	1.2	1	mg/kg	106019	12/30/03 21:21 tds
	Nickel, Solid*	11		0.30	1.2	1	mg/kg	106019	12/30/03 21:21 tds
	Potassium, Solid*	490		17	61	1	mg/kg	106067	12/30/03 21:04 tds
	Selenium, Solid*	ND	U	0.49	1.2	1	mg/kg	106019	12/30/03 21:21 tds
	Silver, Solid*	ND	U	0.38	0.61	1	mg/kg	106019	12/30/03 21:21 tds
	Sodium, Solid*	630		110	120	1	mg/kg	106019	12/30/03 21:21 tds
	Thallium, Solid*	ND	U	0.80	1.2	1	mg/kg	106019	12/30/03 21:21 tds
	Vanadium, Solid*	28		0.25	0.61	1	mg/kg	106067	12/30/03 21:04 tds
	Zinc, Solid*	24		0.49	2.4	1	mg/kg	106019	12/30/03 21:21 tds

* In Description = Dry Wgt.

Job Number: 223164

Date: 12/31/2003

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

LABORATORY TEST RESULTS

Customer Sample ID: SS-11 SHALLOW
 Date Sampled.....: 12/16/2003
 Time Sampled.....: 15:00
 Sample Matrix.....: Soil

Laboratory Sample ID: 223164-18
 Date Received.....: 12/17/2003
 Time Received.....: 12:10

ATTN: David Breker

Date: 12/29/03 2140

Date: 12/29/03 2140

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination	92.8		0.10	0.10	1	%	105799	12/29/03 2140		
	% Solids, Solid	7.2		0.10	0.10	1	%	105799	12/29/03 2140		
	% Moisture, Solid										
8082	PCB Analysis										
	Aroclor 1016, Solid*	ND	U	3.0	18	1.00000	ug/Kg	105835	12/27/03 1041	mgk	
	Aroclor 1221, Solid*	ND	U	7.0	18	1.00000	ug/Kg	105835	12/27/03 1041	mgk	
	Aroclor 1232, Solid*	ND	U	3.1	18	1.00000	ug/Kg	105835	12/27/03 1041	mgk	
	Aroclor 1242, Solid*	ND	U	6.6	18	1.00000	ug/Kg	105835	12/27/03 1041	mgk	
	Aroclor 1248, Solid*	ND	U	2.4	18	1.00000	ug/Kg	105835	12/27/03 1041	mgk	
	Aroclor 1254, Solid*	ND	U	2.8	18	1.00000	ug/Kg	105835	12/27/03 1041	mgk	
	Aroclor 1260, Solid*	ND	U	2.6	18	1.00000	ug/Kg	105835	12/27/03 1041	mgk	
7471A	Mercury (CVAA) Solids	0.029		0.0046	0.018	1	mg/Kg	105789	12/29/03 1456	gok	
	Mercury, Solid*										
6010B	Metals Analysis (ICAP Trace)										
	Aluminum, Solid*	1500	B	2.2	18	1	mg/Kg	106019	12/30/03 2127	tds	
	Antimony, Solid*	1.5	B	0.81	1.8	1	mg/Kg	106019	12/30/03 2127	tds	
	Arsenic, Solid*	1.7	B	0.46	0.90	1	mg/Kg	106019	12/30/03 2127	tds	
	Barium, Solid*	36	B	0.14	0.90	1	mg/Kg	106019	12/30/03 2127	tds	
	Beryllium, Solid*	0.19	B	0.039	0.36	1	mg/Kg	106019	12/30/03 2127	tds	
	Cadmium, Solid*	ND	U	0.072	0.18	1	mg/Kg	106019	12/30/03 2127	tds	
	Calcium, Solid*	11000	B	2.8	9.0	1	mg/Kg	106019	12/30/03 2127	tds	
	Chromium, Solid*	6.4	B	0.20	0.90	1	mg/Kg	106019	12/30/03 2127	tds	
	Cobalt, Solid*	2.5	B	0.13	0.45	1	mg/Kg	106019	12/30/03 2127	tds	
	Copper, Solid*	2.9	B	0.81	0.90	1	mg/Kg	106019	12/30/03 2127	tds	
	Iron, Solid*	3900	B	2.7	4.5	1	mg/Kg	106019	12/30/03 2127	tds	
	Lead, Solid*	130	B	0.39	0.45	1	mg/Kg	106019	12/30/03 2127	tds	

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:12/31/2003	
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer							
Customer Sample ID: SS-11 SHALLOW		Laboratory Sample ID: 223164-18									
Date Sampled.....: 12/16/2003		Date Received.....: 12/17/2003									
Time Sampled.....: 15:00		Time Received.....: 12:10									
Sample Matrix.....: Soil											
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Magnesium, Solid*	2800			1.5	9.0	1	mg/Kg	106019	12/30/03	2127	tds
Manganese, Solid*	100			0.12	0.90	1	mg/Kg	106019	12/30/03	2127	tds
Nickel, Solid*	5.9			0.22	0.90	1	mg/Kg	106019	12/30/03	2127	tds
Potassium, Solid*	190			12	45	1	mg/Kg	106067	12/30/03	2110	tds
Selenium, Solid*	ND	U		0.36	0.90	1	mg/Kg	106019	12/30/03	2127	tds
Silver, Solid*	ND	U		0.28	0.45	1	mg/Kg	106019	12/30/03	2127	tds
Sodium, Solid*	220			78	90	1	mg/Kg	106019	12/30/03	2127	tds
Thallium, Solid*	ND	U		0.59	0.90	1	mg/Kg	106019	12/30/03	2127	tds
Vanadium, Solid*	ND	4.6		0.19	0.45	1	mg/Kg	106067	12/30/03	2110	tds
Zinc, Solid*	40			0.36	1.8	1	mg/Kg	106019	12/30/03	2127	tds

* In Description = Dry Wgt.

Job Number: 223164

Date: 12/31/2003

LABORATORY TEST RESULTS

CUSTOMER: SCS Engineers, Inc.

PROJETI - GSA - SIOP

ATTN: David Bowers

Customer Sample ID: SS-11 DEEP
Date Sampled.....: 12/16/2003
Time Sampled.....: 15:00
Sample Matrix.: Soil

Laboratory Sample ID: 223164-19
Date Received.....: 12/17/2003
Time Received.....: 12:10

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:12/31/2003		
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer								
Customer Sample ID: SS-11 DEEP Date Sampled.....: 12/16/2003 Time Sampled.....: 15:00 Sample Matrix....: Soil						Laboratory Sample ID: 223164-19 Date Received.....: 12/17/2003 Time Received.....: 12:10						
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Magnesium, Solid*	1900			1.9	11	1	mg/Kg	106019	12/30/03	2134	tds
	Manganese, Solid*	46			0.15	1.1	1	mg/Kg	106019	12/30/03	2134	tds
	Nickel, Solid*	11			0.28	1.1	1	mg/Kg	106019	12/30/03	2134	tds
	Potassium, Solid*	520			16	57	1	mg/Kg	106067	12/30/03	2117	tds
	Selenium, Solid*	ND	U		0.45	1.1	1	mg/Kg	106019	12/30/03	2134	tds
	Silver, Solid*	ND	U		0.35	0.57	1	mg/Kg	106019	12/30/03	2134	tds
	Sodium, Solid*	460			98	110	1	mg/Kg	106019	12/30/03	2134	tds
	Thallium, Solid*	ND	U		0.75	1.1	1	mg/Kg	106019	12/30/03	2134	tds
	Vanadium, Solid*	ND	23		0.24	0.57	1	mg/Kg	106067	12/30/03	2117	tds
	Zinc, Solid*	18			0.45	2.3	1	mg/Kg	106019	12/30/03	2134	tds

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:12/31/2003	
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - STOP		ATTN: David Brewer							
Customer Sample ID: SS-12		Laboratory Sample ID: 223164-20									
Date Sampled.....: 12/16/2003		Date Received.....: 12/17/2003									
Time Sampled.....: 16:10		Time Received.....: 12:10									
Sample Matrix.....: Soil											
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination % Solids, Solid % Moisture, Solid	57.9 42.1		0.10 0.10	0.10 0.10	1 1	%	105799 105799	12/29/03 12/29/03	2140 2140	lml lml
8082	PCB Analysis Aroclor 1016, Solid* Aroclor 1221, Solid* Aroclor 1232, Solid* Aroclor 1242, Solid* Aroclor 1248, Solid* Aroclor 1254, Solid* Aroclor 1260, Solid*	ND ND ND ND ND ND ND ND	U U U U U U U U	25 57 25 54 20 23 21	140 140 140 140 140 140 140 140	5.00000 5.00000 5.00000 5.00000 5.00000 5.00000 5.00000 5.00000	ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg	105835 105835 105835 105835 105835 105835 105835 105835	12/27/03 12/27/03 12/27/03 12/27/03 12/27/03 12/27/03 12/27/03 12/27/03	1116 1116 1116 1116 1116 1116 1116 1116	mgk mgk mgk mgk mgk mgk mgk mgk
7471A	Mercury (CVAA) Solids Mercury, Solid*	22		0.74	2.8	100	mg/Kg	105789	12/29/03	1509	gok
6010B	Metals Analysis (ICAP Trace) Aluminum, Solid* Antimony, Solid* Arsenic, Solid* Barium, Solid* Beryllium, Solid* Cadmium, Solid* Calcium, Solid* Chromium, Solid* Cobalt, Solid* Copper, Solid* Iron, Solid* Lead, Solid*	4100 960 31 1100 0.17 5.0 24000 39 9.4 1100 26000 240000	4.0 1.5 0.85 0.27 0.073 0.13 5.1 0.37 0.23 1.5 5.0 71	1 3.3 1.7 1.7 0.66 0.33 17 1.7 0.83 1.7 8.3 83	33 3.3 1.7 1.7 0.66 0.33 17 1.7 0.83 1.7 8.3 100	1 1 1 1 1 1 1 1 1 1 1 100	mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg	106019 106019 106019 106019 106019 106019 106019 106019 106019 106019 106019 106019	12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03	2140 2140 2140 2140 2140 2140 2140 2140 2140 2140 2140 2140	tds tds tds tds tds tds tds tds tds tds tds tds

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date: 12/31/2003	
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer							
Customer Sample ID: SS-12		Laboratory Sample ID: 223164-20									
Date Sampled.....: 12/16/2003		Date Received.....: 12/17/2003									
Time Sampled.....: 16:10		Time Received.....: 12:10									
Sample Matrix.....: soil											
TEST/METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Magnesium, Solid*	17000			2.8	17	1	mg/Kg	106019	12/30/03 2140	tds	
Manganese, Solid*	850			0.22	1.7	1	mg/Kg	106019	12/30/03 2140	tds	
Nickel, Solid*	19			0.42	1.7	1	mg/Kg	106019	12/30/03 2140	tds	
Potassium, Solid*	140			23	83	1	mg/Kg	106067	12/30/03 2124	tds	
Selenium, Solid*	5.5			0.66	1.7	1	mg/Kg	106019	12/30/03 2140	tds	
Silver, Solid*	7.8			0.51	0.83	1	mg/Kg	106019	12/30/03 2140	tds	
Sodium, Solid*	630			140	170	1	mg/Kg	106019	12/30/03 2140	tds	
Thallium, Solid*	4.8			1.1	1.7	1	mg/Kg	106019	12/30/03 2140	tds	
Vanadium, Solid*	9.5			0.35	0.83	1	mg/Kg	106067	12/30/03 2124	tds	
Zinc, Solid*	1400			0.66	3.3	1	mg/Kg	106019	12/30/03 2140	tds	

* In Description = Dry Wgt.

Job Number: 223164

LABORATORY TEST RESULTS

Date: 12/31/2003

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - STOP

ATLANTIC BREWER

Customer Sample ID: SS-13 SHALLOW
Date Sampled.....: 12/16/2003
Time Sampled.....: 17:00
Sample Matrix....: Soil

Laboratory Sample ID: 223164-21
Date Received.....: 12/17/2003
Time Received.....: 12:10

* In Description = Dry Wgt.

Job Number: 223164

Date:12/31/2003

LABORATORY TEST RESULTS

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - STOP

ATTN: David Brewer

Customer Sample ID: SS-13 SHALLOW
 Date Sampled.....: 12/16/2003
 Time Sampled.....: 17:00
 Sample Matrix.....: Soil

Laboratory Sample ID: 223164-21
 Date Received.....: 12/17/2003
 Time Received.....: 12:10

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Magnesium, Solid*	2300		1.8	11	1	mg/Kg	105896	12/30/03	04:34	tds
	Manganese, Solid*	220		0.14	1.1	1	mg/Kg	105896	12/30/03	04:34	tds
	Nickel, Solid*	12		0.26	1.1	1	mg/Kg	105896	12/30/03	04:34	tds
	Potassium, Solid*	620	U	15	53	1	mg/Kg	105896	12/30/03	04:34	tds
	Selenium, Solid*	ND	U	0.42	1.1	1	mg/Kg	106023	12/30/03	15:14	tds
	Silver, Solid*	ND	U	0.33	0.53	1	mg/Kg	105896	12/30/03	04:34	tds
	Sodium, Solid*	310	92	92	110	1	mg/Kg	105896	12/30/03	04:34	tds
	Thallium, Solid*	ND	U	0.70	1.1	1	mg/Kg	105896	12/30/03	04:34	tds
	Vanadium, Solid*	31		0.22	0.53	1	mg/Kg	106023	12/30/03	15:14	tds
	Zinc, Solid*	33		0.42	2.1	1	mg/Kg	105896	12/30/03	04:34	tds

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date: 12/31/2003	
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer							
Customer Sample ID: SS-13 DEEP Date Sampled.....: 12/16/2003 Time Sampled.....: 17:00 Sample Matrix.....: Soil						Laboratory Sample ID: 223164-22 Date Received.....: 12/17/2003 Time Received.....: 12:10					
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME
Method	% Solids Determination % Solids, Solid % Moisture, Solid	79.3 20.7			0.10 0.10	0.10 0.10	1 1	%	105800 105800	12/29/03 12/29/03	2140 2140
8082	PCB Analysis Aroclor 1016, Solid* Aroclor 1221, Solid* Aroclor 1232, Solid* Aroclor 1242, Solid* Aroclor 1248, Solid* Aroclor 1254, Solid* Aroclor 1260, Solid*	ND ND ND ND ND ND ND ND	U U U U U U U U	7.1 16 7.4 15 41 5.7 6.6 6.1	41 41 41 41 41 41 41 41	2.00000 2.00000 2.00000 2.00000 2.00000 ug/Kg ug/Kg ug/Kg ug/Kg	ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg 105835 105835 105835 105835	105835 105835 105835 105835 105835 12/27/03 12/27/03 12/27/03 12/27/03	1449 1449 1449 1449 1449 mgK mgK mgK mgK		
7471A	Mercury (CVAA) Solids Mercury, Solid*	0.023		0.0054	0.021	1	mg/Kg	105779	12/29/03	1554	gok
6010B	Metals Analysis (ICAP Trace) Aluminum, Solid* Antimony, Solid* Arsenic, Solid* Barium, Solid* Beryllium, Solid* Cadmium, Solid* Calcium, Solid* Chromium, Solid* Cobalt, Solid* Copper, Solid* Iron, Solid* Lead, Solid*	15000 ND 6.0 80 0.70 ND 3800 19 2.9 15 20000 50	U U U U U ND U U U U U	2.8 1.1 0.60 0.19 0.052 0.095 3.7 0.26 0.17 1.1 3.6 0.51	24 2.4 1.2 1.2 0.47 0.24 12 1.2 0.59 1.2 5.9 0.59	mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg	105896 105896 105896 105896 105896 105896 105896 105896 105896 105896 105896 105896	12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03	0.640 0.640 0.640 0.640 0.640 0.640 0.640 0.640 0.640 0.640 0.640 0.640	tds tds tds tds tds tds tds tds tds tds tds tds	

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:12/31/2003		
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATN: David Brewer								
Customer Sample ID: SS-13 DEEP Date Sampled.....: 12/16/2003 Time Sampled.....: 17:00 Sample Matrix....: Soil						Laboratory Sample ID: 223164-22 Date Received.....: 12/17/2003 Time Received.....: 12:10						
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Magnesium, Solid*	2300				2.0	12	1	mg/Kg	105896	12/30/03	0440	tds
Manganese, Solid*	80				0.15	1.2	1	mg/Kg	105896	12/30/03	0440	tds
Nickel, Solid*	11				0.30	1.2	1	mg/Kg	105896	12/30/03	0440	tds
Potassium, Solid*	550	U			16	59	1	mg/Kg	105896	12/30/03	0440	tds
Selenium, Solid*	ND	ND	U		0.47	1.2	1	mg/Kg	106023	12/30/03	1521	tds
Silver, Solid*	ND	ND	U		0.37	0.59	1	mg/Kg	105896	12/30/03	0440	tds
Sodium, Solid*	310				100	120	1	mg/Kg	105896	12/30/03	0440	tds
Thallium, Solid*	ND	ND	33		0.78	1.2	1	mg/Kg	105896	12/30/03	0440	tds
Vanadium, Solid*			26		0.25	0.59	1	mg/Kg	106023	12/30/03	1521	tds
Zinc, Solid*					0.47	2.4	1	mg/Kg	105896	12/30/03	0440	tds

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:12/31/2003		
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer								
Customer Sample ID: SS-14 SHALLOW Date Sampled.....: 12/16/2003 Time Sampled.....: 17:15 Sample Matrix.....: Soil						Laboratory Sample ID: 223164-23 Date Received.....: 12/17/2003 Time Received.....: 12:10						
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination % Solids, Solid % Moisture, Solid	81.1 18.9			0.10 0.10	0.10 0.10	1 1	%	105800 105800	12/29/03 12/29/03	2140 2140	lml lml
8082	PCB Analysis Aroclor 1016, Solid* Aroclor 1221, Solid* Aroclor 1232, Solid* Aroclor 1242, Solid* Aroclor 1248, Solid* Aroclor 1254, Solid* Aroclor 1260, Solid*	ND ND ND ND ND ND ND ND	U U U U U U U J	7.1 16 7.4 15 4.1 5.6 6.6 6.1	4.1 4.1 4.1 4.1 4.1 4.1 4.1 4.1	2.00000 2.00000 2.00000 2.00000 2.00000 2.00000 2.00000 2.00000	ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg	105835 105835 105835 105835 105835 105835 105835 105835	12/27/03 12/27/03 12/27/03 12/27/03 12/27/03 12/27/03 12/27/03 12/27/03	1524 1524 1524 1524 1524 1524 1524 1524	mgK mgK mgK mgK mgK mgK mgK mgK	
7471A	Mercury (CVAA) Solids Mercury, Solid*	0.044 0.044		0.0053 0.0053	0.020 0.020	1 1	mg/Kg mg/Kg	105779 105779	12/29/03 12/29/03	1557 1557	gok	
6010B	Metals Analysis (ICAP Trace) Aluminum, Solid* Antimony, Solid* Arsenic, Solid* Barium, Solid* Beryllium, Solid* Cadmium, Solid* Calcium, Solid* Chromium, Solid* Cobalt, Solid* Copper, Solid* Iron, Solid* Lead, Solid*	11000 ND 5.5 130 0.86 ND 3400 18 8.8 34 16000 21	U ND U U U ND U U U U U U	2.9 1.1 0.61 0.19 0.053 0.096 3.7 0.26 0.17 1.1 3.6 0.52	24 2.4 1.2 1.2 0.48 0.24 12 1.2 0.60 1.2 6.0 0.60	1 1 1 1 1 1 1 1 1 1 1 1	mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg	105896 105896 105896 105896 105896 105896 105896 105896 105896 105896 105896 105896	12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03	0.447 0.447 0.447 0.447 0.447 0.447 0.447 0.447 0.447 0.447 0.447 0.447	tds tds tds tds tds tds tds tds tds tds tds tds	

* In Description = Dry Wgt.

* In Description = Dry Wgt.

Job Number: 223164

LABORATORY TEST RESULTS

Date: 12/31/2003

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - Stop

ATTN: David Brewer

Customer Sample ID: SS-14 DEEP
 Date Sampled.....: 12/16/2003
 Time Sampled.....: 17:15
 Sample Matrix....: Soil

Laboratory Sample ID: 223164-24
 Date Received.....: 12/17/2003
 Time Received.....: 12:10

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination											
	% Solids, Solid	81.0			0.10	0.10						
	% Moisture, Solid	19.0			0.10	0.10						
8082	PCB Analysis											
	Aroclor 1016, Solid*	ND	U		3.6	20	1.00000	ug/Kg	105835	12/27/03	1600	mgK
	Aroclor 1221, Solid*	ND	U		8.2	20	1.00000	ug/Kg	105835	12/27/03	1600	mgK
	Aroclor 1232, Solid*	ND	U		3.7	20	1.00000	ug/Kg	105835	12/27/03	1600	mgK
	Aroclor 1242, Solid*	ND	U		7.7	20	1.00000	ug/Kg	105835	12/27/03	1600	mgK
	Aroclor 1248, Solid*	ND	U		2.8	20	1.00000	ug/Kg	105835	12/27/03	1600	mgK
	Aroclor 1254, Solid*	ND	U		3.3	20	1.00000	ug/Kg	105835	12/27/03	1600	mgK
	Aroclor 1260, Solid*	ND	U		3.1	20	1.00000	ug/Kg	105835	12/27/03	1600	mgK
7471A	Mercury (CVAA) Solids											
	Mercury, Solid*	0.033			0.0053	0.020	1	mg/Kg	105779	12/29/03	1559	gKg
6010B	Metals Analysis (ICAP Trace)											
	Aluminum, Solid*	11000	U		2.8	23	1	mg/Kg	105896	12/30/03	0453	tds
	Antimony, Solid*	ND	6.9		1.1	2.3	1	mg/Kg	105896	12/30/03	0453	tds
	Arsenic, Solid*	96	96		0.60	1.2	1	mg/Kg	105896	12/30/03	0453	tds
	Barium, Solid*	0.88	0.88		0.19	1.2	1	mg/Kg	105896	12/30/03	0453	tds
	Beryllium, Solid*	ND	3500		0.052	0.47	1	mg/Kg	105896	12/30/03	0453	tds
	Cadmium, Solid*				0.094	0.23	1	mg/Kg	105896	12/30/03	0453	tds
	Calcium, Solid*				3.6	12	1	mg/Kg	105896	12/30/03	0453	tds
	Chromium, Solid*	18	18		0.26	1.2	1	mg/Kg	105896	12/30/03	0453	tds
	Cobalt, Solid*	7.9	7.9		0.16	0.59	1	mg/Kg	105896	12/30/03	0453	tds
	Copper, Solid*	17	17		1.1	1.2	1	mg/Kg	105896	12/30/03	0453	tds
	Iron, Solid*	16000	16000		3.5	5.9	1	mg/Kg	105896	12/30/03	0453	tds
	Lead, Solid*	25	25		0.50	0.59	1	mg/Kg	106023	12/30/03	1642	tds

* In Description = Dry Wgt.

LABORATORY TEST RESULTS									
Date:12/31/2003									
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer					
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT DATE/TIME
	Magnesium, Solid*	2200		2.0	12	1	mg/Kg	105896	12/30/03 04:53 tds
	Manganese, Solid*	390		0.15	1.2	1	mg/Kg	105896	12/30/03 04:53 tds
	Nickel, Solid*	13		0.29	1.2	1	mg/Kg	105896	12/30/03 04:53 tds
	Potassium, Solid*	640		16	59	1	mg/Kg	105896	12/30/03 04:53 tds
	Selenium, Solid*		U	0.47	1.2	1	mg/Kg	106023	12/30/03 16:42 tds
	Silver, Solid*		U	0.36	0.59	1	mg/Kg	105896	12/30/03 04:53 tds
	Sodium, Solid*	290		100	120	1	mg/Kg	105896	12/30/03 04:53 tds
	Thallium, Solid*		ND	0.77	1.2	1	mg/Kg	105896	12/30/03 04:53 tds
	Vanadium, Solid*		ND	0.25	0.59	1	mg/Kg	106023	12/30/03 16:42 tds
	Zinc, Solid*		33	0.47	2.3	1	mg/Kg	105896	12/30/03 04:53 tds
		34							

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date: 12/31/2003		
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - STOP		ATTN: David Brewer								
Customer Sample ID: SS-15 SHALLOW		Laboratory Sample ID: 223164-25										
Date Sampled.....: 12/16/2003		Date Received.....: 12/17/2003										
Time Sampled.....: 17:30		Time Received.....: 12:10										
Sample Matrix.....: Soil												
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination % Solids, Solid % Moisture, Solid	80.5 19.5			0.10 0.10	0.10 0.10	1 1	%	105800 105800	12/29/03 12/29/03	2140 2140	lmr lmr
8082	PCB Analysis Aroclor 1016, Solid* Aroclor 1221, Solid* Aroclor 1232, Solid* Aroclor 1242, Solid* Aroclor 1248, Solid* Aroclor 1254, Solid* Aroclor 1260, Solid*	ND ND ND ND ND ND ND ND	U U U U U U U U	U U U U U U U U	3.6 8.2 3.7 7.7 2.8 3.3 3.1	21 21 21 21 21 21 21 21	1.00000 1.00000 1.00000 1.00000 1.00000 1.00000 1.00000 1.00000	ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg	105835 105835 105835 105835 105835 105835 105835 105835	12/27/03 12/27/03 12/27/03 12/27/03 12/27/03 12/27/03 12/27/03 12/27/03	1635 1635 1635 1635 1635 1635 1635 1635	mgK mgK mgK mgK mgK mgK mgK mgK
7471A	Mercury (CVAA) Solids Mercury, Solid*	0.031			0.0053	0.020	1	mg/Kg	105779	12/29/03	1617	gok
6010B	Metals Analysis (ICAP Trace) Aluminum, Solid* Antimony, Solid* Arsenic, Solid* Barium, Solid* Beryllium, Solid* Cadmium, Solid* Calcium, Solid* Chromium, Solid* Cobalt, Solid* Copper, Solid* Iron, Solid* Lead, Solid*	11000 ND 6.1 87 0.81 ND 2500 20 8.2 15 17000 18	U U U U U ND U U U U U U	2.5 0.94 0.53 0.17 0.046 0.084 3.2 0.23 0.15 0.94 3.1 0.45	21 2.1 1.0 1.0 0.42 0.21 10 1.0 0.52 1.0 5.2 1			mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg	105896 105896 105896 105896 105896 105896 105896 105896 105896 105896 105896 105896	12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03	0525 0525 0525 0525 0525 0525 0525 0525 0525 0525 0525 0525	tds tds tds tds tds tds tds tds tds tds tds tds

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:12/31/2003					
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - STOP		ATTN: David Brewer											
Customer Sample ID: SS-15 SHALLOW						Laboratory Sample ID: 223164-25									
Date Sampled.....: 12/16/2003						Date Received.....: 12/17/2003									
Time Sampled.....: 17:30						Time Received.....: 12:10									
Sample Matrix.....: Soil															
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH			
	Magnesium, Solid*	2300			1.8	10	1	mg/Kg	105896	12/30/03	0525	tds			
	Manganese, Solid*	520			0.14	1.0	1	mg/Kg	105896	12/30/03	0525	tds			
	Nickel, Solid*	13			0.26	1.0	1	mg/Kg	105896	12/30/03	0525	tds			
	Potassium, Solid*	570			14	52	1	mg/Kg	105896	12/30/03	0525	tds			
	Selenium, Solid*	ND	U		0.42	1.0	1	mg/Kg	106023	12/30/03	1649	tds			
	Silver, Solid*	ND	U		0.32	0.52	1	mg/Kg	105896	12/30/03	0525	tds			
	Sodium, Solid*	410			91	100	1	mg/Kg	105896	12/30/03	0525	tds			
	Thallium, Solid*	ND	U		0.69	1.0	1	mg/Kg	105896	12/30/03	0525	tds			
	Vanadium, Solid*	ND	34		0.22	0.52	1	mg/Kg	106023	12/30/03	1649	tds			
	Zinc, Solid*	ND	29		0.42	2.1	1	mg/Kg	105896	12/30/03	0525	tds			

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:12/31/2003					
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer											
Customer Sample ID: SS-15 DEEP						Laboratory Sample ID: 223164-26									
Date Sampled.....: 12/16/2003						Date Received.....: 12/17/2003									
Time Sampled.....: 17:30						Time Received.....: 12:10									
Sample Matrix.....: Soil															
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH			
Method	% Solids Determination % Solids, Solid % Moisture, Solid	79.2 20.8			0.10 0.10	0.10 0.10	1 1	%	105800 105800	12/29/03 12/29/03	2140 2140	lmr lmr			
8082	PCB Analysis Aroclor 1016, Solid* Aroclor 1221, Solid* Aroclor 1232, Solid* Aroclor 1242, Solid* Aroclor 1248, Solid* Aroclor 1254, Solid* Aroclor 1260, Solid*	ND ND ND ND ND ND ND ND	U U U U U U U U	3.6 8.4 3.8 7.9 2.9 3.4 3.1	21 21 21 21 21 21 21 21	1.00000 1.00000 1.00000 1.00000 1.00000 1.00000 1.00000 1.00000	ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg	105835 105835 105835 105835 105835 105835 105835 105835	12/27/03 12/27/03 12/27/03 12/27/03 12/27/03 12/27/03 12/27/03 12/27/03	1746 1746 1746 1746 1746 1746 1746 1746	mgk mgk mgk mgk mgk mgk mgk mgk				
7471A	Mercury (CVAA) Solids Mercury, Solid*	0.027		0.0054	0.021	1	mg/Kg	105779	12/29/03	1619	gok				
6010B	Metals Analysis (ICAP Trace) Aluminum, Solid* Antimony, Solid* Arsenic, Solid* Barium, Solid* Beryllium, Solid* Cadmium, Solid* Calcium, Solid* Chromium, Solid* Cobalt, Solid* Copper, Solid* Iron, Solid* Lead, Solid*	13000 ND 7.0 83 0.79 ND 2900 19 5.2 13 18000 12	U U U U U ND U U U U U	2.9 1.1 0.62 0.19 0.053 0.097 3.8 0.27 0.17 1.1 3.6 0.52	24 2.4 1.2 1.2 0.48 0.24 12 1.2 0.61 1.2 6.1 0.61	1 1 1 1 1 1 1 1 1 1 1 1	mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg	105896 105896 105896 105896 105896 105896 105896 105896 105896 105896 105896 105896	12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03	0531 0531 0531 0531 0531 0531 0531 0531 0531 0531 0531 0531	tds tds tds tds tds tds tds tds tds tds tds tds				

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:12/31/2003			
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer									
Customer Sample ID: SS-15 DEEP Date Sampled.....: 12/16/2003 Time Sampled.....: 17:30 Sample Matrix....: Soil						Laboratory Sample ID: 223164-26 Date Received.....: 12/17/2003 Time Received.....: 12:10							
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE	RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Magnesium, Solid*	2200				2.1	12	1	mg/Kg	105896	12/30/03	0531	tds
	Manganese, Solid*	300				0.16	1.2	1	mg/Kg	105896	12/30/03	0531	tds
	Nickel, Solid*	13				0.30	1.2	1	mg/Kg	105896	12/30/03	0531	tds
	Potassium, Solid*	770				17	61	1	mg/Kg	105896	12/30/03	0531	tds
	Selenium, Solid*	ND				0.48	1.2	1	mg/Kg	106023	12/30/03	1655	tds
	Silver, Solid*	ND				0.38	0.61	1	mg/Kg	105896	12/30/03	0531	tds
	Sodium, Solid*	330				100	120	1	mg/Kg	105896	12/30/03	0531	tds
	Thallium, Solid*	ND				0.80	1.2	1	mg/Kg	106023	12/30/03	1655	tds
	Vanadium, Solid*	33				0.25	0.61	1	mg/Kg	105896	12/30/03	0531	tds
	Zinc, Solid*	31				0.48	2.4	1	mg/Kg	105896	12/30/03	0531	tds

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date: 12/31/2003													
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer																			
Customer Sample ID: SS-16 SHALLOW																							
Date Sampled.....: 12/16/2003																							
Time Sampled.....: 17:40																							
Sample Matrix.....: Soil																							
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MOL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH											
Method	% Solids Determination % Solids, Solid % Moisture, Solid	80.2 19.8			0.10 0.10	0.10 0.10	1 1	%	105800 105800	12/29/03 12/29/03	2140 2140	lml lml											
8082	PCB Analysis Aroclor 1016, Solid* Aroclor 1221, Solid* Aroclor 1232, Solid* Aroclor 1242, Solid* Aroclor 1248, Solid* Aroclor 1254, Solid* Aroclor 1260, Solid*	ND ND ND ND ND ND ND ND	U U U U U U U U	3.5 8.2 3.7 7.7 2.8 3.3 3.1	20 20 20 20 20 20 20	1.00000 1.00000 1.00000 1.00000 1.00000 1.00000 1.00000 1.00000	ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg	105835 105835 105835 105835 105835 105835 105835 105835	12/27/03 12/27/03 12/27/03 12/27/03 12/27/03 12/27/03 12/27/03 12/27/03	1821 1821 1821 1821 1821 1821 1821 1821	mgk mgk mgk mgk mgk mgk mgk mgk												
7471A	Mercury (CVAA) Solids Mercury, Solid*	0.036		0.0054	0.021	1	mg/Kg	105779	12/29/03	1621	gok												
6010B	Metals Analysis (ICAP Trace) Aluminum, Solid* Antimony, Solid* Arsenic, Solid* Barium, Solid* Beryllium, Solid* Cadmium, Solid* Calcium, Solid* Chromium, Solid* Cobalt, Solid* Copper, Solid* Iron, Solid* Lead, Solid*	12000 16 6.4 66 0.82 ND 7200 19 6.3 19 16000 1200	U U U U U ND U U U U U	2.9 1.1 0.61 0.19 0.052 0.095 3.7 0.26 0.17 1.1 3.6 0.51	24 1 2.4 1 1.2 1 1 1 1 1 1 1	mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg	105896 105896 105896 105896 105896 105896 105896 105896 105896 105896 105896 105896	12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03	0538 0538 0538 0538 0538 0538 0538 0538 0538 0538 0538 0538	tds tds tds tds tds tds tds tds tds tds tds tds													

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:12/31/2003		
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATN: David Brewer								
Customer Sample ID: SS-16 SHALLOW Date Sampled.....: 12/16/2003 Time Sampled.....: 17:40 Sample Matrix.....: Soil						Laboratory Sample ID: 223164-27 Date Received.....: 12/17/2003 Time Received.....: 12:10						
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Magnesium, Solid*	2500			2.0	12	1	mg/Kg	105896	12/30/03	0538	tds
	Manganese, Solid*	150			0.15	1.2	1	mg/Kg	105896	12/30/03	0538	tds
	Nickel, Solid*	12			0.30	1.2	1	mg/Kg	105896	12/30/03	0538	tds
	Potassium, Solid*	710			16	59	1	mg/Kg	105896	12/30/03	0538	tds
	Selenium, Solid*				0.48	1.2	1	mg/Kg	106023	12/30/03	1702	tds
	ND	ND	U	U	0.37	0.59	1	mg/Kg	105896	12/30/03	0538	tds
	Silver, Solid*				100	120	1	mg/Kg	105896	12/30/03	0538	tds
	Sodium, Solid*	290			0.78	1.2	1	mg/Kg	105896	12/30/03	0538	tds
	Thallium, Solid*				0.25	0.59	1	mg/Kg	106023	12/30/03	1702	tds
	Vanadium, Solid*	ND	30		0.48	2.4	1	mg/Kg	105896	12/30/03	0538	tds
	Zinc, Solid*		37									

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:12/31/2003		
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer								
Customer Sample ID: SS-16 DEEP		Laboratory Sample ID: 223164-28		Date Received.....:	12/17/2003							
Date Sampled.....:	12/16/2003	Date Received.....:		Time Received.....:	12:10							
Time Sampled.....:	17:40			Sample Matrix.....:	Soil							
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination % Solids, Solid % Moisture, Solid	74.5 25.5			0.10 0.10	0.10 0.10	1 1	%	105800 105800	12/29/03 12/29/03	2140 2140	lml lml
8082	PCB Analysis Aroclor 1016, Solid* Aroclor 1221, Solid* Aroclor 1232, Solid* Aroclor 1242, Solid* Aroclor 1248, Solid* Aroclor 1254, Solid* Aroclor 1260, Solid*	ND ND ND ND ND ND ND ND		U U U U U U U U	7.7 18 8.0 17 6.1 4.4 7.2 6.7	44 44 44 44 44 44 44 44	2.000000 2.000000 2.000000 2.000000 2.000000 2.000000 2.000000 2.000000	ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg	105835 105835 105835 105835 105835 105835 105835 105835	12/27/03 12/27/03 12/27/03 12/27/03 12/27/03 12/27/03 12/27/03 12/27/03	1857 1857 1857 1857 1857 1857 1857 1857	mgK mgK mgK mgK mgK mgK mgK mgK
7471A	Mercury (CVAA) Solids Mercury, Solid*	0.034			0.0058	0.022	1	mg/Kg	105779	12/29/03	1623	gok
6010B	Metals Analysis (ICAP Trace) Aluminum, Solid* Antimony, Solid* Arsenic, Solid* Barium, Solid* Beryllium, Solid* Cadmium, Solid* Calcium, Solid* Chromium, Solid* Cobalt, Solid* Copper, Solid* Iron, Solid* Lead, Solid*	14000 1.7 7.7 72 1.2 ND 4000 22 6.7 14 20000 97		B U	3.1 1.2 0.67 0.21 0.058 0.10 4.1 0.29 0.18 1.2 3.9 0.56	26 2.6 1.3 1.3 0.52 0.26 13 1.3 0.66 1.3 6.6 0.66	1 1 1 1 1 1 1 1 1 1 1 1	mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg	105896 105896 105896 105896 105896 105896 105896 105896 105896 105896 105896 105896	12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03	0544 0544 0544 0544 0544 0544 0544 0544 0544 0544 0544 0544	tds tds tds tds tds tds tds tds tds tds tds tds

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:12/31/2003	
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer							
Customer Sample ID: SS-16 DEEP Date Sampled.....: 12/16/2003 Time Sampled.....: 17:40 Sample Matrix.....: Soil						Laboratory Sample ID: 223164-28 Date Received.....: 12/17/2003 Time Received.....: 12:10					
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Magnesium, Solid*	2000		2.2	13	1	mg/Kg	105896	12/30/03 0544	tds	
	Manganese, Solid*	250		0.17	1.3	1	mg/Kg	105896	12/30/03 0544	tds	
	Nickel, Solid*	15		0.33	1.3	1	mg/Kg	105896	12/30/03 0544	tds	
	Potassium, Solid*	720		18	66	1	mg/Kg	105896	12/30/03 0544	tds	
	Selenium, Solid*	0.57	B	0.52	1.3	1	mg/Kg	106023	12/30/03 1709	tds	
	Silver, Solid*	ND	U	0.41	0.66	1	mg/Kg	105896	12/30/03 0544	tds	
	Sodium, Solid*	290	U	110	130	1	mg/Kg	105896	12/30/03 0544	tds	
	Thallium, Solid*	ND	38	0.87	1.3	1	mg/Kg	105896	12/30/03 0544	tds	
	Vanadium, Solid*	ND	26	0.28	0.66	1	mg/Kg	106023	12/30/03 1709	tds	
	Zinc, Solid*			0.52	2.6	1	mg/Kg	105896	12/30/03 0544	tds	

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date: 12/31/2003		
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer								
Customer Sample ID: SS-17		Laboratory Sample ID: 223164-29		Date Received.....:	12/17/2003							
Date Sampled.....:	12/16/2003			Time Received.....:	12:45							
Time Sampled.....:	12:45			Time Received.....:	12:10							
Sample Matrix.....:	Soil											
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination	96.3			0.10	0.10	1	%	105800	12/29/03	2140	LMR
	% Solids, Solid	3.7			0.10	0.10	1	%	105800	12/29/03	2140	LMR
	% Moisture, Solid											
8082	PCB Analysis											
	Aroclor 1016, Solid*	ND			60	340	10.0000	ug/Kg	105835	12/27/03	1932	mgK
	Aroclor 1221, Solid*	ND			140	340	10.0000	ug/Kg	105835	12/27/03	1932	mgK
	Aroclor 1232, Solid*	ND			62	340	10.0000	ug/Kg	105835	12/27/03	1932	mgK
	Aroclor 1242, Solid*	ND			130	340	10.0000	ug/Kg	105835	12/27/03	1932	mgK
	Aroclor 1248, Solid*	ND			47	340	10.0000	ug/Kg	105835	12/27/03	1932	mgK
	Aroclor 1254, Solid*	ND			56	340	10.0000	ug/Kg	105835	12/27/03	1932	mgK
	Aroclor 1260, Solid*	ND			52	340	10.0000	ug/Kg	105835	12/27/03	1932	mgK
7471A	Mercury (CVAA) Solids											
	Mercury, Solid*	0.16			0.0045	0.017	1	mg/Kg	105779	12/29/03	1626	gok
6010B	Metals Analysis (ICAP Trace)											
	Aluminum, Solid*	450			2.4	20	1	mg/Kg	105896	12/30/03	0550	tds
	Antimony, Solid*	ND			0.90	2.0	1	mg/Kg	105896	12/30/03	0550	tds
	Arsenic, Solid*		2.6		0.51	1.0	1	mg/Kg	105896	12/30/03	0550	tds
	Barium, Solid*	60			0.16	1.0	1	mg/Kg	105896	12/30/03	0550	tds
	Beryllium, Solid*	ND			0.044	0.40	1	mg/Kg	105896	12/30/03	0550	tds
	Cadmium, Solid*	ND			0.40	1.0	5	mg/Kg	106067	12/30/03	1652	tds
	Calcium, Solid*	5900			3.1	10	1	mg/Kg	105896	12/30/03	0550	tds
	Chromium, Solid*	77			0.22	1.0	1	mg/Kg	105896	12/30/03	0550	tds
	Cobalt, Solid*	2.3			0.14	0.50	1	mg/Kg	105896	12/30/03	0550	tds
	Copper, Solid*	170			0.90	1.0	1	mg/Kg	105896	12/30/03	0550	tds
	Iron, Solid*	140000			15	25	5	mg/Kg	106067	12/30/03	1652	tds
	Lead, Solid*	41			0.43	0.50	1	mg/Kg	106023	12/30/03	1715	tds

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S											
Date:12/31/2003											
C U S T O M E R :		P R O J E C T :		A T T N :							
Customer Sample ID: SS-17 Date Sampled.....: 12/16/2003 Time Sampled.....: 12:45 Sample Matrix.....: Soil							Laboratory Sample ID: 223164-29 Date Received.....: 12/17/2003 Time Received.....: 12:10				
TEST/METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Magnesium, Solid*	580		1.7	10	1	mg/Kg	105896	12/30/03	0550	tds
	Manganese, Solid*	290		0.13	1.0	1	mg/Kg	105896	12/30/03	0550	tds
	Nickel, Solid*	86		0.25	1.0	1	mg/Kg	105896	12/30/03	0550	tds
	Potassium, Solid*	78	U	14	50	1	mg/Kg	105896	12/30/03	0550	tds
	Selenium, Solid*	ND	U	0.40	1.0	1	mg/Kg	106023	12/30/03	1715	tds
	Silver, Solid*	ND	U	0.31	0.50	1	mg/Kg	105896	12/30/03	0550	tds
	Sodium, Solid*	150	U	87	100	1	mg/Kg	105896	12/30/03	0550	tds
	Thallium, Solid*	ND	U	0.66	1.0	1	mg/Kg	105896	12/30/03	0550	tds
	Vanadium, Solid*	2.4		0.21	0.50	1	mg/Kg	106023	12/30/03	1715	tds
	Zinc, Solid*	110		0.40	2.0	1	mg/Kg	105896	12/30/03	0550	tds

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date: 12/31/2003			
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - STOP		ATTN: David Brewer									
Customer Sample ID: SS-18 Date Sampled.....: 12/16/2003 Time Sampled.....: 13:30 Sample Matrix....: Soil						Laboratory Sample ID: 223164-30 Date Received.....: 12/17/2003 Time Received.....: 12:10							
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH		
Method	% Solids Determination % Solids, Solid % Moisture, Solid	99.4 0.60		0.10 0.10	0.10 0.10				105800 105800	12/29/03 2140 12/29/03 2140	lml lml		
8082	PCB Analysis Aroclor 1016, Solid* Aroclor 1221, Solid* Aroclor 1232, Solid* Aroclor 1242, Solid* Aroclor 1248, Solid* Aroclor 1254, Solid* Aroclor 1260, Solid*	ND ND ND ND ND ND ND ND	U U U U U U U U	12 27 12 25 66 11 150	66 2.00000 2.00000 2.00000 2.00000 66 66 0.00000	ug/Kg 105835 105835 105835 105835 ug/Kg 105835 105835	12/27/03 2008 12/27/03 2008 12/27/03 2008 12/27/03 2008 ug/Kg 105835 105835	ug/Kg 105835 105835 105835 105835 ug/Kg 105835 105835	105800 105800 105800 105800 105800 105800 105800 105800	12/29/03 2140 12/29/03 2140 12/29/03 2140 12/29/03 2140 12/29/03 2140 12/29/03 2140 12/29/03 2140 12/29/03 2140	mkg mkg mkg mkg mkg mkg mkg mkg		
7471A	Mercury (CVAA) Solids Mercury, Solid*	0.32		0.0043	0.017	1	mg/Kg	105779	12/29/03 1628	gkg			
6010B	Metals Analysis (ICAP Trace) Aluminum, Solid* Antimony, Solid* Arsenic, Solid* Barium, Solid* Beryllium, Solid* Cadmium, Solid* Calcium, Solid* Chromium, Solid* Cobalt, Solid* Copper, Solid* Iron, Solid* Lead, Solid*	120 10000 24 6.2 U 1.7 2400 0.61 U 57 690 110000	2.1 78 0.44 0.14 0.038 0.069 2.7 0.19 0.12 0.78 2.6 37	17 170 0.87 0.87 0.35 0.17 8.7 1 0.87 0.43 0.87 4.3 43	1 100 1 1 1 1 1 1 1 1 1 100	mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg	105896 106023 105896 105896 105896 105896 105896 105896 105896 105896 105896 106023	12/30/03 0556 12/30/03 1736 12/30/03 0556 12/30/03 0556 12/30/03 0556 12/30/03 0556 12/30/03 0556 12/30/03 0556 12/30/03 0556 12/30/03 0556 12/30/03 1736	tcs tcs tcs tcs tcs tcs tcs tcs tcs tcs tcs tcs				

* In Description = Dry Wgt.

LABORATORY TEST RESULTS											
Date: 12/31/2003											
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer							
Customer Sample ID: SS-18 Date Sampled.....: 12/16/2003 Time Sampled.....: 13:30 Sample Matrix....: Soil											
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Magnesium, Solid*	700	4.9		1.5	8.7	1	mg/Kg	105896	12/30/03	0556	tds
Manganese, Solid*		5.4		0.11	0.87	1	mg/Kg	105896	12/30/03	0556	tds
Nickel, Solid*		33	B	0.22	0.87	1	mg/Kg	105896	12/30/03	0556	tds
Potassium, Solid*				12	4.3	1	mg/Kg	105896	12/30/03	0556	tds
Selenium, Solid*		0.79	B	0.35	0.87	1	mg/Kg	106023	12/30/03	1722	tds
Silver, Solid*		9.8		0.27	0.43	1	mg/Kg	105896	12/30/03	0556	tds
Sodium, Solid*	250			75	87	1	mg/Kg	105896	12/30/03	0556	tds
Thallium, Solid*		4.6		0.57	0.87	1	mg/Kg	105896	12/30/03	0556	tds
Vanadium, Solid*		0.79		0.18	0.43	1	mg/Kg	106023	12/30/03	1722	tds
Zinc, Solid*	25			0.35	1.7	1	mg/Kg	105896	12/30/03	0556	tds

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

L A B O R A T O R Y C H R O N I C L E

Job Number: 223164

Date: 12/31/2003

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN: David Brewer

Lab ID: 223164-1 Client ID: SS-1 SHALLOW		Date Recvd: 12/17/2003 Sample Date: 12/16/2003				
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
Method	% Solids Determination	1	105799		12/29/2003	2140
3050B	Acid Digestion: Solids (ICAP)	1	105477		12/23/2003	1400
EDD	Electronic Data Deliverable	1				
3550B	Extraction Ultrasonic (PCBs)	1	105045		12/19/2003	0950
7471A	Mercury (CVAA) Solids	1	105789	105784	12/29/2003	1405
6010B	Metals Analysis (ICAP Trace)	1	106067	105477	12/30/2003	1726
6010B	Metals Analysis (ICAP Trace)	1	106019	105477	12/30/2003	1800
8082	PCB Analysis	1	105835	105045	12/26/2003	2217
7470/7471	SW846 Digestion (Hg)	1	105784		12/29/2003	1220
Lab ID: 223164-2 Client ID: SS-1 DEEP		Date Recvd: 12/17/2003 Sample Date: 12/16/2003				
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
Method	% Solids Determination	1	105799		12/29/2003	2140
3050B	Acid Digestion: Solids (ICAP)	1	105477		12/23/2003	1400
3550B	Extraction Ultrasonic (PCBs)	1	105045		12/19/2003	0950
7471A	Mercury (CVAA) Solids	1	105789	105784	12/29/2003	1414
6010B	Metals Analysis (ICAP Trace)	1	106067	105477	12/30/2003	1759
6010B	Metals Analysis (ICAP Trace)	1	106019	105477	12/30/2003	1831
8082	PCB Analysis	1	105835	105045	12/26/2003	2252
7470/7471	SW846 Digestion (Hg)	1	105784		12/29/2003	1220
Lab ID: 223164-3 Client ID: SS-2 SHALLOW		Date Recvd: 12/17/2003 Sample Date: 12/16/2003				
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
Method	% Solids Determination	1	105799		12/29/2003	2140
3050B	Acid Digestion: Solids (ICAP)	1	105477		12/23/2003	1400
3550B	Extraction Ultrasonic (PCBs)	1	105045		12/19/2003	0950
7471A	Mercury (CVAA) Solids	1	105789	105784	12/29/2003	1420
6010B	Metals Analysis (ICAP Trace)	1	106067	105477	12/30/2003	1835
6010B	Metals Analysis (ICAP Trace)	1	106019	105477	12/30/2003	1837
8082	PCB Analysis	1	105835	105045	12/27/2003	0039
7470/7471	SW846 Digestion (Hg)	1	105784		12/29/2003	1220
Lab ID: 223164-4 Client ID: SS-2 DEEP		Date Recvd: 12/17/2003 Sample Date: 12/16/2003				
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
Method	% Solids Determination	1	105799		12/29/2003	2140
3050B	Acid Digestion: Solids (ICAP)	1	105477		12/23/2003	1400
3550B	Extraction Ultrasonic (PCBs)	1	105045		12/19/2003	0950
7471A	Mercury (CVAA) Solids	1	105789	105784	12/29/2003	1422
6010B	Metals Analysis (ICAP Trace)	1	106067	105477	12/30/2003	1842
6010B	Metals Analysis (ICAP Trace)	1	106019	105477	12/30/2003	1843
8082	PCB Analysis	1	105835	105045	12/27/2003	0114
7470/7471	SW846 Digestion (Hg)	1	105784		12/29/2003	1220
Lab ID: 223164-5 Client ID: SS-3 SHALLOW		Date Recvd: 12/17/2003 Sample Date: 12/16/2003				
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
Method	% Solids Determination	1	105799		12/29/2003	2140
3050B	Acid Digestion: Solids (ICAP)	1	105477		12/23/2003	1400
3550B	Extraction Ultrasonic (PCBs)	1	105045		12/19/2003	0950
7471A	Mercury (CVAA) Solids	1	105789	105784	12/29/2003	1424
6010B	Metals Analysis (ICAP Trace)	1	106067	105477	12/30/2003	1849
6010B	Metals Analysis (ICAP Trace)	1	106019	105477	12/30/2003	1917
8082	PCB Analysis	1	105835	105045	12/27/2003	0150
7470/7471	SW846 Digestion (Hg)	1	105784		12/29/2003	1220
Lab ID: 223164-6 Client ID: SS-3 DEEP		Date Recvd: 12/17/2003 Sample Date: 12/16/2003				
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
Method	% Solids Determination	1	105799		12/29/2003	2140

STL Chicago is part of Severn Trent Laboratories, Inc.

L A B O R A T O R Y C H R O N I C L E

Job Number: 223164

Date: 12/31/2003

CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP			ATTN: David Brewer	
Lab ID: 223164-6	Client ID: SS-3 DEEP		Date Recvd: 12/17/2003	Sample Date: 12/16/2003		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
3050B	Acid Digestion: Solids (ICAP)	1	105477		12/23/2003	1400
3550B	Extraction Ultrasonic (PCBs)	1	105045		12/19/2003	0950
7471A	Mercury (CVAA) Solids	1	105789	105784	12/29/2003	1426
6010B	Metals Analysis (ICAP Trace)	1	106067	105477	12/30/2003	1856
6010B	Metals Analysis (ICAP Trace)	1	106019	105477	12/30/2003	1923
8082	PCB Analysis	1	105835	105045	12/27/2003	0336
7470/7471	SW846 Digestion (Hg)	1	105784		12/29/2003	2.00000
Lab ID: 223164-7	Client ID: SS-4 SHALLOW		Date Recvd: 12/17/2003	Sample Date: 12/16/2003		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
Method	% Solids Determination	1	105799		12/29/2003	2140
3050B	Acid Digestion: Solids (ICAP)	1	105477		12/23/2003	1400
3550B	Extraction Ultrasonic (PCBs)	1	105045		12/19/2003	0950
7471A	Mercury (CVAA) Solids	1	105789	105784	12/29/2003	1429
6010B	Metals Analysis (ICAP Trace)	1	106067	105477	12/30/2003	1902
6010B	Metals Analysis (ICAP Trace)	1	106019	105477	12/30/2003	1930
8082	PCB Analysis	1	105835	105045	12/27/2003	0411
7470/7471	SW846 Digestion (Hg)	1	105784		12/29/2003	2.00000
Lab ID: 223164-8	Client ID: SS-4 DEEP		Date Recvd: 12/17/2003	Sample Date: 12/16/2003		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
Method	% Solids Determination	1	105799		12/29/2003	2140
3050B	Acid Digestion: Solids (ICAP)	1	105477		12/23/2003	1400
3550B	Extraction Ultrasonic (PCBs)	1	105045		12/19/2003	0950
7471A	Mercury (CVAA) Solids	1	105789	105784	12/29/2003	1431
6010B	Metals Analysis (ICAP Trace)	1	106067	105477	12/30/2003	1909
6010B	Metals Analysis (ICAP Trace)	1	106019	105477	12/30/2003	1936
8082	PCB Analysis	1	105835	105045	12/27/2003	0447
7470/7471	SW846 Digestion (Hg)	1	105784		12/29/2003	1.00000
Lab ID: 223164-9	Client ID: SS-5 SHALLOW		Date Recvd: 12/17/2003	Sample Date: 12/16/2003		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
Method	% Solids Determination	1	105799		12/29/2003	2140
3050B	Acid Digestion: Solids (ICAP)	1	105477		12/23/2003	1400
3550B	Extraction Ultrasonic (PCBs)	1	105045		12/19/2003	0950
7471A	Mercury (CVAA) Solids	1	105789	105784	12/29/2003	1433
6010B	Metals Analysis (ICAP Trace)	1	106067	105477	12/30/2003	1916
6010B	Metals Analysis (ICAP Trace)	1	106019	105477	12/30/2003	1942
8082	PCB Analysis	1	105835	105045	12/27/2003	0522
7470/7471	SW846 Digestion (Hg)	1	105784		12/29/2003	2.00000
Lab ID: 223164-10	Client ID: SS-5 DEEP		Date Recvd: 12/17/2003	Sample Date: 12/16/2003		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
Method	% Solids Determination	1	105799		12/29/2003	2140
3050B	Acid Digestion: Solids (ICAP)	1	105477		12/23/2003	1400
3550B	Extraction Ultrasonic (PCBs)	1	105045		12/19/2003	0950
7471A	Mercury (CVAA) Solids	1	105789	105784	12/29/2003	1435
6010B	Metals Analysis (ICAP Trace)	1	106067	105477	12/30/2003	1922
6010B	Metals Analysis (ICAP Trace)	1	106019	105477	12/30/2003	1948
8082	PCB Analysis	1	105835	105045	12/27/2003	0557
7470/7471	SW846 Digestion (Hg)	1	105784		12/29/2003	1.00000
Lab ID: 223164-11	Client ID: SS-6 SHALLOW		Date Recvd: 12/17/2003	Sample Date: 12/16/2003		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
Method	% Solids Determination	1	105799		12/29/2003	2140

STL Chicago is part of Severn Trent Laboratories, Inc.

L A B O R A T O R Y C H R O N I C L E

Job Number: 223164

Date: 12/31/2003

CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP			ATTN: David Brewer	
Lab ID: 223164-11	Client ID: SS-6 SHALLOW		Date Recvd: 12/17/2003	Sample Date: 12/16/2003		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
3050B	Acid Digestion: Solids (ICAP)	1	105477	105784	12/23/2003 0950	1400
3550B	Extraction Ultrasonic (PCBs)	1	105045	105477	12/19/2003 1437	0950
7471A	Mercury (CVAA) Solids	1	105789	105784	12/29/2003 1437	1437
6010B	Metals Analysis (ICAP Trace)	1	106067	105477	12/30/2003 1929	1929
6010B	Metals Analysis (ICAP Trace)	1	106019	105477	12/30/2003 1955	1955
8082	PCB Analysis	1	105835	105045	12/27/2003 0633	1.000000
7470/7471	SW846 Digestion (Hg)	1	105784	105784	12/29/2003 1220	
Lab ID: 223164-12	Client ID: SS-6 DEEP		Date Recvd: 12/17/2003	Sample Date: 12/16/2003		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
Method	% Solids Determination	1	105799	105784	12/29/2003 2140	2140
3050B	Acid Digestion: Solids (ICAP)	1	105477	105477	12/23/2003 1400	1400
3550B	Extraction Ultrasonic (PCBs)	1	105045	105477	12/19/2003 0950	0950
7471A	Mercury (CVAA) Solids	1	105789	105784	12/29/2003 1439	1439
6010B	Metals Analysis (ICAP Trace)	1	106067	105477	12/30/2003 1936	1936
6010B	Metals Analysis (ICAP Trace)	1	106019	105477	12/30/2003 2001	2001
8082	PCB Analysis	1	105835	105045	12/27/2003 0708	1.000000
7470/7471	SW846 Digestion (Hg)	1	105784	105784	12/29/2003 1220	
Lab ID: 223164-13	Client ID: SS-7		Date Recvd: 12/17/2003	Sample Date: 12/16/2003		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
Method	% Solids Determination	1	105799	105784	12/29/2003 2140	2140
3050B	Acid Digestion: Solids (ICAP)	1	105477	105477	12/23/2003 1400	1400
3550B	Extraction Ultrasonic (PCBs)	1	105045	105477	12/19/2003 0950	0950
7471A	Mercury (CVAA) Solids	1	105789	105784	12/29/2003 1445	1445
6010B	Metals Analysis (ICAP Trace)	1	106019	105477	12/30/2003 2007	2007
6010B	Metals Analysis (ICAP Trace)	1	106067	105477	12/30/2003 2012	2012
8082	PCB Analysis	1	105835	105045	12/27/2003 0744	1.000000
7470/7471	SW846 Digestion (Hg)	1	105784	105784	12/29/2003 1220	
Lab ID: 223164-14	Client ID: SS-8		Date Recvd: 12/17/2003	Sample Date: 12/16/2003		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
Method	% Solids Determination	1	105799	105784	12/29/2003 2140	2140
3050B	Acid Digestion: Solids (ICAP)	1	105477	105477	12/23/2003 1400	1400
3550B	Extraction Ultrasonic (PCBs)	1	105045	105477	12/19/2003 0950	0950
7471A	Mercury (CVAA) Solids	1	105789	105784	12/29/2003 1447	1447
6010B	Metals Analysis (ICAP Trace)	1	106067	105477	12/30/2003 2019	5
6010B	Metals Analysis (ICAP Trace)	1	106067	105477	12/30/2003 2028	10
6010B	Metals Analysis (ICAP Trace)	1	106019	105477	12/30/2003 2041	5
6010B	Metals Analysis (ICAP Trace)	1	106019	105477	12/30/2003 2054	20
6010B	Metals Analysis (ICAP Trace)	1	106070	105477	12/31/2003 0925	20
8082	PCB Analysis	1	105835	105045	12/27/2003 0819	5.000000
7470/7471	SW846 Digestion (Hg)	1	105784	105784	12/29/2003 1220	
Lab ID: 223164-15	Client ID: SS-9		Date Recvd: 12/17/2003	Sample Date: 12/16/2003		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
Method	% Solids Determination	1	105799	105784	12/29/2003 2140	2140
3050B	Acid Digestion: Solids (ICAP)	1	105477	105477	12/23/2003 1400	1400
3550B	Extraction Ultrasonic (PCBs)	1	105045	105477	12/19/2003 0950	0950
7471A	Mercury (CVAA) Solids	1	105789	105784	12/29/2003 1449	1449
6010B	Metals Analysis (ICAP Trace)	1	106067	105477	12/30/2003 2050	
6010B	Metals Analysis (ICAP Trace)	1	106019	105477	12/30/2003 2109	
8082	PCB Analysis	1	105835	105045	12/27/2003 0854	1.000000
7470/7471	SW846 Digestion (Hg)	1	105784	105784	12/29/2003 1220	
Lab ID: 223164-16	Client ID: SS-10 SHALLOW		Date Recvd: 12/17/2003	Sample Date: 12/16/2003		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
Method	% Solids Determination	1	105799	105784	12/29/2003 2140	

STL Chicago is part of Severn Trent Laboratories, Inc.

L A B O R A T O R Y C H R O N I C L E

Job Number: 223164

Date: 12/31/2003

CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP				ATTN: David Brewer	
Lab ID: 223164-16	Client ID: SS-10 SHALLOW		Date Recvd:	12/17/2003	Sample Date:	12/16/2003	
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION	
3050B	Acid Digestion: Solids (ICAP)	1	105477		12/23/2003	1400	
3550B	Extraction Ultrasonic (PCBs)	1	105045		12/19/2003	0950	
7471A	Mercury (CVAA) Solids	1	105789	105784	12/29/2003	1452	
6010B	Metals Analysis (ICAP Trace)	1	106067	105477	12/30/2003	2057	
6010B	Metals Analysis (ICAP Trace)	1	106019	105477	12/30/2003	2115	
8082	PCB Analysis	1	105835	105045	12/27/2003	1005	5.00000
7470/7471	SW846 Digestion (Hg)	1	105784		12/29/2003	1220	
Lab ID: 223164-17	Client ID: SS-10 DEEP		Date Recvd:	12/17/2003	Sample Date:	12/16/2003	
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION	
Method	% Solids Determination	1	105799		12/29/2003	2140	
3050B	Acid Digestion: Solids (ICAP)	1	105477		12/23/2003	1400	
3550B	Extraction Ultrasonic (PCBs)	1	105045		12/19/2003	0950	
7471A	Mercury (CVAA) Solids	1	105789	105784	12/29/2003	1454	
6010B	Metals Analysis (ICAP Trace)	1	106067	105477	12/30/2003	2104	
6010B	Metals Analysis (ICAP Trace)	1	106019	105477	12/30/2003	2121	
8082	PCB Analysis	1	105835	105045	12/27/2003	1152	1.00000
7470/7471	SW846 Digestion (Hg)	1	105784		12/29/2003	1220	
Lab ID: 223164-18	Client ID: SS-11 SHALLOW		Date Recvd:	12/17/2003	Sample Date:	12/16/2003	
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION	
Method	% Solids Determination	1	105799		12/29/2003	2140	
3050B	Acid Digestion: Solids (ICAP)	1	105477		12/23/2003	1400	
3550B	Extraction Ultrasonic (PCBs)	1	105045		12/19/2003	0950	
7471A	Mercury (CVAA) Solids	1	105789	105784	12/29/2003	1456	
6010B	Metals Analysis (ICAP Trace)	1	106067	105477	12/30/2003	2110	
6010B	Metals Analysis (ICAP Trace)	1	106019	105477	12/30/2003	2127	
8082	PCB Analysis	1	105835	105045	12/27/2003	1041	1.00000
7470/7471	SW846 Digestion (Hg)	1	105784		12/29/2003	1220	
Lab ID: 223164-19	Client ID: SS-11 DEEP		Date Recvd:	12/17/2003	Sample Date:	12/16/2003	
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION	
Method	% Solids Determination	1	105799		12/29/2003	2140	
3050B	Acid Digestion: Solids (ICAP)	1	105477		12/23/2003	1400	
3550B	Extraction Ultrasonic (PCBs)	1	105045		12/19/2003	0950	
7471A	Mercury (CVAA) Solids	1	105789	105784	12/29/2003	1458	
6010B	Metals Analysis (ICAP Trace)	1	106067	105477	12/30/2003	2117	
6010B	Metals Analysis (ICAP Trace)	1	106019	105477	12/30/2003	2134	
8082	PCB Analysis	1	105835	105045	12/27/2003	1227	1.00000
7470/7471	SW846 Digestion (Hg)	1	105784		12/29/2003	1220	
Lab ID: 223164-20	Client ID: SS-12		Date Recvd:	12/17/2003	Sample Date:	12/16/2003	
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION	
Method	% Solids Determination	1	105799		12/29/2003	2140	
3050B	Acid Digestion: Solids (ICAP)	1	105477		12/23/2003	1400	
3550B	Extraction Ultrasonic (PCBs)	1	105045		12/19/2003	0950	
7471A	Mercury (CVAA) Solids	1	105789	105784	12/29/2003	1509	100
6010B	Metals Analysis (ICAP Trace)	1	106067	105477	12/30/2003	2124	
6010B	Metals Analysis (ICAP Trace)	1	106019	105477	12/30/2003	2140	
6010B	Metals Analysis (ICAP Trace)	1	106070	105477	12/31/2003	0939	100
8082	PCB Analysis	1	105835	105045	12/27/2003	1116	5.00000
7470/7471	SW846 Digestion (Hg)	1	105784		12/29/2003	1220	
Lab ID: 223164-21	Client ID: SS-13 SHALLOW		Date Recvd:	12/17/2003	Sample Date:	12/16/2003	
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION	
Method	% Solids Determination	1	105800		12/29/2003	2140	

STL Chicago is part of Severn Trent Laboratories, Inc.

L A B O R A T O R Y C H R O N I C L E

Job Number: 223164

Date: 12/31/2003

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN: David Brewer

Lab ID: 223164-21	Client ID: SS-13 SHALLOW	Date Recvd: 12/17/2003	Sample Date: 12/16/2003	
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S) DATE/TIME ANALYZED DILUTION
3050B	Acid Digestion: Solids (ICAP)	1	105475	12/23/2003 1400
3550B	Extraction Ultrasonic (PCBs)	1	105039	12/19/2003 0910
7471A	Mercury (CVAA) Solids	1	105779	12/29/2003 1552
6010B	Metals Analysis (ICAP Trace)	1	105896	12/30/2003 0434
6010B	Metals Analysis (ICAP Trace)	1	106023	12/30/2003 1514
8082	PCB Analysis	1	105835	12/27/2003 1413
7470/7471	SW846 Digestion (Hg)	1	105773	12/29/2003 1220 1.00000
Lab ID: 223164-22	Client ID: SS-13 DEEP	Date Recvd: 12/17/2003	Sample Date: 12/16/2003	
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S) DATE/TIME ANALYZED DILUTION
Method	% Solids Determination	1	105800	12/29/2003 2140
3050B	Acid Digestion: Solids (ICAP)	1	105475	12/23/2003 1400
3550B	Extraction Ultrasonic (PCBs)	1	105039	12/19/2003 0910
7471A	Mercury (CVAA) Solids	1	105779	12/29/2003 1554
6010B	Metals Analysis (ICAP Trace)	1	105896	12/30/2003 0440
6010B	Metals Analysis (ICAP Trace)	1	106023	12/30/2003 1521
8082	PCB Analysis	1	105835	12/27/2003 1449
7470/7471	SW846 Digestion (Hg)	1	105773	12/29/2003 1220 2.00000
Lab ID: 223164-23	Client ID: SS-14 SHALLOW	Date Recvd: 12/17/2003	Sample Date: 12/16/2003	
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S) DATE/TIME ANALYZED DILUTION
Method	% Solids Determination	1	105800	12/29/2003 2140
3050B	Acid Digestion: Solids (ICAP)	1	105475	12/23/2003 1400
3550B	Extraction Ultrasonic (PCBs)	1	105039	12/19/2003 0910
7471A	Mercury (CVAA) Solids	1	105779	12/29/2003 1557
6010B	Metals Analysis (ICAP Trace)	1	105896	12/30/2003 0447
6010B	Metals Analysis (ICAP Trace)	1	106023	12/30/2003 1528
8082	PCB Analysis	1	105835	12/27/2003 1524
7470/7471	SW846 Digestion (Hg)	1	105773	12/29/2003 1220 2.00000
Lab ID: 223164-24	Client ID: SS-14 DEEP	Date Recvd: 12/17/2003	Sample Date: 12/16/2003	
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S) DATE/TIME ANALYZED DILUTION
Method	% Solids Determination	1	105800	12/29/2003 2140
3050B	Acid Digestion: Solids (ICAP)	1	105475	12/23/2003 1400
3550B	Extraction Ultrasonic (PCBs)	1	105039	12/19/2003 0910
7471A	Mercury (CVAA) Solids	1	105779	12/29/2003 1559
6010B	Metals Analysis (ICAP Trace)	1	105896	12/30/2003 0453
6010B	Metals Analysis (ICAP Trace)	1	106023	12/30/2003 1642
8082	PCB Analysis	1	105835	12/27/2003 1600
7470/7471	SW846 Digestion (Hg)	1	105773	12/29/2003 1220 1.00000
Lab ID: 223164-25	Client ID: SS-15 SHALLOW	Date Recvd: 12/17/2003	Sample Date: 12/16/2003	
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S) DATE/TIME ANALYZED DILUTION
Method	% Solids Determination	1	105800	12/29/2003 2140
3050B	Acid Digestion: Solids (ICAP)	1	105475	12/23/2003 1400
3550B	Extraction Ultrasonic (PCBs)	1	105039	12/19/2003 0910
7471A	Mercury (CVAA) Solids	1	105779	12/29/2003 1617
6010B	Metals Analysis (ICAP Trace)	1	105896	12/30/2003 0525
6010B	Metals Analysis (ICAP Trace)	1	106023	12/30/2003 1649
8082	PCB Analysis	1	105835	12/27/2003 1635
7470/7471	SW846 Digestion (Hg)	1	105773	12/29/2003 1220 1.00000
Lab ID: 223164-26	Client ID: SS-15 DEEP	Date Recvd: 12/17/2003	Sample Date: 12/16/2003	
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S) DATE/TIME ANALYZED DILUTION
Method	% Solids Determination	1	105800	12/29/2003 2140

STL Chicago is part of Severn Trent Laboratories, Inc.

L A B O R A T O R Y C H R O N I C L E

Job Number: 223164

Date: 12/31/2003

CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer	
Lab ID: 223164-26	Client ID: SS-15 DEEP	Date Recvd:	12/17/2003	Sample Date:	12/16/2003
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED
3050B	Acid Digestion: Solids (ICAP)	1	105475		12/23/2003 1400
3550B	Extraction Ultrasonic (PCBs)	1	105039		12/19/2003 0910
7471A	Mercury (CVAA) Solids	1	105779	105773	12/29/2003 1619
6010B	Metals Analysis (ICAP Trace)	1	105896	105475	12/30/2003 0531
6010B	Metals Analysis (ICAP Trace)	1	106023	105475	12/30/2003 1655
8082	PCB Analysis	1	105835	105039	12/27/2003 1746
7470/7471	SW846 Digestion (Hg)	1	105773		12/29/2003 1220
Lab ID: 223164-27	Client ID: SS-16 SHALLOW	Date Recvd:	12/17/2003	Sample Date:	12/16/2003
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED
Method	% Solids Determination	1	105800		12/29/2003 2140
3050B	Acid Digestion: Solids (ICAP)	1	105475		12/23/2003 1400
3550B	Extraction Ultrasonic (PCBs)	1	105039		12/19/2003 0910
7471A	Mercury (CVAA) Solids	1	105779	105773	12/29/2003 1621
6010B	Metals Analysis (ICAP Trace)	1	105896	105475	12/30/2003 0538
6010B	Metals Analysis (ICAP Trace)	1	106023	105475	12/30/2003 1702
8082	PCB Analysis	1	105835	105039	12/27/2003 1821
7470/7471	SW846 Digestion (Hg)	1	105773		12/29/2003 1220
Lab ID: 223164-28	Client ID: SS-16 DEEP	Date Recvd:	12/17/2003	Sample Date:	12/16/2003
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED
Method	% Solids Determination	1	105800		12/29/2003 2140
3050B	Acid Digestion: Solids (ICAP)	1	105475		12/23/2003 1400
3550B	Extraction Ultrasonic (PCBs)	1	105039		12/19/2003 0910
7471A	Mercury (CVAA) Solids	1	105779	105773	12/29/2003 1623
6010B	Metals Analysis (ICAP Trace)	1	105896	105475	12/30/2003 0544
6010B	Metals Analysis (ICAP Trace)	1	106023	105475	12/30/2003 1709
8082	PCB Analysis	1	105835	105039	12/27/2003 1857
7470/7471	SW846 Digestion (Hg)	1	105773		12/29/2003 1220
Lab ID: 223164-29	Client ID: SS-17	Date Recvd:	12/17/2003	Sample Date:	12/16/2003
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED
Method	% Solids Determination	1	105800		12/29/2003 2140
3050B	Acid Digestion: Solids (ICAP)	1	105475		12/23/2003 1400
3550B	Extraction Ultrasonic (PCBs)	1	105039		12/19/2003 0910
7471A	Mercury (CVAA) Solids	1	105779	105773	12/29/2003 1626
6010B	Metals Analysis (ICAP Trace)	1	105896	105475	12/30/2003 0550
6010B	Metals Analysis (ICAP Trace)	1	106067	105475	12/30/2003 1652
6010B	Metals Analysis (ICAP Trace)	1	106023	105475	12/30/2003 1715
8082	PCB Analysis	1	105835	105039	12/27/2003 1932
7470/7471	SW846 Digestion (Hg)	1	105773		12/29/2003 1220
Lab ID: 223164-30	Client ID: SS-18	Date Recvd:	12/17/2003	Sample Date:	12/16/2003
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED
Method	% Solids Determination	1	105800		12/29/2003 2140
3050B	Acid Digestion: Solids (ICAP)	1	105475		12/23/2003 1400
3550B	Extraction Ultrasonic (PCBs)	1	105039		12/19/2003 0910
7471A	Mercury (CVAA) Solids	1	105779	105773	12/29/2003 1628
6010B	Metals Analysis (ICAP Trace)	1	105896	105475	12/30/2003 0556
6010B	Metals Analysis (ICAP Trace)	1	106023	105475	12/30/2003 1722
6010B	Metals Analysis (ICAP Trace)	1	106023	105475	12/30/2003 1736
8082	PCB Analysis	1	105835	105039	12/27/2003 2008
7470/7471	SW846 Digestion (Hg)	1	105773		12/29/2003 1220

STL Chicago is part of Severn Trent Laboratories, Inc.

S U R R O G A T E R E C O V E R I E S R E P O R T

Job Number.: 223164

Report Date.: 12/31/2003

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN: David Brewer

Method.....: PCB Analysis
Method Code...: 8082

Test Matrix...: Solid
Batch(s).....: 105835

Prep Batch..: 105039

Lab ID	DT	Sample ID	Date	DCB	TCX
LCS			12/27/2003	103	96
MB			12/27/2003	102	96
223164- 21		SS-13 SHALLOW	12/27/2003	84	74
223164- 22		SS-13 DEEP	12/27/2003	91	78
223164- 23		SS-14 SHALLOW	12/27/2003	92	82
223164- 24		SS-14 DEEP	12/27/2003	99	95
223164- 25		SS-15 SHALLOW	12/27/2003	96	87
223164- 26		SS-15 DEEP	12/27/2003	102	90
223164- 27		SS-16 SHALLOW	12/27/2003	40	36*
223164- 28		SS-16 DEEP	12/27/2003	100	94
223164- 29		SS-17	12/27/2003	0 D 0 D	
223164- 30		SS-18	12/27/2003	130*	118*
223164- 30 MS		SS-18	12/27/2003	92	82
223164- 30 MSD		SS-18	12/27/2003	100	93

Test	Test Description	Limits
DCB	Decachlorobiphenyl (surr)	24 - 129
TCX	Tetrachloro-m-xylene (surr)	40 - 116

Method.....: PCB Analysis
Method Code...: 8082

Test Matrix...: Solid
Batch(s).....: 105835

Prep Batch..: 105045

Lab ID	DT	Sample ID	Date	DCB	TCX
LCS			12/26/2003	96	87
MB			12/26/2003	94	87
223164- 1		SS-1 SHALLOW	12/26/2003	88	83
223164- 2		SS-1 DEEP	12/26/2003	99	89
223164- 2 MS		SS-1 DEEP	12/26/2003	89	84
223164- 2 MSD		SS-1 DEEP	12/27/2003	90	85
223164- 3		SS-2 SHALLOW	12/27/2003	99	89
223164- 4		SS-2 DEEP	12/27/2003	96	93
223164- 5		SS-3 SHALLOW	12/27/2003	96	85
223164- 6		SS-3 DEEP	12/27/2003	96	82
223164- 7		SS-4 SHALLOW	12/27/2003	105	86
223164- 8		SS-4 DEEP	12/27/2003	96	87
223164- 9		SS-5 SHALLOW	12/27/2003	106	82
223164- 10		SS-5 DEEP	12/27/2003	100	93
223164- 11		SS-6 SHALLOW	12/27/2003	101	91
223164- 12		SS-6 DEEP	12/27/2003	94	86
223164- 13		SS-7	12/27/2003	98	91
223164- 14		SS-8	12/27/2003	113	95
223164- 15		SS-9	12/27/2003	103	92
223164- 16		SS-10 SHALLOW	12/27/2003	112	85
223164- 17		SS-10 DEEP	12/27/2003	96	85
223164- 18		SS-11 SHALLOW	12/27/2003	115	102
223164- 19		SS-11 DEEP	12/27/2003	93	82
223164- 20		SS-12	12/27/2003	112	75

Test	Test Description	Limits
DCB	Decachlorobiphenyl (surr)	24 - 129
TCX	Tetrachloro-m-Xylene (surr)	40 - 116

QUALITY CONTROL RESULTS

Job Number.: 223164

Report Date.: 12/31/2003

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN: David Brewer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8082
Method Description.: PCB AnalysisEquipment Code....: INST4142
Batch.....: 105835

Analyst...: mgk

LCS	Laboratory Control Sample	003LWPCBA		105045-002			12/26/2003	2142	
Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Aroclor 1016, Solid	ug/Kg	126.197		166.700	2.900	U 76	%	63-106	
Aroclor 1260, Solid	ug/Kg	151.573		167.000	2.500	U 91	%	68-105	

QUALITY CONTROL RESULTS

Job Number.: 223164

Report Date.: 12/31/2003

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8082
Method Description.: PCB AnalysisEquipment Code....: INST4142
Batch.....: 105835

Analyst...: mgk

LCS	Laboratory Control Sample	003LWLPCBA	105039-002			12/27/2003	1338		
Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Aroclor 1016, Solid	ug/Kg	136.683		166.700	2.900	U 82	%	63-106	
Aroclor 1260, Solid	ug/Kg	161.343		167.000	2.500	U 97	%	68-105	

QUALITY CONTROL RESULTS

Job Number.: 223164

Report Date.: 12/31/2003

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8082
Method Description.: PCB Analysis

Equipment Code.....: INST4142
Batch.....: 105835

Analyst...: mgk

MB	Method Blank			105045-001			12/26/2003 2106	
Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Aroclor 1016, Solid	ug/Kg	2.900	U					
Aroclor 1221, Solid	ug/Kg	6.700	U					
Aroclor 1232, Solid	ug/Kg	3.000	U					
Aroclor 1242, Solid	ug/Kg	6.300	U					
Aroclor 1248, Solid	ug/Kg	2.300	U					
Aroclor 1254, Solid	ug/Kg	2.700	U					
Aroclor 1260, Solid	ug/Kg	2.500	U					

QUALITY CONTROL RESULTS

Job Number.: 223164

Report Date.: 12/31/2003

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8082
Method Description.: PCB AnalysisEquipment Code....: INST4142
Batch.....: 105835

Analyst...: mgk

MB	Method Blank			105039-001			12/27/2003	1302	F
Parameter/Test Description		Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	
Aroclor 1016, Solid		ug/Kg	2.900	U					
Aroclor 1221, Solid		ug/Kg	6.700	U					
Aroclor 1232, Solid		ug/Kg	3.000	U					
Aroclor 1242, Solid		ug/Kg	6.300	U					
Aroclor 1248, Solid		ug/Kg	2.300	U					
Aroclor 1254, Solid		ug/Kg	2.700	U					
Aroclor 1260, Solid		ug/Kg	2.500	U					

QUALITY CONTROL RESULTS

Job Number.: 223164

Report Date.: 12/31/2003

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8082
 Method Description.: PCB Analysis

Equipment Code....: INST4142
 Batch.....: 105835

Analyst...: mgk

MS	Matrix Spike	003LWLPCBA	223164-2			12/26/2003	2328			
Parameter/Test Description		Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Aroclor 1016, Solid		ug/Kg	158.000		203.200	3.535	U	78	%	63-106
Aroclor 1260, Solid		ug/Kg	193.334		203.600	22.144		84	%	68-105

QUALITY CONTROL RESULTS

Job Number.: 223164

Report Date.: 12/31/2003

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8082
Method Description.: PCB AnalysisEquipment Code....: INST4142
Batch.....: 105835

Analyst...: mgk

MS	Matrix Spike	003LWPCBA	223164-30	2.00000	12/27/2003	2043	*	Limits	F
Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*		
Aroclor 1016, Solid	ug/Kg	312.993		334.400	11.635	U 187	%	63-106	*
Aroclor 1260, Solid	ug/Kg	259.745		335.000	146.103	68	%	68-105	

QUALITY CONTROL RESULTS

Job Number.: 223164

Report Date.: 12/31/2003

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8082
Method Description.: PCB AnalysisEquipment Code....: INST4142
Batch.....: 105835

Analyst...: mgk

MSD	Matrix Spike Duplicate	003LWLPCBA	223164-2			12/27/2003	0003	
	Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits F
Aroclor 1016, Solid	ug/Kg	162.865	158.000	206.200	3.590	U 79	% 63-106	
Aroclor 1260, Solid	ug/Kg	201.477	193.334	206.600	22.144	1 87	R 30 % 68-105	
						4	R 30	

QUALITY CONTROL RESULTS

Job Number.: 223164

Report Date.: 12/31/2003

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8082
Method Description.: PCB AnalysisEquipment Code....: INST4142
Batch.....: 105835

Analyst...: mgk

MSD	Matrix Spike Duplicate	O03LWPCBA	223164-30	2.00000	12/27/2003	2118	*	Limits	F
Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*		
Aroclor 1016, Solid	ug/Kg	300.922	312.993	334.000	11.623	U 180	%	63-106	*
Aroclor 1260, Solid	ug/Kg	253.796	259.745	334.600	146.103	4 64 6	R	30 68-105	*

QUALITY CONTROL RESULTS

Job Number.: 223164

Report Date.: 12/31/2003

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN: David Brewer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B

Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4

Batch.....: 105896

Analyst...: tds

LCS	Laboratory Control Sample	M03LSPK002	105475-002			12/30/2003	0235	F	
Parameter/Test Description		Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits
Aluminum, Solid	mg/Kg	187.56		200.00	2.40	U 94		%	80-120
Antimony, Solid	mg/Kg	45.88		50.00	0.90	U 92		%	80-120
Arsenic, Solid	mg/Kg	9.24		10.00	0.51	U 92		%	80-120
Barium, Solid	mg/Kg	188.26		200.00	0.16	U 94		%	80-120
Beryllium, Solid	mg/Kg	4.64		5.00	0.04	U 93		%	80-120
Cadmium, Solid	mg/Kg	4.57		5.00	0.08	U 91		%	80-120
Calcium, Solid	mg/Kg	949.00		1000.00	5.63	B 95		%	80-120
Chromium, Solid	mg/Kg	18.90		20.00	0.22	U 94		%	80-120
Cobalt, Solid	mg/Kg	46.41		50.00	0.14	U 93		%	80-120
Copper, Solid	mg/Kg	24.06		25.00	0.90	U 96		%	80-120
Iron, Solid	mg/Kg	91.54		100.00	3.00	U 92		%	80-120
Magnesium, Solid	mg/Kg	932.25		1000.00	1.70	U 93		%	80-120
Manganese, Solid	mg/Kg	48.23		50.00	0.13	U 96		%	80-120
Nickel, Solid	mg/Kg	46.21		50.00	0.25	U 92		%	80-120
Potassium, Solid	mg/Kg	834.51		1000.00	13.80	U 83		%	80-120
Silver, Solid	mg/Kg	4.54		5.00	0.31	U 91		%	80-120
Sodium, Solid	mg/Kg	898.02		1000.00	86.70	U 90		%	80-120
Thallium, Solid	mg/Kg	10.04		10.00	0.66	U 100		%	80-120
Zinc, Solid	mg/Kg	45.32		50.00	0.40	U 91		%	80-120

LCS	Laboratory Control Sample	M03LSPK002	105382-002			12/30/2003	0656	F	
Parameter/Test Description		Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits
Calcium, Solid	mg/Kg	954.77		1000.00	5.72	B 95		%	80-120
Copper, Solid	mg/Kg	24.19		25.00	0.90	U 97		%	80-120
Magnesium, Solid	mg/Kg	944.84		1000.00	1.70	U 94		%	80-120
Sodium, Solid	mg/Kg	906.37		1000.00	86.70	U 91		%	80-120

Job Number.: 223164

QUALITY CONTROL RESULTS

Report Date.: 12/31/2003

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4
Batch.....: 105896

Analyst...: tds

MB Method Blank 105475 105475-001 12/30/2003 0229

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Aluminum, Solid	mg/Kg	2.40	U					
Antimony, Solid	mg/Kg	0.90	U					
Arsenic, Solid	mg/Kg	0.51	U					
Barium, Solid	mg/Kg	0.16	U					
Beryllium, Solid	mg/Kg	0.04	U					
Cadmium, Solid	mg/Kg	0.08	U					
Calcium, Solid	mg/Kg	5.63	B					
Chromium, Solid	mg/Kg	0.22	U					
Cobalt, Solid	mg/Kg	0.14	U					
Copper, Solid	mg/Kg	0.90	U					
Iron, Solid	mg/Kg	3.00	U					
Magnesium, Solid	mg/Kg	1.70	U					
Manganese, Solid	mg/Kg	0.13	U					
Nickel, Solid	mg/Kg	0.25	U					
Potassium, Solid	mg/Kg	13.80	U					
Silver, Solid	mg/Kg	0.31	U					
Sodium, Solid	mg/Kg	86.70	U					
Thallium, Solid	mg/Kg	0.66	U					
Zinc, Solid	mg/Kg	0.40	U					

MB Method Blank 105382 105382-001 12/30/2003 0649

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Calcium, Solid	mg/Kg	5.72	B					
Copper, Solid	mg/Kg	0.90	U					
Magnesium, Solid	mg/Kg	1.70	U					
Sodium, Solid	mg/Kg	86.70	U					

QUALITY CONTROL RESULTS

Job Number.: 223164

Report Date.: 12/31/2003

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B

Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4

Batch.....: 106019

Analyst...: tds

Test Method.....: 6010B	Equipment Code....: ICP4	Analyst...: tds
Method Description.: Metals Analysis (ICAP Trace)	Batch.....: 106019	

LCS	Laboratory Control Sample	M03LSPK002		105879-002		12/30/2003	1523	
Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Arsenic, Diss.	mg/L	0.09896		0.10000	0.00520	U 99	% 80-120	
Sodium, Diss.	mg/L	9.24233		10.00000	0.49500	U 92	% 80-120	

LCS	Laboratory Control Sample	M03LSPK002		105477-002		12/30/2003	1753	
Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Aluminum, Solid	mg/Kg	185.50		200.00	2.40	U 93	% 80-120	
Antimony, Solid	mg/Kg	44.69		50.00	0.90	U 89	% 80-120	
Arsenic, Solid	mg/Kg	9.29		10.00	0.51	U 93	% 80-120	
Barium, Solid	mg/Kg	184.48		200.00	0.16	U 92	% 80-120	
Beryllium, Solid	mg/Kg	4.64		5.00	0.04	U 93	% 80-120	
Cadmium, Solid	mg/Kg	4.57		5.00	0.08	U 91	% 80-120	
Calcium, Solid	mg/Kg	941.88		1000.00	5.57	B 94	% 80-120	
Chromium, Solid	mg/Kg	18.94		20.00	0.22	U 95	% 80-120	
Cobalt, Solid	mg/Kg	46.43		50.00	0.14	U 93	% 80-120	
Copper, Solid	mg/Kg	23.39		25.00	0.90	U 94	% 80-120	
Iron, Solid	mg/Kg	103.21		100.00	3.00	U 103	% 80-120	
Lead, Solid	mg/Kg	9.82		10.00	0.43	U 98	% 80-120	
Magnesium, Solid	mg/Kg	926.52		1000.00	1.70	U 93	% 80-120	
Manganese, Solid	mg/Kg	48.11		50.00	0.13	U 96	% 80-120	
Nickel, Solid	mg/Kg	46.25		50.00	0.25	U 93	% 80-120	
Selenium, Solid	mg/Kg	8.82		10.00	0.40	U 88	% 80-120	
Silver, Solid	mg/Kg	4.51		5.00	0.31	U 90	% 80-120	
Sodium, Solid	mg/Kg	882.59		1000.00	86.70	U 88	% 80-120	
Thallium, Solid	mg/Kg	10.32		10.00	0.66	U 103	% 80-120	
Zinc, Solid	mg/Kg	46.02		50.00	0.40	U 92	% 80-120	

QUALITY CONTROL RESULTS

Job Number.: 223164

Report Date.: 12/31/2003

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B

Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4

Batch.....: 106019

Analyst...: tds

MB	Method Blank	105879	105879-001			12/30/2003	1517
----	--------------	--------	------------	--	--	------------	------

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Arsenic, Diss.	mg/L	0.00520	U					
Sodium, Diss.	mg/L	0.49500	U					

MB	Method Blank	105477	105477-001			12/30/2003	1747
----	--------------	--------	------------	--	--	------------	------

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Aluminum, Solid	mg/Kg	2.40	U					
Antimony, Solid	mg/Kg	0.90	U					
Arsenic, Solid	mg/Kg	0.51	U					
Barium, Solid	mg/Kg	0.16	U					
Beryllium, Solid	mg/Kg	0.04	U					
Cadmium, Solid	mg/Kg	0.08	U					
Calcium, Solid	mg/Kg	5.57	B					
Chromium, Solid	mg/Kg	0.22	U					
Cobalt, Solid	mg/Kg	0.14	U					
Copper, Solid	mg/Kg	0.90	U					
Iron, Solid	mg/Kg	3.00	U					
Lead, Solid	mg/Kg	0.43	U					
Magnesium, Solid	mg/Kg	1.70	U					
Manganese, Solid	mg/Kg	0.13	U					
Nickel, Solid	mg/Kg	0.25	U					
Selenium, Solid	mg/Kg	0.40	U					
Silver, Solid	mg/Kg	0.31	U					
Sodium, Solid	mg/Kg	86.70	U					
Thallium, Solid	mg/Kg	0.66	U					
Zinc, Solid	mg/Kg	0.40	U					

QUALITY CONTROL RESULTS

Job Number.: 223164

Report Date.: 12/31/2003

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B

Equipment Code....: ICP4

Analyst...: tds

Method Description.: Metals Analysis (ICAP Trace)

Batch.....: 106019

MD	Method Duplicate			223164-1			12/30/2003	1812	F
Parameter/Test Description		Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	
Aluminum, Solid		mg/Kg	9715.69			9749.22	0.3	R 20.0	
Antimony, Solid		mg/Kg	1.05	U		1.10	B 0.51	A 2.34	
Arsenic, Solid		mg/Kg	4.60			4.74	0.14	A 1.17	
Barium, Solid		mg/Kg	94.11			95.13	1.1	R 20.0	
Beryllium, Solid		mg/Kg	0.77			0.77	0.00	A 0.47	
Cadmium, Solid		mg/Kg	0.09	U		0.09	U 0	A 0.23	
Calcium, Solid		mg/Kg	2942.54			3051.11	3.6	R 20.0	
Chromium, Solid		mg/Kg	16.76			19.86	17.0	R 20.0	
Cobalt, Solid		mg/Kg	6.31			3.94	46.2	R 20.0	*
Copper, Solid		mg/Kg	10.27			11.06	7.4	R 20.0	
Iron, Solid		mg/Kg	11464.69			12103.63	5.4	R 20.0	
Lead, Solid		mg/Kg	12.06			163.37	172.5	R 20.0	
Magnesium, Solid		mg/Kg	2516.24			2522.99	0.3	R 20.0	
Manganese, Solid		mg/Kg	87.35			71.54	19.9	R 20.0	
Nickel, Solid		mg/Kg	9.95			10.12	1.7	R 20.0	
Selenium, Solid		mg/Kg	0.47	U		0.47	U 0.01	A 1.17	
Silver, Solid		mg/Kg	0.36	U		0.36	U 0	A 0.58	
Sodium, Solid		mg/Kg	210.84			230.61	19.76	A 116.81	
Thallium, Solid		mg/Kg	0.77	U		0.77	U 0.25	A 1.17	
Zinc, Solid		mg/Kg	32.69			70.56	73.3	R 20.0	*

QUALITY CONTROL RESULTS

Job Number.: 223164

Report Date.: 12/31/2003

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B

Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4

Batch.....: 106019

Analyst...: tds

MS	Matrix Spike		M03LSPK002	223164-1			12/30/2003	1818		
Parameter/Test Description		Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Aluminum, Solid		mg/Kg	13860.54		222.40	9749.22	1849	%	75-125	4
Antimony, Solid		mg/Kg	23.94		55.60	1.10	B 43	%	75-125	N
Arsenic, Solid		mg/Kg	14.31		11.12	4.74	86	%	75-125	
Barium, Solid		mg/Kg	287.35		222.40	95.13	86	%	75-125	
Beryllium, Solid		mg/Kg	5.63		5.56	0.77	87	%	75-125	
Cadmium, Solid		mg/Kg	4.27		5.56	0.09	U 77	%	75-125	
Calcium, Solid		mg/Kg	4004.25		1112.00	3051.11	86	%	75-125	
Chromium, Solid		mg/Kg	39.85		22.24	19.86	90	%	75-125	
Cobalt, Solid		mg/Kg	51.72		55.60	3.94	86	%	75-125	
Copper, Solid		mg/Kg	34.96		27.80	11.06	86	%	75-125	
Iron, Solid		mg/Kg	13499.45		111.20	12103.63	1255	%	75-125	4
Lead, Solid		mg/Kg	24.01		11.12	163.37	-1253	%	75-125	4
Magnesium, Solid		mg/Kg	3836.10		1112.00	2522.99	118	%	75-125	
Manganese, Solid		mg/Kg	137.95		55.60	71.54	119	%	75-125	
Nickel, Solid		mg/Kg	56.39		55.60	10.12	83	%	75-125	
Selenium, Solid		mg/Kg	8.43		11.12	0.44	U 76	%	75-125	
Silver, Solid		mg/Kg	4.51		5.56	0.34	U 81	%	75-125	
Sodium, Solid		mg/Kg	1176.01		1112.00	230.61	85	%	75-125	
Thallium, Solid		mg/Kg	10.36		11.12	0.73	U 93	%	75-125	
Zinc, Solid		mg/Kg	155.03		55.60	70.56	152	%	75-125	N

QUALITY CONTROL RESULTS

Job Number.: 223164

Report Date.: 12/31/2003

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B Method Description.: Metals Analysis (ICAP Trace)	Equipment Code....: ICP4 Batch.....: 106019	Analyst...: tds
--	--	-----------------

MSD	Matrix Spike Duplicate	M03LSPK002	223164-1			12/30/2003	1824	
Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Aluminum, Solid	mg/Kg	14328.95	13860.54	236.00	9749.22	1941 4.9	% 75-125 R 20	4
Antimony, Solid	mg/Kg	24.32	23.94	59.00	1.10	B 41 4.8	% 75-125 R 20	
Arsenic, Solid	mg/Kg	13.58	14.31	11.80	4.74	75 13.7	% 75-125 R 20	
Barium, Solid	mg/Kg	304.67	287.35	236.00	95.13	89 3.4	% 75-125 R 20	
Beryllium, Solid	mg/Kg	5.93	5.63	5.90	0.77	87 0.0	% 75-125 R 20	
Cadmium, Solid	mg/Kg	4.65	4.27	5.90	0.09	U 79 2.6	% 75-125 R 20	
Calcium, Solid	mg/Kg	4196.46	4004.25	1180.00	3051.11	97 12.0	% 75-125 R 20	
Chromium, Solid	mg/Kg	44.02	39.85	23.60	19.86	102 12.5	% 75-125 R 20	
Cobalt, Solid	mg/Kg	53.24	51.72	59.00	3.94	84 2.4	% 75-125 R 20	
Copper, Solid	mg/Kg	36.47	34.96	29.50	11.06	86 0.0	% 75-125 R 20	
Iron, Solid	mg/Kg	13160.09	13499.45	118.00	12103.63	895 33.5	% 75-125 R 20	4
Lead, Solid	mg/Kg	45.03	24.01	11.80	163.37	-1003 -22.2	% 75-125 R 20	4
Magnesium, Solid	mg/Kg	3999.39	3836.10	1180.00	2522.99	125 5.8	% 75-125 R 20	
Manganese, Solid	mg/Kg	130.52	137.95	59.00	71.54	100 17.4	% 75-125 R 20	
Nickel, Solid	mg/Kg	59.60	56.39	59.00	10.12	84 1.2	% 75-125 R 20	
Selenium, Solid	mg/Kg	9.33	8.43	11.80	0.47	U 79 3.9	% 75-125 R 20	
Silver, Solid	mg/Kg	4.78	4.51	5.90	0.37	U 81 0.0	% 75-125 R 20	
Sodium, Solid	mg/Kg	1259.33	1176.01	1180.00	230.61	87 2.3	% 75-125 R 20	
Thallium, Solid	mg/Kg	11.02	10.36	11.80	0.78	U 93 0.0	% 75-125 R 20	
Zinc, Solid	mg/Kg	357.88	155.03	59.00	70.56	487 104.9	% 75-125 R 20	N*

QUALITY CONTROL RESULTS

Job Number.: 223164

Report Date.: 12/31/2003

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B Method Description.: Metals Analysis (ICAP Trace)	Equipment Code....: ICP4 Batch.....: 106019	Analyst...: tds
--	--	-----------------

SD	Serial Dilution	Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
		Aluminum, Solid	mg/Kg	2078.26			9749.22	6.6	D 10.0	
		Antimony, Solid	mg/Kg	1.06	U		1.10	B		
		Arsenic, Solid	mg/Kg	1.08	B		4.74			
		Barium, Solid	mg/Kg	20.42			95.13	7.3	D 10.0	
		Beryllium, Solid	mg/Kg	0.17	B		0.77			
		Cadmium, Solid	mg/Kg	0.09	U		0.09	U		
		Calcium, Solid	mg/Kg	665.22			3051.11	9.0	D 10.0	
		Chromium, Solid	mg/Kg	4.33			19.86	9.1	D 10.0	
		Cobalt, Solid	mg/Kg	0.85			3.94			
		Copper, Solid	mg/Kg	2.44			11.06			
		Iron, Solid	mg/Kg	2663.69			12103.63	10.0	D 10.0	
		Lead, Solid	mg/Kg	36.22			163.37	10.9	D 10.0	E
		Magnesium, Solid	mg/Kg	553.19			2522.99	9.6	D 10.0	
		Manganese, Solid	mg/Kg	15.62			71.54	9.2	D 10.0	
		Nickel, Solid	mg/Kg	2.23			10.12			
		Selenium, Solid	mg/Kg	0.47	U		0.47	U		
		Silver, Solid	mg/Kg	0.36	U		0.36	U		
		Sodium, Solid	mg/Kg	101.93	U		230.61			
		Thallium, Solid	mg/Kg	0.78	U		0.78	U		
		Zinc, Solid	mg/Kg	16.15			70.56	14.5	D 10.0	E

QUALITY CONTROL RESULTS

Job Number.: 223164

Report Date.: 12/31/2003

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B

Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP5

Batch.....: 106023

Analyst...: tds

LCS	Laboratory Control Sample		M03LSPK002	105475-002		12/30/2003	1307		
Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Lead, Solid	mg/Kg	9.90		10.00	0.43	U 99	%	80-120	
Selenium, Solid	mg/Kg	8.68		10.00	0.40	U 87	%	80-120	
Vanadium, Solid	mg/Kg	47.79		50.00	0.21	U 96	%	80-120	

QUALITY CONTROL RESULTS

Job Number.: 223164

Report Date.: 12/31/2003

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B

Equipment Code....: ICP5

Analyst...: tds

Method Description.: Metals Analysis (ICAP Trace)

Batch.....: 106023

MB	Method Blank	105475	105475-001		12/30/2003	1300
----	--------------	--------	------------	--	------------	------

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Lead, Solid	mg/Kg	0.43	U						
Selenium, Solid	mg/Kg	0.40	U						
Vanadium, Solid	mg/Kg	0.21	U						

QUALITY CONTROL RESULTS

Job Number.: 223164

Report Date.: 12/31/2003

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B

Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP3

Batch.....: 106067

Analyst...: tds

LCS	Laboratory Control Sample	M03LSPK002		105477-002		12/30/2003	1719		
Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Potassium, Solid	mg/Kg	804.88		1000.00	13.80	U 80	%	80-120	
Vanadium, Solid	mg/Kg	45.04		50.00	0.21	U 90	%	80-120	

QUALITY CONTROL RESULTS

Job Number.: 223164

Report Date.: 12/31/2003

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B

Equipment Code....: ICP3

Analyst...: tds

Method Description.: Metals Analysis (ICAP Trace)

Batch.....: 106067

MB	Method Blank		105477	105477-001		12/30/2003	1712		
Parameter/Test Description		Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Potassium, Solid		mg/Kg	13.80	U					
Vanadium, Solid		mg/Kg	0.21	U					

QUALITY CONTROL RESULTS

Job Number.: 223164

Report Date.: 12/31/2003

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B

Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP3

Batch.....: 106067

Analyst...: tds

MD	Method Duplicate			223164-1			12/30/2003	1739
Parameter/Test Description		Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits F
Potassium, Solid		mg/Kg	504.28			505.36	0.2	R 20.0
Vanadium, Solid		mg/Kg	25.74			25.37	1.4	R 20.0

QUALITY CONTROL RESULTS

Job Number.: 223164

Report Date.: 12/31/2003

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B

Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP3

Batch.....: 106067

Analyst...: tds

MS	Matrix Spike	M03LSPK002	223164-1		12/30/2003	1746			
Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Potassium, Solid	mg/Kg	1608.31		1112.00	505.36	99	%	75-125	
Vanadium, Solid	mg/Kg	78.98		55.60	25.37	96	%	75-125	

QUALITY CONTROL RESULTS

Job Number.: 223164

Report Date.: 12/31/2003

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B Method Description.: Metals Analysis (ICAP Trace)	Equipment Code....: ICP3 Batch.....: 106067	Analyst...: tds
--	--	-----------------

MSD	Matrix Spike Duplicate	M03LSPK002		223164-1		12/30/2003	1753	F
Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits
Potassium, Solid	mg/Kg	1737.44	1608.31	1180.00	505.36	104	%	75-125
Vanadium, Solid	mg/Kg	79.31	78.98	59.00	25.37	4.9 91	R 20	% 75-125

QUALITY CONTROL RESULTS

Job Number.: 223164

Report Date.: 12/31/2003

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B

Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP3

Batch.....: 106067

Analyst...: tds

SD	Serial Dilution	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Potassium, Solid	mg/Kg	111.23			505.36				
Vanadium, Solid	mg/Kg	5.46		25.37	7.6	D 10.0			

QUALITY CONTROL RESULTS

Job Number.: 223164

Report Date.: 12/31/2003

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B

Equipment Code....: ICP3

Analyst...: tds

Method Description.: Metals Analysis (ICAP Trace)

Batch.....: 106070

LCS	Laboratory Control Sample	M03LSPK002	105579-002		12/31/2003	0133
-----	---------------------------	------------	------------	--	------------	------

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Lead	mg/L	0.09569		0.10000	0.00290	U 96	%	80-120	

LCS	Laboratory Control Sample	M03LSPK002	105710-002		12/31/2003	0556
-----	---------------------------	------------	------------	--	------------	------

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Lead	mg/L	0.09800		0.10000	0.00290	U 98	%	80-120	

QUALITY CONTROL RESULTS

Job Number.: 223164

Report Date.: 12/31/2003

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B

Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP3

Batch.....: 106070

Analyst...: tds

MB	Method Blank	105579	105579-001		12/31/2003	0126
----	--------------	--------	------------	--	------------	------

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Lead	mg/L	0.00290	U					

MB	Method Blank	105710	105710-001		12/31/2003	0549
----	--------------	--------	------------	--	------------	------

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Lead	mg/L	0.00290	U					

QUALITY CONTROL RESULTS

Job Number.: 223164

Report Date.: 12/31/2003

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN: David Brewer

Test Method.....: Method
 Method Description.: % Solids Determination
 Parameter.....: % Solids

Batch.....: 105799
 Equipment Code....:

Analyst...: lmr
 Test Code.: %SOLID

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc. F	*	Limits	Date	Time
MD	223164-1		%	78.80000			78.40000	0.5		R 5.0	12/29/2003	2140
MB	105799-001		%	0.1000 U							12/29/2003	2140

Test Method.....: Method
 Method Description.: % Solids Determination
 Parameter.....: % Solids

Batch.....: 105800
 Equipment Code....:

Analyst...: lmr
 Test Code.: %SOLID

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc. F	*	Limits	Date	Time
MB	105800-001		%	0.1000 U							12/29/2003	2140

Test Method.....: 7471A
 Method Description.: Mercury (CVAA) Solids
 Parameter.....: Mercury

Batch.....: 105779
 Equipment Code....: HG4

Analyst...: gok
 Test Code.: HG

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc. F	*	Limits	Date	Time
MB	105773-007		mg/Kg	0.00	U						12/29/2003	1548
LCS	105773-008	M02ESTK010	mg/Kg	0.17		0.17	0.00	U	99	% 80-120	12/29/2003	1550
MD	223164-24		mg/Kg	0.03			0.03	0.00		A 0.02	12/29/2003	1601
MS	223164-24	M03JSTK030	mg/Kg	0.16		0.10	0.03	119		% 75-125	12/29/2003	1612
MSD	223164-24	M03JSTK030	mg/Kg	0.15	0.16	0.10	0.03	118		% 75-125	12/29/2003	1615
									0.8	R 20		

Test Method.....: 7471A
 Method Description.: Mercury (CVAA) Solids
 Parameter.....: Mercury

Batch.....: 105789
 Equipment Code....: HG3

Analyst...: gok
 Test Code.: HG

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc. F	*	Limits	Date	Time
MB	105784-007		mg/Kg	0.00	U						12/29/2003	1401
LCS	105784-008	M02ESTK010	mg/Kg	0.16		0.17	0.00	U	98	% 80-120	12/29/2003	1403
MD	223164-1		mg/Kg	0.03			0.03	0.00		A 0.02	12/29/2003	1408
MS	223164-1	M03JSTK030	mg/Kg	0.13		0.11	0.03	98		% 75-125	12/29/2003	1410
MSD	223164-1	M03JSTK030	mg/Kg	0.13	0.13	0.11	0.03	97		% 75-125	12/29/2003	1412
MB	105787-007		mg/Kg	0.00	U				1.0	R 20		
LCS	105787-008	M02ESTK010	mg/Kg	0.16		0.17	0.00	U	98	% 80-120	12/29/2003	1518

QUALITY ASSURANCE METHODS

REFERENCES AND NOTES

Report Date: 12/31/2003

REPORT COMMENTS

- 1) All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.
- 2) Soil, sediment and sludge sample results are reported on a "dry weight" basis except when analyzed for landfill disposal or incineration parameters. All other solid matrix samples are reported on an "as received" basis unless noted differently.
- 3) Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.
- 4) The test results for the noted analytical method(s) meet the requirements of NELAC. Lab Cert. ID# 100201
- 5) According to 40CFR Part 136.3, pH, Chlorine Residual and Dissolved Oxygen analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field (e.g. pH Field) they were not analyzed immediately, but as soon as possible on laboratory receipt.

Glossary of flags, qualifiers and abbreviations (any number of which may appear in the report)

Inorganic Qualifiers (Q-Column)

- U Analyte was not detected at or above the stated limit.
- < Not detected at or above the reporting limit.
- J Result is less than the RL, but greater than or equal to the method detection limit.
- B Result is less than the CRDL/RL, but greater than or equal to the IDL/MDL.
- S Result was determined by the Method of Standard Additions.
- F AFCEE: Result is less than the RL, but greater than or equal to the method detection limit.

Inorganic Flags (Flag Column)

- ICV,CCV,ICB,CCB,ISA,ISB,CRI,CRA,MRL: Instrument related QC exceed the upper or lower control limits.
- * LCS, LCD, MD: Batch QC exceeds the upper or lower control limits.
- + MSA correlation coefficient is less than 0.995.
- 4 MS, MSD: The analyte present in the original sample is 4 times greater than the matrix spike concentration; therefore, control limits are not applicable.
- E SD: Serial dilution exceeds the control limits.
- H MB, EB1, EB2, EB3: Batch QC is greater than reporting limit or had a negative instrument reading lower than the absolute value of the reporting limit.
- N MS, MSD: Spike recovery exceeds the upper or lower control limits.
- W AS(GFAA) Post-digestion spike was outside 85-115% control limits.

Organic Qualifiers (Q - Column)

- U Analyte was not detected at or above the stated limit.
- ND Compound not detected.
- J Result is an estimated value below the reporting limit or a tentatively identified compound (TIC).
- Q Result was qualitatively confirmed, but not quantified.
- C Pesticide identification was confirmed by GC/MS.
- Y The chromatographic response resembles a typical fuel pattern.
- Z The chromatographic response does not resemble a typical fuel pattern.
- E Result exceeded calibration range, secondary dilution required.
- F AFCEE:Result is an estimated value below the reporting limit or a tentatively identified compound (TIC)

Organic Flags (Flags Column)

- B MB: Batch QC is greater than reporting limit.
- * LCS, LCD, ELC, ELD, CV, MS, MSD, Surrogate: Batch QC exceeds the upper or lower control limits.
- EB1, EB2, EB3, MLE: Batch QC is greater than reporting Limit
- A Concentration exceeds the instrument calibration range
- a Concentration is below the method Reporting Limit (RL)
- B Compound was found in the blank and sample.
- D Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution will be flagged with a D.
- H Alternate peak selection upon analytical review
- I Indicates the presence of an interfence, recovery is not calculated.
- M Manually integrated compound.
- P The lower of the two values is reported when the % difference between the results of two GC columns is

QUALITY ASSURANCE METHODS

REFERENCES AND NOTES

Report Date: 12/31/2003

greater than 25%.

Abbreviations

AS	Post Digestion Spike (GFAA Samples - See Note 1 below)
Batch	Designation given to identify a specific extraction, digestion, preparation set, or analysis set
CAP	Capillary Column CCB Continuing Calibration Blank
CCV	Continuing Calibration Verification
CF	Confirmation analysis of original
C1	Confirmation analysis of A1 or D1
C2	Confirmation analysis of A2 or D2
C3	Confirmation analysis of A3 or D3
CRA	Low Level Standard Check - GFAA; Mercury
CRI	Low Level Standard Check - ICP
CV	Calibration Verification Standard
Dil Fac	Dilution Factor - Secondary dilution analysis
D1	Dilution 1
D2	Dilution 2
D3	Dilution 3
DLFac	Detection Limit Factor
DSH	Distilled Standard - High Level
DSL	Distilled Standard - Low Level
DSM	Distilled Standard - Medium Level
EB1	Extraction Blank 1
EB2	Extraction Blank 2
EB3	DI Blank
ELC	Method Extracted LCS
ELD	Method Extracted LCD
ICAL	Initial calibration
ICB	Initial Calibration Blank
ICV	Initial Calibration Verification
IDL	Instrument Detection Limit
ISA	Interference Check Sample A - ICAP
ISB	Interference Check Sample B - ICAP
Job No.	The first six digits of the sample ID which refers to a specific client, project and sample group Lab ID An 8 number unique laboratory identification
LCD	Laboratory Control Standard Duplicate
LCS	Laboratory Control Standard with reagent grade water or a matrix free from the analyte of interest
MB	Method Blank or (PB) Preparation Blank
MD	Method Duplicate
MDL	Method Detection Limit
MLE	Medium Level Extraction Blank
MRL	Method Reporting Limit Standard
MSA	Method of Standard Additions
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ND	Not Detected
PREPF	Preparation factor used by the Laboratory's Information Management System (LIMS)
PDS	Post Digestion Spike (ICAP)
RA	Re-analysis of original
A1	Re-analysis of D1
A2	Re-analysis of D2
A3	Re-analysis of D3
RD	Re-extraction of dilution
RE	Re-extraction of original
RC	Re-extraction Confirmation
RL	Reporting Limit
RPD	Relative Percent Difference of duplicate (unrounded) analyses
RRF	Relative Response Factor
RT	Retention Time

Q U A L I T Y A S S U R A N C E M E T H O D S

R E F E R E N C E S A N D N O T E S

Report Date: 12/31/2003

RTW Retention Time Window Sample ID A 9 digit number unique for each sample, the first six digits are referred as the job number

SCB Seeded Control Blank

SD Serial Dilution (Calculated when sample concentration exceeds 50 times the MDL)

UCB Unseeded Control Blank

SSV Second Source Verification Standard

SLCS Solid Laboratory Control Standard(LCS)

PHC pH Calibration Check LCSP pH Laboratory Control Sample

LCDP pH Laboratory Control Sample Duplicate

MDPH pH Sample Duplicate

MDFP Flashpoint Sample Duplicate

LCFP Flashpoint LCS

G1 Gelex Check Standard Range 0-1

G2 Gelex Check Standard Range 1-10

G3 Gelex Check Standard Range 10-100

G4 Gelex Check Standard Range 100-1000

Note 1: The Post Spike Designation on Batch QC for GFAA is designated with an "S" added to the current abbreviation used. EX. LCS S=LCS Post Spike (GFAA); MSS=MS Post Spike (GFAA)

Note 2: The MD calculates an absolute difference (A) when the sample concentration is less than 5 times the reporting limit. The control limit is represented as +/- the RL.

Report To:

STI Chicago

**SEVERN
TRENT****STL****STL Chicago**

2417 Bond Street

University Park, IL 60466

Phone: 708-534-5200

Fax: 708-534-5211

Phone: 816-941-2555

Fax: 816-941-8025

E-Mail: J.Davis@SevernTrent.com

PO#:

Quote:

Shaded Areas For Internal Use Only

Contact: Danielle Breuer
 Company: KCS Engineers
 Address: 1401 Holmes Rd Ste 200
Kansas City, MO 64131

Contact: Sandy Weeks
 Company: C-Sure
 Address: _____

Lab Lot# 22316A
Package Sealed Yes **Samples Sealed** Yes
Received on Ice Yes **Samples Intact** No

Temperature °C of Cooler
Within Hold Time Preserv. Indicated
Yes No Yes No NA

pH Check OK Yes **Res Cl₂ Check OK** Yes
No NA Yes No NA

Sample Labels and COC Agree Yes **COC not present** No
NA Yes No

Sampler Name:	_____ <u>J. Davis</u>		Ref#	# / Cont.	Volume	Preserv	Date Required	Hard Copy:	Fax:	Additional Analyses / Remarks
Laboratory ID	MS-MSD	Client Sample ID	Date	Sampling Time	Matrix	Comp/Grab	PLBS Methods			
13		SS-7	12/16	2:25	X	X				
14		SS-8		2:35						
15		SS-9		2:40						
16		SS-10 Shallow		2:50						
17		SS-10 Deep		2:50						
18		SS-11 Shallow		3:00						
19		SS-11 Deep		3:00						
20		SS-12		4:10						
21		SS-13 Shallow		5:00						
22		SS-13 Deep		5:00						
23		SS-14 Shallow		5:15	✓	✓				
24		SS-14 Deep		5:15						

RELINQUISHED BY: (Signature) COMPANY Severn DATE 12/16/03 TIME 6:55 RECEIVED BY: (Signature) COMPANY SL DATE 12/17/03 TIME 7:00

RELINQUISHED BY: (Signature) COMPANY Severn DATE 12/16/03 TIME 6:55 RECEIVED BY: (Signature) COMPANY SL DATE 12/17/03 TIME 7:00

Matrix Key

SE = Sediment

SO = Solid

DS = Drum Solid

SL = Sludge

DL = Drum Liquid

MS = Miscellaneous

L = Leachate

OL = Oil

WI = Wipe

O = None

Container Key

1. Plastic

2. VOA Vial

3. Sterile Plastic

4. Amber Glass

5. Widemouth Glass

6. Other

7. None

Preservative Key

1. HCl, Cool to 4°

2. H₂SO₄, Cool to 4°3. HNO₃, Cool to 4°

4. NaOH, Cool to 4°

5. NaOH/Zn, Cool to 4°

6. Cool to 4°

7. None

Comments

Date Received

Courier:

Hand Delivered

Bill of Lading See attach

WW = Wastewater
 W = Water
 S = Soil
 SL = Sludge
 MS = Miscellaneous
 OL = Oil
 A = Air

SEVERN
TRENT

STL

STL Chicago
2417 Bond Street
University Park, IL 60466

Tel: 708 534 5200 Fax: 708 534 5211
www.stl-inc.com

SEVERN TRENT LABORATORIES ANALYTICAL REPORT

JOB NUMBER: 223218

Prepared For:

SCS Engineers, Inc.
10401 Holmes Road
Suite 400
Kansas City, MO 64131

Project: GSA - SLOP - Investigation

Attention: David Brewer

Date: 01/28/2004

(b) (6)

Signature

1/28/04

Date

Name: Richard C. Wright

STL Chicago
2417 Bond Street
University Park, IL 60466

Title: Project Manager

E-Mail: rwright@stl-inc.com

PHONE: (708) 534-5200
FAX...: (708) 534-5211

This Report Contains (91) Pages

STL Chicago
Wet Chemistry Case Narrative

Client: **SCS Engineers, Inc.**
Job Number: **223218**

Date Rec'd: 12/19/03

1. This narrative covers the analysis of one sample in the above Job # for pH by SW 846 method 9045C.
2. See the Laboratory Chronicle for the dates of collection, receipt, and analysis.
3. The initial and continuing calibration verification buffers were within acceptance limits.
4. The absolute difference between the pH duplicates was high, at 0.23. See the Quality Control Results pages for details.

(b) (6)



Diane L. Harper
Wet Chemistry Section Manager

1-2-04
Date

Severn Trent Laboratories - Chicago
METALS CASE NARRATIVE

Client: SCS Engineers, Inc.

Date Rec'd: 12/19/03

Project: GSA - SLOP

STL#: 223218

1. This narrative covers Metals analysis of samples in the above Job 223218.

Method Refs: USEPA, SW-846

2. All analyses were performed within the required holding times.
3. All Initial and Continuing Calibration Verification (ICV/CCV's) that bracket the samples were within control limits.
4. All Initial and Continuing Calibration Blanks (ICB/CCB's) that bracket the samples were within control limits.
5. All ICP Interference (ICSA/ICSAB) check Standards were within control limits.
6. All Preparation/Method Blanks were less than the Reporting Limit.
7. Laboratory Control Sample (LCS) recoveries were within the 80-120% control limit.
8. Matrix QC performed on Sample 1.

Serial dilution analysis was within control limits except for Zn.

Matrix Spike recovery was within the 75-125% control limits except for Sb, K-, Mg, and Hg for the MS, and Sb and K- for the MSD.(Control limits are not applicable when the sample concentration exceeds the spike added concentration by a factor of 4 or more)

Duplicate analysis was within the 20% RPD control limits for sample concentrations greater than 5X the RL or +\-\ the RL for sample concentrations less than 5X the RL except for Co, Cu, Pb and Mn.

(b) (6)

Jodi L. Wojcik
Metals Unit Leader

1/5/04

Date

Severn Trent Laboratories Chicago
GC/MS Case Narrative

SCS Engineers
GSA - SLOP
Job Number: 223218
VOA DATA:

1. The sample preparation and analyses were performed within the recommended hold times from the date of collection.
2. The Method Blank and Extraction Blanks had all target compounds below the reporting limits.
3. All of the spike recoveries for the control compounds were within the in-house generated QC limits in the LCS samples.
4. Matrix Spike/Matrix Spike Duplicate analyses were not performed on this sample set.
5. All volatile samples had surrogate recoveries within the in-house generated QC limits.
6. The soil samples were prepared using Method 5035 and analyzed following SW846 Method 8260B/8000B. All calibration criteria are met per method or SOP (for minimum R values for certain compounds). The low point in the initial calibration verifies the base reporting limits. The target compounds were quantitated using the initial calibration.
7. All internal standard areas and retention times were within SOP acceptance limits as compared to the corresponding calibration verification standard.
8. The soil samples were analyzed using the low-level soil method. The results and reporting limits were adjusted to account for the sample weights the analytical procedure and on a dry weight basis.
9. The soil samples underwent an effervescence test. Samples 1, 3 and 5 effervesced when mixed with preservative. The soil samples were prepared in water and immediately frozen.

(b) (6)

Louis Manzano
GC/MS VOA Dept.

1-2-04
Date

STL Chicago
PCB Case Narrative

SCS Engineers, Inc.
GSA – SLOP - Investigation
Job #: 223218-1, 2, 3, 4, 6 through 17, 19, 20, 21, 22, and 23
PCBs

1. STL Chicago used the following Gas Chromatographic systems for the analysis of PCBs:

ID#	INSTRUMENT	COLUMN TYPE	DETECTOR
07	Varian 3400	Rtx-5	Electron Capture
08	Varian 3400	Rtx-Clp2	Electron Capture

2. These soil samples were extracted based on SW846 method 3550. All extracts were analyzed for PCBs based on SW846 method 8082. All extracts received a sulfuric acid cleanup and a GPC cleanup in order to reduce matrix interference.
3. All required holding times were met for the extraction and analysis.
4. The method blanks were below the reporting limits for all Aroclors.
5. The surrogate compounds used for this analysis were Decachlorobiphenyl (DCB) and Tetrachloro-m-xylene (TCX). All surrogate recoveries were within statistical control limits.
6. A solution containing Aroclor 1016 and Aroclor 1260 was used for spiking.
7. The blank spike recoveries were within statistical control limits.
8. A matrix spike and a matrix spike duplicate were performed on sample 223218-1 (SBSS12). All matrix spike and matrix spike duplicate recoveries and RPDs were within statistical control limits.
9. All initial and continuing standard calibrations associated with these samples were in control on both columns.
10. Target compounds were confirmed using a second column.
11. Samples 223218-22 and 223218-23 were analyzed at 1/10 dilutions due to level of target compounds as well as sample matrix. Reporting limits have been adjusted to reflect the necessary dilutions.

(b) (6)

Patti Gibson
Organics Section Manager

1/5/04

Date

STL Chicago
Extractable Hydrocarbon Case Narrative

SCS Engineering, Inc.
GSA – SLOP - Investigation
Job #: 223218-10, 19, 20, 21, 22, and 23
Diesel Range Organics (DRO)

1. These soil samples were extracted based on SW846 method 3541. The extracts were analyzed for DRO based on SW846 method 8015B. An HP5890 gas chromatograph equipped with a flame ionization detector and an Xti-5 column was used for the analysis.
2. All required holding times were met for the extraction and the analysis.
3. The method blank was below the reporting limit for DRO.
4. The surrogate compounds used for this analysis were o-Terphenyl and 2-Fluorobiphenyl. All surrogate recoveries were within statistical control limits.
5. The blank spike recovery was within statistical control limits. A solution of Diesel Fuel was used for spiking.
6. A matrix spike and a matrix spike duplicate were not performed on a sample from this SDG.
7. A Diesel Fuel #2 standard was used for quantitating of the DRO results, using a hydrocarbon range from C10 through C28. An alkane standard ranging from C8 through C36 was analyzed for qualitative purposes.
8. All initial and continuing standard calibrations associated with these samples were in control.
9. Not all samples had DRO detected but those that did appear to match a typical fuel type pattern that is “heavier” than Diesel fuel.

(b) (6)


12/31/03
Date

Patti Gibson
Organics Section Manager

STL Chicago
Explosives Case Narrative

SCS Engineers, Inc.
GSA - SLOP - Investigation
Job #: 223218-1, 2, 6, 7, 8, 9, 11, 12, 13, 14, 15, 16, and 17
Explosives

1. STL Chicago uses the following HPLC systems for analysis of Nitroaromatics and Nitramines:

ID#	INSTRUMENT	COLUMN TYPE	DETECTOR
43	Agilent 1100	C-18	UV – 254nm
44	Agilent 1100	Phenyl Hexyl	UV – 254nm

2. These samples were extracted and analyzed for explosives based on SW846 method 8330.
3. All required holding times were met for the extraction and analysis.
4. The method blank was below the reporting limit for all target compounds.
5. The surrogate compound used for this analysis was 1,2-Dinitrobenzene (1,2-DNB). All surrogate recoveries were within statistical control limits.
6. All blank spike recoveries were within statistical control limits.
7. A matrix spike and a matrix spike duplicate were performed on sample 223218-12 (SBSS23). All matrix spike and matrix spike duplicate recoveries were within statistical control limits except Tetryl, which had 30% recovery for both. All RPDs were <30%. This could be attributed to sample matrix.
8. All initial and continuing standard calibrations associated with these samples were in control on the primary column (C18).
9. Target compounds were not detected in the primary analysis. Therefore, a second column confirmation was not required.

(b) (6)

Patti Gibson
Organics Section Manager

12/31/03
Date

STL Chicago is part of Severn Trent Laboratories, Inc.

S A M P L E I N F O R M A T I O N
Date: 01/28/2004

Job Number.: 223218
Customer...: SCS Engineers, Inc.
Attn.....: David Brewer

Project Number.....: 20002601
Customer Project ID....: GSA - SLOP
Project Description....: GSA - SLOP - Investigation

Laboratory Sample ID	Customer Sample ID	Sample Matrix	Date Sampled	Time Sampled	Date Received	Time Received
223218-1	SB18	Soil	12/17/2003	10:15	12/19/2003	10:15
223218-2	SB19	Soil	12/17/2003	11:15	12/19/2003	10:15
223218-3	SB20	Soil	12/17/2003	12:20	12/19/2003	10:15
223218-4	SB21	Soil	12/17/2003	12:50	12/19/2003	10:15
223218-5	SB22	Soil	12/17/2003	13:45	12/19/2003	10:15
223218-6	SB23	Soil	12/17/2003	14:00	12/19/2003	10:15
223218-7	SB24	Soil	12/17/2003	14:30	12/19/2003	10:15
223218-8	SB25	Soil	12/17/2003	15:10	12/19/2003	10:15
223218-9	SB26	Soil	12/17/2003	15:45	12/19/2003	10:15
223218-10	SB27	Soil	12/17/2003	17:00	12/19/2003	10:15
223218-11	SB28	Soil	12/17/2003	08:30	12/19/2003	10:15
223218-12	SB29	Soil	12/17/2003	09:00	12/19/2003	10:15
223218-13	SB30	Soil	12/17/2003	09:45	12/19/2003	10:15
223218-14	SB31	Soil	12/17/2003	10:30	12/19/2003	10:15
223218-15	SB32	Soil	12/17/2003	11:15	12/19/2003	10:15
223218-16	SB33	Soil	12/17/2003	13:00	12/19/2003	10:15
223218-17	SB34	Soil	12/17/2003	13:45	12/19/2003	10:15
223218-18	SB35	Soil	12/17/2003	14:15	12/19/2003	10:15
223218-19	SB36	Soil	12/17/2003	15:15	12/19/2003	10:15
223218-20	SB37	Soil	12/17/2003	16:10	12/19/2003	10:15
223218-21	SB38	Soil	12/17/2003	16:30	12/19/2003	10:15
223218-22	SB39	Soil	12/17/2003	17:10	12/19/2003	10:15
223218-23	SB40	Soil	12/17/2003	17:30	12/19/2003	10:15

LABORATORY TEST RESULTS

Job Number: 223218

CUSTOMER: SCS Engineers, Inc.

Date: 01/28/2004

PROJECT: GSA - STOP

ATTN: David Brewer

Customer Sample ID: SB18
 Date Sampled.....: 12/17/2003
 Time Sampled.....: 10:15
 Sample Matrix.....: Soil

Laboratory Sample ID: 223218-1
 Date Received.....: 12/19/2003
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination % Solids, Solid % Moisture, Solid	80.0 20.0		0.10 0.10	0.10 0.10	1 1	% %	105971 105971	12/30/03 12/30/03	2040 2040	clb clb
8082	PCB Analysis										
	Aroclor 1016, Solid*	ND	U U	3.6	21	1.00000	ug/Kg	105996	12/29/03	1546	mgk
	Aroclor 1221, Solid*	ND	U U	8.4	21	1.00000	ug/Kg	105996	12/29/03	1546	mgk
	Aroclor 1232, Solid*	ND	U U	3.8	21	1.00000	ug/Kg	105996	12/29/03	1546	mgk
	Aroclor 1242, Solid*	ND	U U	7.9	21	1.00000	ug/Kg	105996	12/29/03	1546	mgk
	Aroclor 1248, Solid*	ND	U U	2.9	21	1.00000	ug/Kg	105996	12/29/03	1546	mgk
	Aroclor 1254, Solid*	ND	U U	3.4	21	1.00000	ug/Kg	105996	12/29/03	1546	mgk
	Aroclor 1260, Solid*	ND	U U	3.1	21	1.00000	ug/Kg	105996	12/29/03	1546	mgk
8330	Explosives by 8330 (HPLC)										
	HMX, Solid	ND	U U	110	250	1.00000	ug/Kg	105995	12/29/03	2204	san
	RDX, Solid	ND	U U	58	99	1.00000	ug/Kg	105995	12/29/03	2204	san
	1,3,5-Trinitrobenzene, Solid	ND	U U	17	99	1.00000	ug/Kg	105995	12/29/03	2204	san
	1,3-Dinitrobenzene, Solid	ND	U U	18	99	1.00000	ug/Kg	105995	12/29/03	2204	san
	Nitrobenzene, Solid	ND	U U	22	99	1.00000	ug/Kg	105995	12/29/03	2204	san
	2,4,6-TNT, Solid	ND	U U	33	99	1.00000	ug/Kg	105995	12/29/03	2204	san
	Tetryl, Solid	ND	U U	43	200	1.00000	ug/Kg	105995	12/29/03	2204	san
	2,4-Dinitrotoluene, Solid	ND	U U	35	99	1.00000	ug/Kg	105995	12/29/03	2204	san
	2,6-Dinitrotoluene, Solid	ND	U U	47	200	1.00000	ug/Kg	105995	12/29/03	2204	san
	2-Amino-4,6-Dinitrotoluene, Solid	ND	U U	35	200	1.00000	ug/Kg	105995	12/29/03	2204	san
	4-Amino-2,6-Dinitrotoluene, Solid	ND	U U	96	200	1.00000	ug/Kg	105995	12/29/03	2204	san
	2-Nitrotoluene, Solid	ND	U U	33	200	1.00000	ug/Kg	105995	12/29/03	2204	san
	4-Nitrotoluene, Solid	ND	U U	46	490	1.00000	ug/Kg	105995	12/29/03	2204	san
	3-Nitrotoluene, Solid	ND	U U	49	200	1.00000	ug/Kg	105995	12/29/03	2204	san

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:01/28/2004	
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer							
Customer Sample ID: SB18 Date Sampled.....: 12/17/2003 Time Sampled.....: 10:15 Sample Matrix.....: Soil						Laboratory Sample ID: 223218-1 Date Received.....: 12/19/2003 Time Received.....: 10:15					
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE	RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT
7471A	Mercury (CVAA) Solids		0.032			0.0054	0.021	1	mg/Kg	106028	12/31/03 1407 daj
6010B	Mercury, Solid*	14000	0.032			2.9	24	1	mg/Kg	106021	12/31/03 0115 tds
	Metals Analysis (ICAP Trace)	ND	5.5	U		1.1	2.4	1	mg/Kg	106021	12/31/03 0115 tds
	Aluminum, Solid*	100	0.61			0.61	1.2	1	mg/Kg	106021	12/31/03 0115 tds
	Antimony, Solid*	100	0.19			0.19	1.2	1	mg/Kg	106021	12/31/03 0115 tds
	Barium, Solid*	ND	0.053	U		0.053	0.48	1	mg/Kg	106021	12/31/03 0115 tds
	Beryllium, Solid*	ND	0.86	U		0.096	0.24	1	mg/Kg	106021	12/31/03 0115 tds
	Cadmium, Solid*	ND	1800	U		3.7	12	1	mg/Kg	106021	12/31/03 0115 tds
	Calcium, Solid*	21	0.26			0.26	1.2	1	mg/Kg	106021	12/31/03 0115 tds
	Chromium, Solid*	ND	5.1	U		0.17	0.60	1	mg/Kg	106021	12/31/03 0115 tds
	Cobalt, Solid*	ND	12	U		1.1	1.2	1	mg/Kg	106021	12/31/03 0115 tds
	Copper, Solid*	ND	17000	U		3.6	6.0	1	mg/Kg	106021	12/31/03 0115 tds
	Iron, Solid*	ND	7.3	U		0.52	0.60	1	mg/Kg	106021	12/31/03 0115 tds
	Lead, Solid*	ND	2500	U		2.0	12	1	mg/Kg	106021	12/31/03 0115 tds
	Magnesium, Solid*	ND	260	U		0.16	1.2	1	mg/Kg	106021	12/31/03 0115 tds
	Manganese, Solid*	ND	14	U		0.30	1.2	1	mg/Kg	106021	12/31/03 0115 tds
	Nickel, Solid*	ND	800	U		17	60	1	mg/Kg	106131	01/01/04 0033 lmr
	Potassium, Solid*	ND	100	U		0.48	1.2	1	mg/Kg	106021	12/31/03 0115 tds
	Selenium, Solid*	ND	32	U		0.37	0.60	1	mg/Kg	106021	12/31/03 0115 tds
	Silver, Solid*	ND	220	U		100	120	1	mg/Kg	106021	12/31/03 0115 tds
	Sodium, Solid*	ND	32	U		0.79	1.2	1	mg/Kg	106131	01/01/04 0033 lmr
	Thallium, Solid*	ND	34	U		0.25	0.60	1	mg/Kg	106021	12/31/03 0115 tds
	Zinc, Solid*					0.48	2.4	1			

* In Description = Dry Wgt.

Digitized by srujanika@gmail.com

LABORATORY TEST RESULTS

Date:01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - STOP

ATTN: David Breuer

Customer Sample ID: SB19
Date Sampled.....: 12/17/2003
Time Sampled.....: 11:15
Sample Matrix....: Soil

Laboratory Sample ID: 223218-2
Date Received.....: 12/19/2003
Time Received.....: 10:15

* In Description = Dry Wgt.

LABORATORY TEST RESULTS											Date:01/28/2004		
CUSTOMER: SSS Engineers, Inc.		PROJECT: GSA - STOP		ATTN: David Brewer									
TEST METHOD	PARAMETER/TEST DESCRIPTION		SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
7471A	Mercury (CVAA) Solids	Mercury, Solid*	0.035			0.0054	0.021	1	mg/Kg	106028	12/31/03	1415	daj
6010B	Metals Analysis (ICAP Trace)												
	Aluminum, Solid*	15000	U			2.9	24	1	mg/Kg	106021	12/31/03	0146	tds
	Antimony, Solid*	ND	4.4			1.1	2.4	1	mg/Kg	106021	12/31/03	0146	tds
	Arsenic, Solid*	240	240			0.62	1.2	1	mg/Kg	106021	12/31/03	0146	tds
	Barium, Solid*		0.71	U		0.19	1.2	1	mg/Kg	106021	12/31/03	0146	tds
	Beryllium, Solid*					0.053	0.48	1	mg/Kg	106021	12/31/03	0146	tds
	Cadmium, Solid*					0.097	0.24	1	mg/Kg	106021	12/31/03	0146	tds
	Calcium, Solid*	2600				3.8	12	1	mg/Kg	106021	12/31/03	0146	tds
	Chromium, Solid*	24	24			0.27	1.2	1	mg/Kg	106021	12/31/03	0146	tds
	Cobalt, Solid*		7.4			0.17	0.61	1	mg/Kg	106021	12/31/03	0146	tds
	Copper, Solid*		15			1.1	1.2	1	mg/Kg	106021	12/31/03	0146	tds
	Iron, Solid*	18000				3.6	6.1	1	mg/Kg	106021	12/31/03	0146	tds
	Lead, Solid*		8.0			0.52	0.61	1	mg/Kg	106021	12/31/03	0146	tds
	Magnesium, Solid*	3100				2.1	12	1	mg/Kg	106021	12/31/03	0146	tds
	Manganese, Solid*	1100				0.16	1.2	1	mg/Kg	106021	12/31/03	0146	tds
	Nickel, Solid*		21			0.30	1.2	1	mg/Kg	106021	12/31/03	0146	tds
	Potassium, Solid*	1300	U			17	61	1	mg/Kg	106131	01/01/04	0107	lmr
	Selenium, Solid*	ND	ND	U		0.48	1.2	1	mg/Kg	106021	12/31/03	0146	tds
	Silver, Solid*					0.38	0.61	1	mg/Kg	106021	12/31/03	0146	tds
	Sodium, Solid*		430	U		100	120	1	mg/Kg	106021	12/31/03	0146	tds
	Thallium, Solid*					0.80	1.2	1	mg/Kg	106021	12/31/03	0146	tds
	Vanadium, Solid*		27			0.25	0.61	1	mg/Kg	106131	01/01/04	0107	lmr
	Zinc, Solid*		52			0.48	2.4	1	mg/Kg	106021	12/31/03	0146	tds

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:01/28/2004			
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - STOP		ATTN: David Breuer									
TEST METHOD	PARAMETER/TEST DESCRIPTION		SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination % Solids, Solid % Moisture, Solid		78.9 21.1			0.10 0.10	0.10 0.10	1	%	105971 105971	12/30/03 12/30/03	2040 2040	clb clb
8082	PCB Analysis					3.7 8.5 3.8 8.0 2.9 3.4 3.2	21 21 21 21 21 21 21	1.00000 1.00000 1.00000 1.00000 1.00000 1.00000 1.00000	ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg	105996 105996 105996 105996 105996 105996 105996	12/29/03 12/29/03 12/29/03 12/29/03 12/29/03 12/29/03 12/29/03	1830 1830 1830 1830 1830 1830 1830	mgK mgK mgK mgK mgK mgK mgK
	Aroclor 1016, Solid* Aroclor 1221, Solid* Aroclor 1232, Solid* Aroclor 1242, Solid* Aroclor 1248, Solid* Aroclor 1254, Solid* Aroclor 1260, Solid*												
7471A	Mercury (CVAA) Solids												
	Mercury, Solid*												
6010B	Metals Analysis (ICAP Trace)												
	Aluminum, Solid* Antimony, Solid* Arsenic, Solid* Barium, Solid* Beryllium, Solid* Cadmium, Solid* Calcium, Solid* Chromium, Solid* Cobalt, Solid* Copper, Solid* Iron, Solid* Lead, Solid*												
	14000	U	2.8 1.0 0.59 0.19 0.051 0.093 3.6 12 0.25 0.16 1.0 3.5 0.50	U	23 2.3 1.2 1.2 0.46 0.23 12 1.2 0.58 1.0 5.8 0.58	1 1 1 1 1 1 1 1 1 1 1 1	mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg	106021 106021 106021 106021 106021 106021 106021 106021 106021 106021 106021 106021 106021	12/31/03 12/31/03 12/31/03 12/31/03 12/31/03 12/31/03 12/31/03 12/31/03 12/31/03 12/31/03 12/31/03 12/31/03 12/31/03	0152 0152 0152 0152 0152 0152 0152 0152 0152 0152 0152 0152 0152 0152	tds tds tds tds tds tds tds tds tds tds tds tds tds tds		
	19 8.5 18 21000	U	0.97	ND	7900 19 8.5 18 21000	0.035 0.0054 0.021	1	mg/Kg	106028	12/31/03	1424	da	
	13												

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:01/28/2004	
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Bremer							
Customer Sample ID: SB20 Date Sampled.....: 12/17/2003 Time Sampled.....: 12:20 Sample Matrix....: Soil						Laboratory Sample ID: 223218-3 Date Received.....: 12/19/2003 Time Received.....: 10:15					
TEST METHOD	PARAMETER/TEST DESCRIPTION			SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH
8260B	Magnesium, Solid*	3200		2.0	12	1	mg/Kg	106021	12/31/03	0152	tds
	Manganese, Solid*	760		0.15	1.2	1	mg/Kg	106021	12/31/03	0152	tds
	Nickel, Solid*	23		0.29	1.2	1	mg/Kg	106021	12/31/03	0152	tds
	Potassium, Solid*	1200		16	58	1	mg/Kg	106131	01/01/04	0113	lmr
	Selenium, Solid*	0.48	B	0.46	1.2	1	mg/Kg	106021	12/31/03	0152	tds
	Silver, Solid*	U		0.36	0.58	1	mg/Kg	106021	12/31/03	0152	tds
	Sodium, Solid*	ND	690	100	120	1	mg/Kg	106021	12/31/03	0152	tds
	Thallium, Solid*	ND	37	0.76	1.2	1	mg/Kg	106021	12/31/03	0152	tds
	Vanadium, Solid*	ND	54	0.24	0.58	1	mg/Kg	106131	01/01/04	0113	lmr
	Zinc, Solid*	ND		0.46	2.3	1	mg/Kg	106021	12/31/03	0152	tds
	Volatile Organics										
	Dichlorodifluoromethane, Solid*	ND	0.91	6.3	1.00000		ug/Kg	106164	12/26/03	2004	lm
	Chloromethane, Solid*	ND	1.4	6.3	1.00000		ug/Kg	106164	12/26/03	2004	lm
	Vinyl chloride, Solid*	ND	1.4	6.3	1.00000		ug/Kg	106164	12/26/03	2004	lm
	Bromomethane, Solid*	ND	1.6	6.3	1.00000		ug/Kg	106164	12/26/03	2004	lm
	Chloroethane, Solid*	ND	1.3	6.3	1.00000		ug/Kg	106164	12/26/03	2004	lm
	Trichlorofluoromethane, Solid*	ND	1.8	6.3	1.00000		ug/Kg	106164	12/26/03	2004	lm
	1,1-Dichloroethene, Solid*	ND	1.6	6.3	1.00000		ug/Kg	106164	12/26/03	2004	lm
	Carbon disulfide, Solid*	ND	1.5	6.3	1.00000		ug/Kg	106164	12/26/03	2004	lm
	Acetone, Solid*	ND	5.8	6.3	1.00000		ug/Kg	106164	12/26/03	2004	lm
	Methylene chloride, Solid*	ND	3.6	6.3	1.00000		ug/Kg	106164	12/26/03	2004	lm
	trans-1,2-Dichloroethene, Solid*	ND	1.4	6.3	1.00000		ug/Kg	106164	12/26/03	2004	lm
	Methyl- <i>t</i> -butyl-ether (MTBE), Solid*	ND	1.3	6.3	1.00000		ug/Kg	106164	12/26/03	2004	lm
	1,1-Dichloroethane, Solid*	ND	1.3	6.3	1.00000		ug/Kg	106164	12/26/03	2004	lm
	2,2-Dichloropropane, Solid*	ND	1.2	6.3	1.00000		ug/Kg	106164	12/26/03	2004	lm
	cis-1,2-Dichloroethene, Solid*	ND	1.4	6.3	1.00000		ug/Kg	106164	12/26/03	2004	lm
	2-Butanone (MEK), Solid*	ND	4.9	6.3	1.00000		ug/Kg	106164	12/26/03	2004	lm
	Bromoform/methane, Solid*	ND	1.4	6.3	1.00000		ug/Kg	106164	12/26/03	2004	lm

* In Description = Dry Wgt.

Job Number: 223218

LABORATORY TEST RESULTS

Date:01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN: David Brewer

Customer Sample ID: SB20
 Date Sampled.....: 12/17/2003
 Time Sampled.....: 12:20
 Sample Matrix....: Soil

Laboratory Sample ID: 223218-3
 Date Received.....: 12/19/2003
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chloroform, Solid*	ND	U		1.4	6.3	1.00000	ug/Kg	106164	12/26/03	2004	m
	1,1,1-Trichloroethane, Solid*	ND	U		1.4	6.3	1.00000	ug/Kg	106164	12/26/03	2004	m
	1,1-Dichloropropene, Solid*	ND	U		1.5	6.3	1.00000	ug/Kg	106164	12/26/03	2004	m
	Carbon tetrachloride, Solid*	ND	U		1.4	6.3	1.00000	ug/Kg	106164	12/26/03	2004	m
	Benzene, Solid*	ND	U		1.4	6.3	1.00000	ug/Kg	106164	12/26/03	2004	m
	1,2-Dichloroethane, Solid*	ND	U		1.2	6.3	1.00000	ug/Kg	106164	12/26/03	2004	m
	Trichloroethene, Solid*	ND	U		1.4	6.3	1.00000	ug/Kg	106164	12/26/03	2004	m
	1,2-Dichloropropane, Solid*	ND	U		1.3	6.3	1.00000	ug/Kg	106164	12/26/03	2004	m
	Dibromomethane, Solid*	ND	U		1.4	6.3	1.00000	ug/Kg	106164	12/26/03	2004	m
	Bromo dichloromethane, Solid*	ND	U		1.2	6.3	1.00000	ug/Kg	106164	12/26/03	2004	m
	cis-1,3-Dichloropropene, Solid*	ND	U		1.2	6.3	1.00000	ug/Kg	106164	12/26/03	2004	m
	4-Methyl-2-pentanone (MIBK), Solid*	ND	U		1.3	6.3	1.00000	ug/Kg	106164	12/26/03	2004	m
	Toluene, Solid*	ND	U		1.4	6.3	1.00000	ug/Kg	106164	12/26/03	2004	m
	trans-1,3-Dichloropropene, Solid*	ND	U		0.99	6.3	1.00000	ug/Kg	106164	12/26/03	2004	m
	1,1,2-Trichloroethane, Solid*	ND	U		1.4	6.3	1.00000	ug/Kg	106164	12/26/03	2004	m
	Tetrachloroethene, Solid*	ND	U		1.5	6.3	1.00000	ug/Kg	106164	12/26/03	2004	m
	1,3-Dichloropropane, Solid*	ND	U		1.2	6.3	1.00000	ug/Kg	106164	12/26/03	2004	m
	2-Hexanone, Solid*	ND	U		1.4	6.3	1.00000	ug/Kg	106164	12/26/03	2004	m
	Dibromochloromethane, Solid*	ND	U		0.99	6.3	1.00000	ug/Kg	106164	12/26/03	2004	m
	1,2-Dibromoethane (EDB), Solid*	ND	U		1.0	6.3	1.00000	ug/Kg	106164	12/26/03	2004	m
	Chlorobenzene, Solid*	ND	U		1.4	6.3	1.00000	ug/Kg	106164	12/26/03	2004	m
	1,1,1,2-Tetrachloroethane, Solid*	ND	U		1.4	6.3	1.00000	ug/Kg	106164	12/26/03	2004	m
	Ethylbenzene, Solid*	ND	U		1.4	6.3	1.00000	ug/Kg	106164	12/26/03	2004	m
	m,p-Xylenes, Solid*	ND	U		2.9	13	1.00000	ug/Kg	106164	12/26/03	2004	m
	o-Xylene, Solid*	ND	U		1.4	6.3	1.00000	ug/Kg	106164	12/26/03	2004	m
	Styrene, Solid*	ND	U		1.4	6.3	1.00000	ug/Kg	106164	12/26/03	2004	m
	Bromoform, Solid*	ND	U		0.94	6.3	1.00000	ug/Kg	106164	12/26/03	2004	m
	Isopropylbenzene, Solid*	ND	U		1.4	6.3	1.00000	ug/Kg	106164	12/26/03	2004	m
	Bromobenzene, Solid*	ND	U		1.3	6.3	1.00000	ug/Kg	106164	12/26/03	2004	m

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:01/28/2004		
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Breker								
Customer Sample ID: SB20 Date Sampled.....: 12/17/2003 Time Sampled.....: 12:20 Sample Matrix....: Soil		Laboratory Sample ID: 223218-3 Date Received.....: 12/19/2003 Time Received.....: 10:15										
TEST METHOD	PARAMETER/TEST DESCRIPTION		SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	1,1,2,2-Tetrachloroethane, Solid*		ND	41		1.2	6.3	1.00000	ug/Kg	106164	12/26/03 2004	m
	1,2,3-Trichloropropane, Solid*		ND	U		1.4	6.3	1.00000	ug/Kg	106164	12/26/03 2004	m
	n-Propylbenzene, Solid*		ND	U		1.6	6.3	1.00000	ug/Kg	106164	12/26/03 2004	m
	2-Chlorotoluene, Solid*		ND	U		1.6	6.3	1.00000	ug/Kg	106164	12/26/03 2004	m
	1,3,5-Trimethylbenzene, Solid*		ND	U		1.6	6.3	1.00000	ug/Kg	106164	12/26/03 2004	m
	4-Chirotoluene, Solid*		ND	U		1.6	6.3	1.00000	ug/Kg	106164	12/26/03 2004	m
	tert-Butylbenzene, Solid*		ND	U		1.5	6.3	1.00000	ug/Kg	106164	12/26/03 2004	m
	1,2,4-Trimethylbenzene, Solid*		ND	U		1.8	6.3	1.00000	ug/Kg	106164	12/26/03 2004	m
	sec-Butylbenzene, Solid*		ND	U		1.5	6.3	1.00000	ug/Kg	106164	12/26/03 2004	m
	p-Isopropyltoluene, Solid*		ND	U		1.6	6.3	1.00000	ug/Kg	106164	12/26/03 2004	m
	n-Butylbenzene, Solid*		ND	U		1.6	6.3	1.00000	ug/Kg	106164	12/26/03 2004	m
	1,2-Dibromo-3-chloropropane, Solid*		ND	U		1.5	6.3	1.00000	ug/Kg	106164	12/26/03 2004	m
	1,2,3-Trichlorobenzene, Solid*		ND	U		1.9	6.3	1.00000	ug/Kg	106164	12/26/03 2004	m

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Date:01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - STOP

ATM: David Brewer

Customer Sample ID: SB21
 Date Sampled.....: 12/17/2003
 Time Sampled.....: 12:50
 Sample Matrix.....: Soil

Laboratory Sample ID: 223218-4
 Date Received.....: 12/19/2003
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH	
Method	% Solids Determination	86.5			0.10	0.10	1	%	105971	12/30/03	2040	clb	
	% Solids, Solid	13.5			0.10	0.10	1	%	105971	12/30/03	2040	clb	
8082	PCB Analysis												
	Aroclor 1016, Solid*	ND	U		3.3	19	1.00000	ug/Kg	105996	12/29/03	1902	mgk	
	Aroclor 1221, Solid*	ND	U		7.7	19	1.00000	ug/Kg	105996	12/29/03	1902	mgk	
	Aroclor 1232, Solid*	ND	U		3.5	19	1.00000	ug/Kg	105996	12/29/03	1902	mgk	
	Aroclor 1242, Solid*	ND	U		7.3	19	1.00000	ug/Kg	105996	12/29/03	1902	mgk	
	Aroclor 1248, Solid*	ND	U		2.7	19	1.00000	ug/Kg	105996	12/29/03	1902	mgk	
	Aroclor 1254, Solid*	ND	U		3.1	19	1.00000	ug/Kg	105996	12/29/03	1902	mgk	
	Aroclor 1260, Solid*	ND	U		2.9	19	1.00000	ug/Kg	105996	12/29/03	1902	mgk	
7471A	Mercury (CVAA) Solids												
	Mercury, Solid*	ND	U		0.0050	0.019	1	mg/Kg	106028	12/31/03	1426	daj	
6010B	Metals Analysis (ICAP Trace)												
	Aluminum, Solid*	610	U		2.5	21	1	mg/Kg	106021	12/31/03	0159	tds	
	Antimony, Solid*	ND	U		0.93	2.1	1	mg/Kg	106021	12/31/03	0159	tds	
	Arsenic, Solid*	ND	U		0.53	1.0	1	mg/Kg	106021	12/31/03	0159	tds	
	Barium, Solid*				7.8	0.17	1.0	mg/Kg	106021	12/31/03	0159	tds	
	Beryllium, Solid*				0.051	0.046	0.42	mg/Kg	106021	12/31/03	0159	tds	
	Cadmium, Solid*				0.083	0.083	0.21	mg/Kg	106021	12/31/03	0159	tds	
	Calcium, Solid*				0.17	16	52	mg/Kg	106131	01/01/04	0201	lmr	
	Chromium, Solid*				360000	5.6	0.23	1.0	mg/Kg	106021	12/31/03	0159	tds
	Cobalt, Solid*				0.48	B	0.15	0.52	mg/Kg	106021	12/31/03	0159	tds
	Copper, Solid*				ND	1400	0.93	1.0	mg/Kg	106021	12/31/03	0159	tds
	Iron, Solid*				ND	3.1	5.2	1	mg/Kg	106021	12/31/03	0159	tds
	Lead, Solid*				ND	0.45	0.52	1	mg/Kg	106021	12/31/03	0159	tds

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date: 01/28/2004			
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - STOP		ATTN: David Brewer									
Customer Sample ID:	SB21	Laboratory Sample ID:	223218-4										
Date Sampled.....:	12/17/2003	Date Received.....:	12/19/2003										
Time Sampled.....:	12:50	Time Received.....:	10:15										
Sample Matrix.....:	Soil												
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE	RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Magnesium, Solid*	9300					1.8	10	1	mg/Kg	106021		12/31/03 0159	tds
Manganese, Solid*	180					0.14	1.0	1	mg/Kg	106021		12/31/03 0159	tds
Nickel, Solid*	3.2					0.26	1.0	1	mg/Kg	106021		12/31/03 0159	tds
Potassium, Solid*	380	U				72	260	5	mg/Kg	106131		01/01/04 0201	lmr
Selenium, Solid*	ND					0.42	1.0	1	mg/Kg	106021		12/31/03 0159	tds
Silver, Solid*	ND	U				0.32	0.52	1	mg/Kg	106021		12/31/03 0159	tds
Sodium, Solid*	270					90	100	1	mg/Kg	106021		12/31/03 0159	tds
Thallium, Solid*		0.87	B			0.69	1.0	1	mg/Kg	106021		12/31/03 0159	tds
Vanadium, Solid*		3.1				1.1	2.6	5	mg/Kg	106131		01/01/04 0201	lmr
Zinc, Solid*		5.8				0.42	2.1	1	mg/Kg	106021		12/31/03 0159	tds

* In Description = Dry Wgt.

Job Number: 223218

LABORATORY TEST RESULTS Date:01/28/2004

LABORATORY TEST RESULTS

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - STOP

ATTN: David Brewer

Customer Sample ID: SB22
Date Sampled.....: 12/17/2003
Time Sampled.....: 13:45
Sample Matrix.....: Soil

Laboratory Sample ID: 223218-5
Date Received.....: 12/19/2003
Time Received.....: 10:15

* In Description = Dry Wgt.

LABORATORY TEST RESULTS											
Job Number:	Date:01/28/2004										
CUSTOMER:	ATTN: David Brewer										
SCS Engineers, Inc.	PROJECT: GSA - SLOP										
Customer Sample ID: SB22 Date Sampled.....: 12/17/2003 Time Sampled.....: 13:45 Sample Matrix....: Soil											
Laboratory Sample ID: 223218-5 Date Received.....: 12/19/2003 Time Received.....: 10:15											
TEST METHOD	PARAMETER/TEST DESCRIPTION		SAMPLE RESULT	Q FLAGS	NOL	RL	DILUTION	UNITS	BATCH DT	DATE/TIME	TECH
	Sodium, Solid*		ND	1300	U	100 0.78 0.25 0.47	120 1.2 0.59 2.4	1	mg/Kg	106021	12/31/03 0233 tds
	Thallium, Solid*			26					mg/Kg	106021	12/31/03 0233 tds
	Vanadium, Solid*			110					mg/Kg	106131	01/01/04 0207 umr
	Zinc, Solid*								mg/Kg	106021	12/31/03 0233 tds

* In Description = Dry Wgt.

SSTL Chicago is part of Severn Trent Laboratories, Inc.

Job Number: 223218

LABORATORY TEST REQUESTS

Date: 01/28/2006

CUSTOMER: SCS Engineers, Inc.

PROJECT GSA - S10B

ATTN: David Broder

Customer Sample ID: SB23
Date Sampled: 12/17/2003
Time Sampled: 14:00
Sample Matrix: Soil

Laboratory Sample ID: 223218-6
Date Received.....: 12/19/2003
Time Received.....: 10:15

* In Description = Dry Wgt.

Job Number: 223218

Date:01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLQP

ATTN: David Brewer

LABORATORY TEST RESULTS

Customer Sample ID: SB23
 Date Sampled.....: 12/17/2003
 Time Sampled.....: 14:00
 Sample Matrix....: Soil

Laboratory Sample ID: 223218-6
 Date Received.....: 12/19/2003
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
7471A	Mercury (CVAA) Solids	0.065		0.0053	0.020	1	mg/Kg	106028	12/31/03 1434	daj	
6010B	Metals Analysis (ICAP Trace)										
	Aluminum, Solid*	14,000	U	2.8	23	1	mg/Kg	106021	12/31/03 0239	tds	
	Antimony, Solid*	ND	4.7	1.0	2.3	1	mg/Kg	106021	12/31/03 0239	tds	
	Arsenic, Solid*	130	0.59	0.59	1.2	1	mg/Kg	106021	12/31/03 0239	tds	
	Barium, Solid*	0.18		0.18	1.2	1	mg/Kg	106021	12/31/03 0239	tds	
	Beryllium, Solid*	0.051		0.051	0.46	1	mg/Kg	106021	12/31/03 0239	tds	
	Cadmium, Solid*	0.98	U	0.092	0.23	1	mg/Kg	106021	12/31/03 0239	tds	
	Calcium, Solid*	5,000	U	3.6	12	1	mg/Kg	106021	12/31/03 0239	tds	
	Chromium, Solid*	22		0.25	1.2	1	mg/Kg	106021	12/31/03 0239	tds	
	Cobalt, Solid*	7.9		0.16	0.58	1	mg/Kg	106021	12/31/03 0239	tds	
	Copper, Solid*	11		1.0	1.2	1	mg/Kg	106021	12/31/03 0239	tds	
	Iron, Solid*	16,000		3.5	5.8	1	mg/Kg	106021	12/31/03 0239	tds	
	Lead, Solid*	18		0.49	0.58	1	mg/Kg	106021	12/31/03 0239	tds	
	Magnesium, Solid*	2,300		2.0	12	1	mg/Kg	106021	12/31/03 0239	tds	
	Manganese, Solid*	360		0.15	1.2	1	mg/Kg	106021	12/31/03 0239	tds	
	Nickel, Solid*	16		0.29	1.2	1	mg/Kg	106021	12/31/03 0239	tds	
	Potassium, Solid*	730	U	16	58	1	mg/Kg	106131	01/01/04 0214	mr	
	Selenium, Solid*	ND	U	0.46	1.2	1	mg/Kg	106021	12/31/03 0239	tds	
	Silver, Solid*	ND	U	0.36	0.58	1	mg/Kg	106021	12/31/03 0239	tds	
	Sodium, Solid*	160	U	100	120	1	mg/Kg	106021	12/31/03 0239	tds	
	Thallium, Solid*	ND	U	0.76	1.2	1	mg/Kg	106131	01/01/04 0214	mr	
	Vanadium, Solid*	30		0.24	0.58	1	mg/Kg	106021	12/31/03 0239	tds	
	Zinc, Solid*	40		0.46	2.3	1	mg/Kg				

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date: 01/28/2004		
CUSTOMER: SES Engineers, Inc.		PROJECT: GSA - SIOP		ATTN: David Brewer								
TEST METHOD	PARAMETER/TEST DESCRIPTION		SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination % Solids, Solid % Moisture, Solid		81.8 18.2		0.10 0.10	0.10 0.10	1 1	% %	105971 105971	12/30/03 12/30/03	2040 2040	clb clb
8082	PCB Analysis				3.5	20	1.00000	ug/Kg	105996	12/29/03	2113	mgk
	Aroclor 1016, Solid*	ND		U U	8.2	20	1.00000	ug/Kg	105996	12/29/03	2113	mgk
	Aroclor 1221, Solid*	ND		U U	3.7	20	1.00000	ug/Kg	105996	12/29/03	2113	mgk
	Aroclor 1232, Solid*	ND		U U	7.7	20	1.00000	ug/Kg	105996	12/29/03	2113	mgk
	Aroclor 1242, Solid*	ND		U U	2.8	20	1.00000	ug/Kg	105996	12/29/03	2113	mgk
	Aroclor 1248, Solid*	ND		U U	3.3	20	1.00000	ug/Kg	105996	12/29/03	2113	mgk
	Aroclor 1254, Solid*	ND		U U	3.1	20	1.00000	ug/Kg	105996	12/29/03	2113	mgk
	Aroclor 1260, Solid*	ND		U U								
8330	Explosives by 8330 (HPLC)				110	250	1.00000	ug/Kg	105995	12/29/03	2342	san
	HMX, Solid	ND		U U	57	98	1.00000	ug/Kg	105995	12/29/03	2342	san
	RDX, Solid	ND		U U	17	98	1.00000	ug/Kg	105995	12/29/03	2342	san
	1,3,5-Trinitrobenzene, Solid	ND		U U	17	98	1.00000	ug/Kg	105995	12/29/03	2342	san
	1,3-Dinitrobenzene, Solid	ND		U U	22	98	1.00000	ug/Kg	105995	12/29/03	2342	san
	Nitrobenzene, Solid	ND		U U	33	98	1.00000	ug/Kg	105995	12/29/03	2342	san
	2,4,6-INT, Solid	ND		U U	43	200	1.00000	ug/Kg	105995	12/29/03	2342	san
	Tetryl, Solid	ND		U U	35	98	1.00000	ug/Kg	105995	12/29/03	2342	san
	2,4-Dinitrotoluene, Solid	ND		U U	47	200	1.00000	ug/Kg	105995	12/29/03	2342	san
	2,6-Dinitrotoluene, Solid	ND		U U	35	200	1.00000	ug/Kg	105995	12/29/03	2342	san
	2-Amino-4,6-Dinitrotoluene, Solid	ND		U U	95	200	1.00000	ug/Kg	105995	12/29/03	2342	san
	4-Amino-2,6-Dinitrotoluene, Solid	ND		U U	33	200	1.00000	ug/Kg	105995	12/29/03	2342	san
	2-Nitrotoluene, Solid	ND		U U	46	490	1.00000	ug/Kg	105995	12/29/03	2342	san
	4-Nitrotoluene, Solid	ND		U U	49	200	1.00000	ug/Kg	105995	12/29/03	2342	san

* In Description = Dry Wgt.

Job Number: 223218

Date: 01/28/2004

CUSTOMER: SSS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN: David Brewer

LABORATORY TEST RESULTS

Customer Sample ID: SB24
 Date Sampled.....: 12/17/2003
 Time Sampled.....: 14:30
 Sample Matrix....: Soil

Laboratory Sample ID: 223218-7
 Date Received.....: 12/19/2003
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
7471A	Mercury (CVAA) Solids	0.046		0.0053	0.020	1	mg/Kg	106028	12/31/03	1436	daj
6010B	Mercury, Solid*	ND	U	2.7	22	1	mg/Kg	106021	12/31/03	0245	tds
	Metals Analysis (ICAP Trace)	12000		1.0	2.2	1	mg/Kg	106021	12/31/03	0245	tds
	Aluminum, Solid*	ND	7.1	0.57	1.1	1	mg/Kg	106021	12/31/03	0245	tds
	Antimony, Solid*	160	0.99	0.8	1.1	1	mg/Kg	106021	12/31/03	0245	tds
	Arsenic, Solid*	ND	0.99	0.049	0.44	1	mg/Kg	106021	12/31/03	0245	tds
	Barium, Solid*	20	U	0.089	0.22	1	mg/Kg	106021	12/31/03	0245	tds
	Beryllium, Solid*	ND	15000	3.4	11	1	mg/Kg	106021	12/31/03	0245	tds
	Cadmium, Solid*	20	U	0.24	1.1	1	mg/Kg	106021	12/31/03	0245	tds
	Calcium, Solid*	ND	9.2	0.16	0.56	1	mg/Kg	106021	12/31/03	0245	tds
	Chromium, Solid*	21	U	0.16	1.0	1	mg/Kg	106021	12/31/03	0245	tds
	Cobalt, Solid*	21	U	0.14	1.1	1	mg/Kg	106021	12/31/03	0245	tds
	Copper, Solid*	21000	U	1.0	5.6	1	mg/Kg	106021	12/31/03	0245	tds
	Iron, Solid*	21000	U	3.3	11	1	mg/Kg	106021	12/31/03	0245	tds
	Lead, Solid*	41	U	0.48	0.56	1	mg/Kg	106021	12/31/03	0245	tds
	Magnesium, Solid*	2300	U	1.9	11	1	mg/Kg	106021	12/31/03	0245	tds
	Manganese, Solid*	730	U	0.14	1.1	1	mg/Kg	106021	12/31/03	0245	tds
	Nickel, Solid*	20	U	0.28	1.1	1	mg/Kg	106021	12/31/03	0245	tds
	Potassium, Solid*	1400	U	15	56	1	mg/Kg	106131	01/01/04	0221	lmr
	Selenium, Solid*	ND	U	0.44	1.1	1	mg/Kg	106021	12/31/03	0245	tds
	Silver, Solid*	ND	U	0.34	0.56	1	mg/Kg	106021	12/31/03	0245	tds
	Sodium, Solid*	160	U	96	110	1	mg/Kg	106021	12/31/03	0245	tds
	Thallium, Solid*	ND	33	0.73	1.1	1	mg/Kg	106021	12/31/03	0245	tds
	Vanadium, Solid*	ND	46	0.23	0.56	1	mg/Kg	106131	01/01/04	0221	lmr
	Zinc, Solid*			0.44	2.2	1	mg/Kg	106021	12/31/03	0245	tds
8260B	Volatile Organics	ND	U	1.3	9.2	1.00000	ug/Kg	106164	12/26/03	1843	lm
	Dichlorodifluoromethane, Solid*										

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:01/28/2004			
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Breuer									
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE	RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chloromethane, Solid*	ND	U			2.0	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	Vinyl chloride, Solid*	ND	U			2.0	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	Bromomethane, Solid*	ND	U			2.4	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	Chloroethane, Solid*	ND	U			1.8	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	Trichlorofluoromethane, Solid*	ND	U			2.6	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	1,1-Dichloroethene, Solid*	ND	U			2.4	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	Carbon disulfide, Solid*	ND	U			2.2	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	Acetone, Solid*	ND	U			8.4	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	Methylene chloride, Solid*	ND	U			5.3	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	trans-1,2-Dichloroethene, Solid*	ND	U			2.0	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	Methyl-tert-butyl-ether (MTBE), Solid*	ND	U			1.8	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	1,1-Dichloroethane, Solid*	ND	U			1.8	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	2,2-Dichloropropane, Solid*	ND	U			1.7	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	cis-1,2-Dichloroethene, Solid*	ND	U			2.0	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	2-Butanone (MEK), Solid*	ND	U			7.2	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	Bromochloromethane, Solid*	ND	U			2.0	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	Chloroform, Solid*	ND	U			2.0	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	1,1,1-Trichloroethane, Solid*	ND	U			2.0	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	1,1-Dichloropropane, Solid*	ND	U			2.2	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	Carbon tetrachloride, Solid*	ND	U			2.0	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	Benzene, Solid*	ND	U			1.7	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	1,2-Dichloroethane, Solid*	ND	U			2.0	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	Trichloroethene, Solid*	ND	U			1.8	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	1,2-Dichloropropane, Solid*	ND	U			2.0	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	Dibromomethane, Solid*	ND	U			1.8	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	Bromodichloromethane, Solid*	ND	U			1.8	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	cis-1,3-Dichloropropene, Solid*	ND	U			1.7	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	4-Methyl-1,2-pentanone (MIBK), Solid*	ND	U			1.8	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	Toluene, Solid*	ND	U			2.0	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m

* In Description = Dry Wgt.

Job Number: 223218

LABORATORY TEST RESULTS

Date: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN: David Brewer

Customer Sample ID: SB24
 Date Sampled.....: 12/17/2003
 Time Sampled.....: 14:30
 Sample Matrix....: Soil

Laboratory Sample ID: 223218-7
 Date Received.....: 12/19/2003
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	NDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	trans-1,3-Dichloropropene, Solid*	ND	U		1.4	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	1,1,2-Trichloroethane, Solid*	ND	U		2.0	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	Tetrachloroethene, Solid*	ND	U		2.2	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	1,3-Dichloropropane, Solid*	ND	U		1.7	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	2-Hexanone, Solid*	ND	U		2.0	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	Dibromochloromethane, Solid*	ND	U		1.4	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	1,2-Dibromoethane (EDB), Solid*	ND	U		1.5	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	Chlorobenzene, Solid*	ND	U		2.0	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	1,1,1,2-Tetrachloroethane, Solid*	ND	U		2.0	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	Ethylbenzene, Solid*	ND	U		2.0	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	m&p-Xylenes, Solid*	ND	U		4.2	18	1.00000	ug/Kg	106164	12/26/03	1843	m
	o-Xylene, Solid*	ND	U		2.0	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	Styrene, Solid*	ND	U		2.0	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	Bromoform, Solid*	ND	U		1.4	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	Isopropylbenzene, Solid*	ND	U		2.0	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	Bromobenzene, Solid*	ND	U		1.8	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	1,1,2,2-Tetrachloroethane, Solid*	ND	U		1.8	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	1,2,3-Trichloropropane, Solid*	ND	U		2.0	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	n-Propylbenzene, Solid*	ND	U		2.4	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	2-Chlorotoluene, Solid*	ND	U		2.4	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	1,3,5-Trimethylbenzene, Solid*	ND	U		2.4	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	4-Chlorotoluene, Solid*	ND	U		2.4	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	tert-Butylbenzene, Solid*	ND	U		2.2	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	1,2,4-Trimethylbenzene, Solid*	ND	U		2.6	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	sec-Butylbenzene, Solid*	ND	U		2.2	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	p-Isopropyltoluene, Solid*	ND	U		2.4	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	n-Butylbenzene, Solid*	ND	U		2.4	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	1,2-Dibromo-3-chloropropane, Solid*	ND	U		2.2	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m
	1,2,3-Trichlorobenzene, Solid*	ND	U		2.8	9.2	1.00000	ug/Kg	106164	12/26/03	1843	m

* In Description = Dry Wgt.

Job Number: 223218

LABORATORY TEST RESULTS

Date: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - STOP

ATTN. David Brehmer

Customer Sample ID: SB25
Date Sampled.....: 12/17/2003
Time Sampled.....: 15:10
Sample Matrix: Soil

Laboratory Sample ID: 223218-8
Date Received.....: 12/19/2003
Time Received.....: 10:15

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:01/28/2004	
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SIOP		ATTN: David Brewer							
Customer Sample ID:	SB25	Laboratory Sample ID:	223218-8								
Date Sampled.....:	12/17/2003	Date Received.....:	12/19/2003								
Time Sampled.....:	15:10	Time Received.....:	10:15								
Sample Matrix....:	Soil										
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
7471A	Mercury (CVAA) Solids	0.061		0.0053	0.020	1	mg/Kg	106028	12/31/03	1438	daj
6010B	Metals Analysis (ICAP Trace)										
	Aluminum, Solid*	16000	U	2.9	24	1	mg/Kg	106021	12/31/03	0252	tds
	Antimony, Solid*	ND	5.2	1.1	2.4	1	mg/Kg	106021	12/31/03	0252	tds
	Arsenic, Solid*	370	370	0.62	1.2	1	mg/Kg	106021	12/31/03	0252	tds
	Barium, Solid*			0.19	1.2	1	mg/Kg	106021	12/31/03	0252	tds
	Beryllium, Solid*	2.0	U	0.054	0.49	1	mg/Kg	106021	12/31/03	0252	tds
	Cadmium, Solid*	ND	3400	0.097	0.24	1	mg/Kg	106021	12/31/03	0252	tds
	Calcium, Solid*	18	18	3.8	12	1	mg/Kg	106021	12/31/03	0252	tds
	Chromium, Solid*	44	44	0.27	1.2	1	mg/Kg	106021	12/31/03	0252	tds
	Cobalt, Solid*			0.17	0.61	1	mg/Kg	106021	12/31/03	0252	tds
	Copper, Solid*	9.2	9.2	1.1	1.2	1	mg/Kg	106021	12/31/03	0252	tds
	Iron, Solid*	21000	21000	3.6	6.1	1	mg/Kg	106021	12/31/03	0252	tds
	Lead, Solid*	19	19	0.52	0.61	1	mg/Kg	106021	12/31/03	0252	tds
	Magnesium, Solid*	2400	2400	2.1	12	1	mg/Kg	106021	12/31/03	0252	tds
	Manganese, Solid*	1700	1700	0.16	1.2	1	mg/Kg	106021	12/31/03	0252	tds
	Nickel, Solid*	34	34	0.30	1.2	1	mg/Kg	106021	12/31/03	0252	tds
	Potassium, Solid*	720	720	17	61	1	mg/Kg	106131	01/01/04	0228	lmr
	Selenium, Solid*	ND	ND	0.49	1.2	1	mg/Kg	106021	12/31/03	0252	tds
	Silver, Solid*			0.38	0.61	1	mg/Kg	106021	12/31/03	0252	tds
	Sodium, Solid*	140	140	110	120	1	mg/Kg	106021	12/31/03	0252	tds
	Thallium, Solid*	ND	32	0.80	1.2	1	mg/Kg	106021	12/31/03	0252	tds
	Vanadium, Solid*		28	0.26	0.61	1	mg/Kg	106131	01/01/04	0228	lmr
	Zinc, Solid*			0.49	2.4	1	mg/Kg	106021	12/31/03	0252	tds

* In Description = Dry Wgt.

LABORATORY TESTS

Job Number: 223218

Date: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - S10P

ATTN: David Brewer

Customer Sample ID: SB26
Date Sampled.....: 12/17/2003
Time Sampled.....: 15:45
Sample Matrix....: Soil

Laboratory Sample ID: 223218-9
Date Received.....: 12/19/2003
Time Received.....: 10:15

* In Description = Dry Wgt.

LABORATORY TEST RESULTS											Date:01/28/2004	
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - STOP		ATTN: David Breuer								
Customer Sample ID: SB26 Date Sampled.....: 12/17/2003 Time Sampled.....: 15:45 Sample Matrix....: Soil							Laboratory Sample ID: 223218-9 Date Received.....: 12/19/2003 Time Received.....: 10:15					
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	NDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
7471A	Mercury (CVAA) Solids	0.0082	B		0.0052	0.020	1	mg/Kg	106028	12/31/03	1440	daj
6010B	Metals Analysis (ICAP Trace)	9100	U		2.7	22	1	mg/Kg	106021	12/31/03	0258	tds
	Aluminum, Solid*	ND	3.0		1.0	2.2	1	mg/Kg	106021	12/31/03	0258	tds
	Antimony, Solid*	160	160		0.57	1.1	1	mg/Kg	106021	12/31/03	0258	tds
	Arsenic, Solid*		1.7	U	0.18	1.1	1	mg/Kg	106021	12/31/03	0258	tds
	Barium, Solid*				0.049	0.44	1	mg/Kg	106021	12/31/03	0258	tds
	Beryllium, Solid*				0.049	0.44	1	mg/Kg	106021	12/31/03	0258	tds
	Cadmium, Solid*				0.089	0.22	1	mg/Kg	106021	12/31/03	0258	tds
	Calcium, Solid*	3200	19		3.4	11	1	mg/Kg	106021	12/31/03	0258	tds
	Chromium, Solid*		5.5		0.24	1.1	1	mg/Kg	106021	12/31/03	0258	tds
	Cobalt, Solid*		6.4		0.16	0.56	1	mg/Kg	106021	12/31/03	0258	tds
	Copper, Solid*	20000	7.5		1.0	1.1	1	mg/Kg	106021	12/31/03	0258	tds
	Iron, Solid*				3.3	5.6	1	mg/Kg	106021	12/31/03	0258	tds
	Lead, Solid*				0.48	0.56	1	mg/Kg	106021	12/31/03	0258	tds
	Magnesium, Solid*	1800	1800		1.9	11	1	mg/Kg	106021	12/31/03	0258	tds
	Manganese, Solid*	260	260		0.14	1.1	1	mg/Kg	106021	12/31/03	0258	tds
	Nickel, Solid*	27	27		0.28	1.1	1	mg/Kg	106021	12/31/03	0258	tds
	Potassium, Solid*	460	460		15	56	1	mg/Kg	10631	01/01/04	0234	lmr
	Selenium, Solid*	ND	ND	U	0.44	1.1	1	mg/Kg	106021	12/31/03	0258	tds
	Silver, Solid*	ND	ND	U	0.34	0.56	1	mg/Kg	106021	12/31/03	0258	tds
	Sodium, Solid*	ND	ND	U	96	110	1	mg/Kg	106021	12/31/03	0258	tds
	Thallium, Solid*	ND	ND	U	0.73	1.1	1	mg/Kg	106021	12/31/03	0258	tds
	Vanadium, Solid*	25	25		0.23	0.56	1	mg/Kg	10631	01/01/04	0234	lmr
	Zinc, Solid*	18	18		0.44	2.2	1	mg/Kg	106021	12/31/03	0258	tds

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:01/28/2004		
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - STOP		ATTN: David Brewer								
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH#	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO) Diesel Range Organics (DRO), 3541 Solid*	ND	U		3.3	5.3	1.00000	mg/Kg	105934	12/29/03	1556	mgk
Method	% Solids Determination % Solids, Solid % Moisture, Solid	77.6 22.4			0.10 0.10	0.10 0.10	1 1	%	105971 105971	12/30/03	2040	c1b
8082	PCB Analysis Aroclor 1016, Solid* Aroclor 1221, Solid* Aroclor 1232, Solid* Aroclor 1242, Solid* Aroclor 1248, Solid* Aroclor 1254, Solid* Aroclor 1260, Solid*	ND ND ND ND ND ND ND ND	U U U U U U U U		3.7 8.6 3.9 8.1 3.0 3.5 3.2	21 21 21 21 21 21 21 21	1.00000 1.00000 1.00000 1.00000 1.00000 1.00000 1.00000 1.00000	ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg	105996 105996 105996 105996 105996 105996 105996 105996	12/29/03 12/29/03 12/29/03 12/29/03 12/29/03 12/29/03 12/29/03 12/29/03	2251 2251 2251 2251 2251 2251 2251 2251	mgk mgk mgk mgk mgk mgk mgk mgk
7471A	Mercury (CVAA) Solids Mercury, Solid*	0.038			0.0055	0.021	1	mg/Kg	106028	12/31/03	1442	dai
6010B	Metals Analysis (ICAP Trace) Aluminum, Solid* Antimony, Solid* Arsenic, Solid* Barium, Solid* Beryllium, Solid* Cadmium, Solid* Calcium, Solid* Chromium, Solid* Cobalt, Solid*	13000 ND 87 ND ND ND 2400 18	U 3.2 0.59 U 2400 5.1		2.8 1.1 0.60 0.19 0.052 0.094 3.7 0.26 0.17	24 2.4 1.2 1 0.47 0.24 12 1.2 0.59	1 1 1 1 1 1 1 1 1	mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg	106021 106021 106021 106021 106021 106021 106021 106021 106021	12/31/03 12/31/03 12/31/03 12/31/03 12/31/03 12/31/03 12/31/03 12/31/03 12/31/03	0304 0304 0304 0304 0304 0304 0304 0304 0304	tcd tcd tcd tcd tcd tcd tcd tcd tcd

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:01/28/2004		
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - STOP		ATTN: David Breuer								
Customer Sample ID: SB27		Laboratory Sample ID: 223218-10										
Date Sampled.....: 12/17/2003		Date Received.....:	12/19/2003									
Time Sampled.....: 17:00		Time Received.....:	10:15									
Sample Matrix....: Soil												
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	a	FLAGS	NDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Copper, Solid*	8.7				1.1	1.2	1	mg/Kg	106021	12/31/03 0304	tds	
Iron, Solid*	13000				3.5	5.9	1	mg/Kg	106021	12/31/03 0304	tds	
Lead, Solid*	8.8				0.51	0.59	1	mg/Kg	106021	12/31/03 0304	tds	
Magnesium, Solid*	1700				2.0	12	1	mg/Kg	106021	12/31/03 0304	tds	
Manganese, Solid*	140				0.15	1.2	1	mg/Kg	106021	12/31/03 0304	tds	
Nickel, Solid*	9.1				0.29	1.2	1	mg/Kg	106021	12/31/03 0304	tds	
Potassium, Solid*	480	U			16	59	1	mg/Kg	106131	01/01/04 0241	lmr	
Selenium, Solid*	ND	U			0.47	1.2	1	mg/Kg	106021	12/31/03 0304	tds	
Silver, Solid*	ND	U			0.37	0.59	1	mg/Kg	106021	12/31/03 0304	tds	
Sodium, Solid*	290	U			100	120	1	mg/Kg	106021	12/31/03 0304	tds	
Thallium, Solid*	ND	U			0.78	1.2	1	mg/Kg	106021	12/31/03 0304	tds	
Vanadium, Solid*	24	U			0.25	0.59	1	mg/Kg	106131	01/01/04 0241	lmr	
Zinc, Solid*	20	U			0.47	2.4	1	mg/Kg	106021	12/31/03 0304	tds	

* In Description = Dry Wgt.

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:01/28/2004		
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - STOP		ATTN: David Brewer								
Customer Sample ID: SB28		Laboratory Sample ID: 223218-11										
Date Sampled.....: 12/17/2003		Date Received.....: 12/19/2003										
Time Sampled.....: 08:30		Time Received.....: 10:15										
Sample Matrix....: Soil												
TEST/METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
7471A	Mercury (CVAA) Solids	0.025			0.0053	0.020	1	mg/Kg	106028	12/31/03 1444	daj	
6010B	Mercury, Solid*	4800	U		2.8	23	1	mg/Kg	106021	12/31/03 0310	tds	
	Metals Analysis (ICAP Trace)				1.0	2.3	1	mg/Kg	106021	12/31/03 0310	tds	
	Aluminum, Solid*	ND	3.4		0.59	1.2	1	mg/Kg	106021	12/31/03 0310	tds	
	Antimony, Solid*	58	58		0.19	1.2	1	mg/Kg	106021	12/31/03 0310	tds	
	Arsenic, Solid*	0.42	B		0.051	0.46	1	mg/Kg	106021	12/31/03 0310	tds	
	Barium, Solid*	ND	U		0.093	0.23	1	mg/Kg	106021	12/31/03 0310	tds	
	Beryllium, Solid*	17000	9.7		3.6	12	1	mg/Kg	106021	12/31/03 0310	tds	
	Cadmium, Solid*	ND	4.3		0.25	1.2	1	mg/Kg	106021	12/31/03 0310	tds	
	Calcium, Solid*	8700	9.1		0.16	0.58	1	mg/Kg	106021	12/31/03 0310	tds	
	Chromium, Solid*	ND	8700		1.0	1.2	1	mg/Kg	106021	12/31/03 0310	tds	
	Cobalt, Solid*	14	14		3.5	5.8	1	mg/Kg	106021	12/31/03 0310	tds	
	Copper, Solid*	3800	3800		0.50	0.58	1	mg/Kg	106021	12/31/03 0310	tds	
	Iron, Solid*	240	240		2.0	12	1	mg/Kg	106021	12/31/03 0310	tds	
	Lead, Solid*	11	11		0.15	1.2	1	mg/Kg	106021	12/31/03 0310	tds	
	Magnesium, Solid*	510	510		0.29	1.2	1	mg/Kg	106021	12/31/03 0310	tds	
	Nickel, Solid*	ND	ND		16	58	1	mg/Kg	10631	01/01/04 0248	lmr	
	Potassium, Solid*	ND	ND		0.46	1.2	1	mg/Kg	106021	12/31/03 0310	tds	
	Selenium, Solid*	ND	ND		0.36	0.58	1	mg/Kg	106021	12/31/03 0310	tds	
	Silver, Solid*	260	260		100	120	1	mg/Kg	106021	12/31/03 0310	tds	
	Sodium, Solid*	ND	ND		0.76	1.2	1	mg/Kg	106021	12/31/03 0310	tds	
	Thallium, Solid*	13	13		0.24	0.58	1	mg/Kg	10631	01/01/04 0248	lmr	
	Zinc, Solid*	30	30		0.46	2.3	1	mg/Kg	106021	12/31/03 0310	tds	

* In Description = Dry Wgt.

Job Number: 223218

Date: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN: David Brewer

LABORATORY TEST RESULTS

Date: 01/28/2004

Customer Sample ID: SB29
 Date Sampled.....: 12/17/2003
 Time Sampled.....: 09:00
 Sample Matrix....: Soil

Laboratory Sample ID: 223218-12
 Date Received.....: 12/19/2003
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MOL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination % Solids, Solid % Moisture, Solid	79.9 20.1		0.10 0.10	0.10 0.10	1 1	% %	105971 105971	12/30/03 12/30/03	2040 2040	c1b c1b
8082	PCB Analysis										
	Aroclor 1016, Solid*	ND	U	3.6	21	1.00000	ug/Kg	105996	12/30/03	0029	mgk
	Aroclor 1221, Solid*	ND	U	8.3	21	1.00000	ug/Kg	105996	12/30/03	0029	mgk
	Aroclor 1232, Solid*	ND	U	3.7	21	1.00000	ug/Kg	105996	12/30/03	0029	mgk
	Aroclor 1242, Solid*	ND	U	7.8	21	1.00000	ug/Kg	105996	12/30/03	0029	mgk
	Aroclor 1248, Solid*	ND	U	2.8	21	1.00000	ug/Kg	105996	12/30/03	0029	mgk
	Aroclor 1254, Solid*	ND	U	3.3	21	1.00000	ug/Kg	105996	12/30/03	0029	mgk
	Aroclor 1260, Solid*	ND	U	3.1	21	1.00000	ug/Kg	105996	12/30/03	0029	mgk
8330	Explosives by 8330 (HPLC)										
	HMX, Solid	ND	U	110	250	1.00000	ug/Kg	105995	12/30/03	0224	san
	RDX, Solid	ND	U	58	100	1.00000	ug/Kg	105995	12/30/03	0224	san
	1,3,5-Trinitrobenzene, Solid	ND	U	17	100	1.00000	ug/Kg	105995	12/30/03	0224	san
	1,3-Dinitrobenzene, Solid	ND	U	18	100	1.00000	ug/Kg	105995	12/30/03	0224	san
	Nitrobenzene, Solid	ND	U	22	100	1.00000	ug/Kg	105995	12/30/03	0224	san
	2,4,6-TNT, Solid	ND	U	34	100	1.00000	ug/Kg	105995	12/30/03	0224	san
	Tetryl, Solid	ND	U	43	200	1.00000	ug/Kg	105995	12/30/03	0224	san
	2,4-Dinitrotoluene, Solid	ND	U	35	100	1.00000	ug/Kg	105995	12/30/03	0224	san
	2,6-Dinitrotoluene, Solid	ND	U	47	200	1.00000	ug/Kg	105995	12/30/03	0224	san
	2-Amino-4,6-Dinitrotoluene, Solid	ND	U	36	200	1.00000	ug/Kg	105995	12/30/03	0224	san
	4-Amino-2,6-dinitrotoluene, Solid	ND	U	97	200	1.00000	ug/Kg	105995	12/30/03	0224	san
	2-Nitrotoluene, Solid	ND	U	33	200	1.00000	ug/Kg	105995	12/30/03	0224	san
	4-Nitrotoluene, Solid	ND	U	46	500	1.00000	ug/Kg	105995	12/30/03	0224	san
	3-Nitrotoluene, Solid	ND	U	50	200	1.00000	ug/Kg	105995	12/30/03	0224	san

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:01/28/2004	
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - STOP		ATTN: David Breuer							
Customer Sample ID:	SB29	Laboratory Sample ID:	223218-12								
Date Sampled.....:	12/17/2003	Date Received.....:	12/19/2003								
Time Sampled.....:	09:00	Time Received.....:	10:15								
Sample Matrix.....:	Soil										
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
7471A	Mercury (CVAA) Solids	0.038		0.0054	0.021	1	mg/Kg	106028	12/31/03	1447 daj	
6010B	Mercury, Solid*	ND	U	2.8	23	1	mg/Kg	106021	12/31/03	0317 tds	
	Metals Analysis (ICAP Trace)	19000		1.0	2.3	1	mg/Kg	106021	12/31/03	0317 tds	
	Aluminum, Solid*	ND	3.1	0.58	1.1	1	mg/Kg	106021	12/31/03	0317 tds	
	Antimony, Solid*	74		0.18	1.1	1	mg/Kg	106021	12/31/03	0317 tds	
	Arsenic, Solid*	0.91		0.050	0.46	1	mg/Kg	106021	12/31/03	0317 tds	
	Barium, Solid*	ND	U	0.092	0.23	1	mg/Kg	106021	12/31/03	0317 tds	
	Beryllium, Solid*	ND	3300	3.6	11	1	mg/Kg	106021	12/31/03	0317 tds	
	Cadmium, Solid*	23		0.25	1.1	1	mg/Kg	106021	12/31/03	0317 tds	
	Calcium, Solid*	4.0		0.16	0.57	1	mg/Kg	106021	12/31/03	0317 tds	
	Chromium, Solid*	9.8		1.0	1.1	1	mg/Kg	106021	12/31/03	0317 tds	
	Cobalt, Solid*	ND	2700	3.4	5.7	1	mg/Kg	106021	12/31/03	0317 tds	
	Copper, Solid*	8.3		0.49	0.57	1	mg/Kg	106021	12/31/03	0317 tds	
	Iron, Solid*	61		1.9	11	1	mg/Kg	106021	12/31/03	0317 tds	
	Lead, Solid*	ND	61	0.15	1.1	1	mg/Kg	106021	12/31/03	0317 tds	
	Magnesium, Solid*	ND	700	0.29	1.1	1	mg/Kg	106021	12/31/03	0317 tds	
	Manganese, Solid*	ND	17	16	57	1	mg/Kg	106131	01/01/04	0255 lmr	
	Nickel, Solid*	ND	700	0.46	1.1	1	mg/Kg	106021	12/31/03	0317 tds	
	Potassium, Solid*	ND	150	0.36	0.57	1	mg/Kg	106021	12/31/03	0317 tds	
	Selenium, Solid*	ND	24	99	110	1	mg/Kg	106021	12/31/03	0317 tds	
	Silver, Solid*	ND	27	0.76	1.1	1	mg/Kg	106131	01/01/04	0255 lmr	
	Sodium, Solid*	ND		0.24	0.57	1	mg/Kg	106021	12/31/03	0317 tds	
	Thallium, Solid*			0.46	2.3	1	mg/Kg				
	Vanadium, Solid*						mg/Kg				
	Zinc, Solid*						mg/Kg				

* In Description = Dry Wgt.

Job Number: 223218

Date: 01/28/2004

LABORATORY TEST RESULTS

Customer Sample ID: SB30
Date Sampled.....: 12/1
Time Sampled.....: 09:4
Sample Matrix.....: Soil

ATTN: David Brewer

PROJECT: GSA - Stop

Customer Sample ID: SB30
Date Sampled: 12/17/2003
Time Sampled: 09:45
Sample Matrix: Soil

Laboratory Sample ID: 223218-13
Date Received.....: 12/19/2003
Time Received.....: 10:15

* In Description = Dry Wgt.

LABORATORY TEST RESULTS											
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		Date:01/28/2004							
Customer Sample ID: SB30 Date Sampled.....: 12/17/2003 Time Sampled.....: 09:45 Sample Matrix...: Soil		ATTN: David Breuer									
Laboratory Sample ID: 223218-13 Date Received.....: 12/19/2003 Time Received.....: 10:15											
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	NDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
7471A	Mercury (CVAA) Solids	0.029		0.0052	0.020	1	mg/Kg	106028	12/31/03	1453	daj
6010B	Metals Analysis (ICAP Trace)										
	Mercury, Solid*	ND	U	2.8	23	1	mg/Kg	106021	12/31/03	0323	tds
	Aluminum, Solid*			1.1	2.3	1	mg/Kg	106021	12/31/03	0323	tds
	Antimony, Solid*			0.60	1.2	1	mg/Kg	106021	12/31/03	0323	tds
	Arsenic, Solid*			0.19	1.2	1	mg/Kg	106021	12/31/03	0323	tds
	Barium, Solid*			0.052	0.47	1	mg/Kg	106021	12/31/03	0323	tds
	Beryllium, Solid*			0.094	0.23	1	mg/Kg	106021	12/31/03	0323	tds
	Cadmium, Solid*			3.6	12	1	mg/Kg	106021	12/31/03	0323	tds
	Calcium, Solid*			0.26	1.2	1	mg/Kg	106021	12/31/03	0323	tds
	Chromium, Solid*			0.16	0.59	1	mg/Kg	106021	12/31/03	0323	tds
	Cobalt, Solid*			1.1	1.2	1	mg/Kg	106021	12/31/03	0323	tds
	Copper, Solid*			3.5	5.9	1	mg/Kg	106021	12/31/03	0323	tds
	Iron, Solid*			0.51	0.59	1	mg/Kg	106021	12/31/03	0323	tds
	Lead, Solid*			2.0	12	1	mg/Kg	106021	12/31/03	0323	tds
	Magnesium, Solid*			0.15	1.2	1	mg/Kg	106021	12/31/03	0323	tds
	Manganese, Solid*			0.29	1.2	1	mg/Kg	106021	12/31/03	0323	tds
	Nickel, Solid*			16	59	1	mg/Kg	106021	12/31/03	0323	tds
	Potassium, Solid*			0.47	1.2	1	mg/Kg	106021	12/31/03	0323	tds
	Selenium, Solid*			0.36	0.59	1	mg/Kg	106021	12/31/03	0323	tds
	Silver, Solid*			100	120	1	mg/Kg	106021	12/31/03	0323	tds
	Sodium, Solid*			0.78	1.2	1	mg/Kg	106021	12/31/03	0323	tds
	Thallium, Solid*			0.25	0.59	1	mg/Kg	106131	01/01/04	0301	mr
	Vanadium, Solid*			0.47	2.3	1	mg/Kg	106021	12/31/03	0323	tds
	Zinc, Solid*										

* In Description = Dry Wgt.

Job Number: 223218

Date:01/28/2004

LABORATORY TEST RESULTS

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

Customer Sample ID: SB31
 Date Sampled.....: 12/17/2003
 Time Sampled.....: 10:30
 Sample Matrix....: Soil

Laboratory Sample ID: 223218-14
 Date Received.....: 12/19/2003
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination % Solids, Solid % Moisture, Solid	79.2 20.8	U U U U U U U U U U U U	0.10 0.10	0.10 0.10	1 1	%	105971 105971	12/30/03 12/30/03	2040 2040	clb clb
8082	PCB Analysis	ND	3.7	21	1.00000	ug/Kg	105996	12/30/03	0135	mgk	
	Aroclor 1016, Solid*	ND	8.4	21	1.00000	ug/Kg	105996	12/30/03	0135	mgk	
	Aroclor 1221, Solid*	ND	3.8	21	1.00000	ug/Kg	105996	12/30/03	0135	mgk	
	Aroclor 1232, Solid*	ND	7.9	21	1.00000	ug/Kg	105996	12/30/03	0135	mgk	
	Aroclor 1242, Solid*	ND	2.9	21	1.00000	ug/Kg	105996	12/30/03	0135	mgk	
	Aroclor 1248, Solid*	ND	3.4	21	1.00000	ug/Kg	105996	12/30/03	0135	mgk	
	Aroclor 1254, Solid*	ND	3.2	21	1.00000	ug/Kg	105996	12/30/03	0135	mgk	
	Aroclor 1260, Solid*	ND									
8330	Explosives by 8330 (HPLC)	110	250	1.00000	ug/Kg	105995	12/31/03	0622	san		
	HMX, Solid	ND	58	100	1.00000	ug/Kg	105995	12/31/03	0622	san	
	RDX, Solid	ND	17	100	1.00000	ug/Kg	105995	12/31/03	0622	san	
	1,3,5-Trinitrobenzene, Solid	ND	18	100	1.00000	ug/Kg	105995	12/31/03	0622	san	
	1,3-Dinitrobenzene, Solid	ND	22	100	1.00000	ug/Kg	105995	12/31/03	0622	san	
	Nitrobenzene, Solid	ND	34	100	1.00000	ug/Kg	105995	12/31/03	0622	san	
	2,4,6-TNT, Solid	ND	43	200	1.00000	ug/Kg	105995	12/31/03	0622	san	
	Tetryl, Solid	ND	35	100	1.00000	ug/Kg	105995	12/31/03	0622	san	
	2,4-Dinitrotoluene, Solid	ND	47	200	1.00000	ug/Kg	105995	12/31/03	0622	san	
	2,6-Dinitrotoluene, Solid	ND	36	200	1.00000	ug/Kg	105995	12/31/03	0622	san	
	2-Amino-4,6-dinitrotoluene, Solid	ND	97	200	1.00000	ug/Kg	105995	12/31/03	0622	san	
	4 Amino-2,6-Dinitrotoluene, Solid	ND	33	200	1.00000	ug/Kg	105995	12/31/03	0622	san	
	2-Nitrotoluene, Solid	ND	46	500	1.00000	ug/Kg	105995	12/31/03	0622	san	
	4-Nitrotoluene, Solid	ND	50	200	1.00000	ug/Kg	105995	12/31/03	0622	san	
	3-Nitrotoluene, Solid	ND									

* In Description = Dry wgt.

		LABORATORY TEST RESULTS												
		PROJECT: GSA - SLOP										Date:01/28/2004		
CUSTOMER: SCS Engineers, Inc.		ATTN: David Breuer												
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH		
7471A	Mercury (CVAA) Solids	0.033			0.0054	0.021	1	mg/Kg	106028	12/31/03	1455	daj		
6010B	Metals Analysis (ICAP Trace)													
	Mercury, Solid*	ND	U		2.7	23	1	mg/Kg	106021	12/31/03	0329	tds		
	Aluminum, Solid*				1.0	2.3	1	mg/Kg	106021	12/31/03	0329	tds		
	Antimony, Solid*				0.58	1.1	1	mg/Kg	106021	12/31/03	0329	tds		
	Arsenic, Solid*				0.18	1.1	1	mg/Kg	106021	12/31/03	0329	tds		
	Barium, Solid*				0.050	0.46	1	mg/Kg	106021	12/31/03	0329	tds		
	Beryllium, Solid*				0.091	0.23	1	mg/Kg	106021	12/31/03	0329	tds		
	Cadmium, Solid*				3.5	11	1	mg/Kg	106021	12/31/03	0329	tds		
	Calcium, Solid*				0.25	1.1	1	mg/Kg	106021	12/31/03	0329	tds		
	Chromium, Solid*				0.16	0.57	1	mg/Kg	106021	12/31/03	0329	tds		
	Cobalt, Solid*				4.1			mg/Kg	106021	12/31/03	0329	tds		
	Copper, Solid*				8.6			mg/Kg	106021	12/31/03	0329	tds		
	Iron, Solid*				1.0	1.1	1	mg/Kg	106021	12/31/03	0329	tds		
	Lead, Solid*				3.4	5.7	1	mg/Kg	106021	12/31/03	0329	tds		
	Magnesium, Solid*				0.49	0.57	1	mg/Kg	106021	12/31/03	0329	tds		
	Manganese, Solid*				1.9	11	1	mg/Kg	106021	12/31/03	0329	tds		
	Nickel, Solid*				0.15	1.1	1	mg/Kg	106021	12/31/03	0329	tds		
	Potassium, Solid*				7.9	0.28	1.1	mg/Kg	106021	12/31/03	0329	tds		
	Selenium, Solid*				470	16	57	1	mg/Kg	106131	01/01/04	0335	lmr	
	Silver, Solid*					0.46	1.1	1	mg/Kg	106021	12/31/03	0329	tds	
	Sodium, Solid*					0.35	0.57	1	mg/Kg	106021	12/31/03	0329	tds	
	Thallium, Solid*					99	110	1	mg/Kg	106021	12/31/03	0329	tds	
	Vanadium, Solid*					0.75	1.1	1	mg/Kg	106021	12/31/03	0329	tds	
	Zinc, Solid*					0.24	0.57	1	mg/Kg	106131	01/01/04	0335	lmr	
						0.46	2.3	1	mg/Kg	106021	12/31/03	0329	tds	

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 223218

Date: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - STOP

ATTN: David Brewer

Customer Sample ID: SB32
 Date Sampled.....: 12/17/2003
 Time Sampled.....: 11:15
 Sample Matrix.....: Soil

Laboratory Sample ID: 222218-15
 Date Received.....: 12/19/2003
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH	
Method	% Solids Determination	79.7 20.3			0.10 0.10	0.10 1	%	105971 105971	12/30/03 12/30/03	2040 2040	c lb c lb	
8082	% Solids, Solid % Moisture, Solid											
	PCB Analysis											
	Aroclor 1016, Solid*	ND	U	3.6	21	1.00000	ug/Kg	105996	12/30/03	0313	mgk	
	Aroclor 1221, Solid*	ND	U	8.4	21	1.00000	ug/Kg	105996	12/30/03	0313	mgk	
	Aroclor 1232, Solid*	ND	U	3.8	21	1.00000	ug/Kg	105996	12/30/03	0313	mgk	
	Aroclor 1242, Solid*	ND	U	7.9	21	1.00000	ug/Kg	105996	12/30/03	0313	mgk	
	Aroclor 1248, Solid*	ND	U	2.9	21	1.00000	ug/Kg	105996	12/30/03	0313	mgk	
	Aroclor 1254, Solid*	ND	U	3.4	21	1.00000	ug/Kg	105996	12/30/03	0313	mgk	
	Aroclor 1260, Solid*	ND	U	3.1	21	1.00000	ug/Kg	105996	12/30/03	0313	mgk	
8330	Explosives by 8330 (HPLC)											
	HMX, Solid	ND	U	250	1.00000	ug/Kg	105995	12/30/03	0507	san		
	RDX, Solid	ND	U	100	1.00000	ug/Kg	105995	12/30/03	0507	san		
	1,3,5-Trinitrobenzene, Solid	ND	U	18	100	1.00000	ug/Kg	105995	12/30/03	0507	san	
	1,3-Dinitrobenzene, Solid	ND	U	18	100	1.00000	ug/Kg	105995	12/30/03	0507	san	
	Nitrobenzene, Solid	ND	U	22	100	1.00000	ug/Kg	105995	12/30/03	0507	san	
	2,4,6-INT, Solid	ND	U	34	100	1.00000	ug/Kg	105995	12/30/03	0507	san	
	Tetryl, Solid	ND	U	43	200	1.00000	ug/Kg	105995	12/30/03	0507	san	
	2,4-Dinitrotoluene, Solid	ND	U	36	100	1.00000	ug/Kg	105995	12/30/03	0507	san	
	2,6-Dinitrotoluene, Solid	ND	U	48	200	1.00000	ug/Kg	105995	12/30/03	0507	san	
	2-Amino-4,6-Dinitrotoluene, Solid	ND	U	36	200	1.00000	ug/Kg	105995	12/30/03	0507	san	
	4-Amino-2,6-Dinitrotoluene, Solid	ND	U	97	200	1.00000	ug/Kg	105995	12/30/03	0507	san	
	2-Nitrotoluene, Solid	ND	U	33	200	1.00000	ug/Kg	105995	12/30/03	0507	san	
	4-Nitrotoluene, Solid	ND	U	47	500	1.00000	ug/Kg	105995	12/30/03	0507	san	
	3-Nitrotoluene, Solid	ND	U	50	200	1.00000	ug/Kg	105995	12/30/03	0507	san	

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:01/28/2004			
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - STOP		ATTN: David Breuer									
Customer Sample ID: SB32 Date Sampled.....: 12/17/2003 Time Sampled.....: 11:15 Sample Matrix....: Soil		Laboratory Sample ID: 223218-15 Date Received.....: 12/19/2003 Time Received.....: 10:15											
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE	RESULT	Q	FLAGS	NDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
7471A	Mercury (CVAA) Solids		0.0068	B		0.0054		0.021	1	mg/Kg	106028	12/31/03 1457	daJ
6010B	Metals Analysis (ICAP Trace)												
	Mercury, Solid*												
	Aluminum, Solid*	ND	17000	U		2.9	24	1	mg/Kg	106021	12/31/03 0406	tds	
	Antimony, Solid*		2.9			1.1	2.4	1	mg/Kg	106021	12/31/03 0406	tds	
	Arsenic, Solid*		110			0.62	1.2	1	mg/Kg	106021	12/31/03 0406	tds	
	Barium, Solid*		0.77			0.20	1.2	1	mg/Kg	106021	12/31/03 0406	tds	
	Beryllium, Solid*					0.054	0.49	1	mg/Kg	106021	12/31/03 0406	tds	
	Cadmium, Solid*	ND	2700	U		0.098	0.24	1	mg/Kg	106021	12/31/03 0406	tds	
	Calcium, Solid*		17			3.8	12	1	mg/Kg	106021	12/31/03 0406	tds	
	Chromium, Solid*		20			0.27	1.2	1	mg/Kg	106021	12/31/03 0406	tds	
	Cobalt, Solid*		20			0.17	0.61	1	mg/Kg	106021	12/31/03 0406	tds	
	Copper, Solid*		12			1.1	1.2	1	mg/Kg	106021	12/31/03 0406	tds	
	Iron, Solid*		13000			3.7	6.1	1	mg/Kg	106021	12/31/03 0406	tds	
	Lead, Solid*		10			0.52	0.61	1	mg/Kg	106021	12/31/03 0406	tds	
	Magnesium, Solid*		1900			2.1	12	1	mg/Kg	106021	12/31/03 0406	tds	
	Manganese, Solid*		650			0.16	1.2	1	mg/Kg	106021	12/31/03 0406	tds	
	Nickel, Solid*		9.4			0.31	1.2	1	mg/Kg	106021	12/31/03 0406	tds	
	Potassium, Solid*		700			17	61	1	mg/Kg	106131	01/01/04 0342	lMr	
	Selenium, Solid*	ND	ND	U		0.49	1.2	1	mg/Kg	106021	12/31/03 0406	tds	
	Silver, Solid*					0.38	0.61	1	mg/Kg	106021	12/31/03 0406	tds	
	Sodium, Solid*		230			110	120	1	mg/Kg	106021	12/31/03 0406	tds	
	Thallium, Solid*	ND	26	U		0.81	1.2	1	mg/Kg	106021	12/31/03 0406	tds	
	Vanadium, Solid*		23			0.26	0.61	1	mg/Kg	106131	01/01/04 0342	lMr	
	Zinc, Solid*					0.49	2.4	1	mg/Kg	106021	12/31/03 0406	tds	

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:01/28/2004			
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - S10P		ATTN: David Breuer									
TEST METHOD	PARAMETER/TEST DESCRIPTION		SAMPLE RESULT	Q	FLAGS	NOL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination % Solids, Solid % Moisture, Solid	85.0 15.0				0.10 0.10	0.10 0.10	1	%	105971 105971	12/30/03 12/30/03	2040 2040	c1b c1b
8082	PCB Analysis	ND Aroclor 1016, Solid* Aroclor 1221, Solid* Aroclor 1232, Solid* Aroclor 1242, Solid* Aroclor 1248, Solid* Aroclor 1254, Solid* Aroclor 1260, Solid*	ND ND ND ND ND ND ND ND	U U U U U U U U U U U U U U	3.4 7.8 3.5 7.3 2.7 3.1 2.9	19 19 19 19 19 19 19	1.00000 1.00000 1.00000 1.00000 1.00000 1.00000 1.00000	ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg	105996 105996 105996 105996 105996 105996 105996	12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03	03446 03446 03446 03446 03446 03446 03446	mkg mkg mkg mkg mkg mkg mkg	
8330	Explosives by 8330 (HPLC) HMW, Solid RDX, Solid 1,3,5-Trinitrobenzene, Solid 1,3-Dinitrobenzene, Solid Nitrobenzene, Solid 2,4,6-TNT, Solid Tetryl, Solid 2,4-Dinitrotoluene, Solid 2,6-Dinitrotoluene, Solid 2-Amino-4,6-Dinitrotoluene, Solid 4-Amino-2,6-Dinitrotoluene, Solid 2-Nitrotoluene, Solid 4-Nitrotoluene, Solid 3-Nitrotoluene, Solid	ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND	U U U U U U U U U U U U U U	110 59 18 18 22 34 43 36 48 36 36 97 33 47 50	250 100 100 100 100 100 200 200 200 200 200 200 200 200 200 200	1.00000 1.00000 1.00000 1.00000 1.00000 1.00000 1.00000 1.00000 1.00000 1.00000 1.00000 1.00000 1.00000 1.00000 1.00000 1.00000	ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg	105995 105995 105995 105995 105995 105995 105995 105995 105995 105995 105995 105995 105995 105995 105995 105995	12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03	0539 0539 0539 0539 0539 0539 0539 0539 0539 0539 0539 0539 0539 0539 0539 0539 0539	san san san san san san san san san san san san san san san san san		

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:01/28/2004			
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - STOP		ATTN: David Brewer									
TEST METHOD	PARAMETER/TEST DESCRIPTION		SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
7471A	Mercury (CVAA) Solids	Mercury, Solid*	0.011	B		0.0051	0.019	1	mg/Kg	106028	12/31/03	1459	daJ
6010B	Metals Analysis (ICAP Trace)												
	Aluminum, Solid*	14000	ND			2.6	22	1	mg/Kg	106021	12/31/03	0412	tds
	Antimony, Solid*	5.7	U			0.99	2.2	1	mg/Kg	106021	12/31/03	0412	tds
	Arsenic, Solid*	140				0.56	1.1	1	mg/Kg	106021	12/31/03	0412	tds
	Barium, Solid*	140				0.18	1.1	1	mg/Kg	106021	12/31/03	0412	tds
	Beryllium, Solid*	2.0				0.048	0.44	1	mg/Kg	106021	12/31/03	0412	tds
	Cadmium, Solid*	0.25				0.088	0.22	1	mg/Kg	10631	01/01/04	0349	lmr
	Calcium, Solid*	2400				3.4	11	1	mg/Kg	106021	12/31/03	0412	tds
	Chromium, Solid*	26				0.24	1.1	1	mg/Kg	106021	12/31/03	0412	tds
	Cobalt, Solid*	53				0.15	0.55	1	mg/Kg	106021	12/31/03	0412	tds
	Copper, Solid*	74				0.99	1.1	1	mg/Kg	106021	12/31/03	0412	tds
	Iron, Solid*	65000				3.3	5.5	1	mg/Kg	106021	12/31/03	0412	tds
	Lead, Solid*	8.5				0.47	0.55	1	mg/Kg	106021	12/31/03	0412	tds
	Magnesium, Solid*	4300				1.9	11	1	mg/Kg	106021	12/31/03	0412	tds
	Manganese, Solid*	330				0.14	1.1	1	mg/Kg	106021	12/31/03	0412	tds
	Nickel, Solid*	88				0.28	1.1	1	mg/Kg	106021	12/31/03	0412	tds
	Potassium, Solid*	1300	U	U	U	15	55	1	mg/Kg	10631	01/01/04	0349	lmr
	Selenium, Solid*	ND	ND	ND		0.44	1.1	1	mg/Kg	106021	12/31/03	0412	tds
	Silver, Solid*					0.34	0.55	1	mg/Kg	106021	12/31/03	0412	tds
	Sodium, Solid*					95	110	1	mg/Kg	106021	12/31/03	0412	tds
	Thallium, Solid*					0.73	1.1	1	mg/Kg	106021	12/31/03	0412	tds
	Vanadium, Solid*	ND	ND	ND		0.23	0.55	1	mg/Kg	10631	01/01/04	0349	lmr
	Zinc, Solid*					0.44	2.2	1	mg/Kg	106021	12/31/03	0412	tds

* In Description = Dry Wgt.

* In Description = Dry Wgt.

Job Number: 223218

Date: 01/28/2004

LABORATORY TEST RESULTS

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - S10P

Customer Sample ID: SB34
 Date Sampled.....: 12/17/2003
 Time Sampled.....: 13:45
 Sample Matrix....: Soil

Laboratory Sample ID: 223218-17
 Date Received.....: 12/19/2003
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
7471A	Mercury (CVAA) Solids Mercury, Solid*	0.024		0.0054	0.021	1	mg/Kg	106028	12/31/03	1501	daj
6010B	Metals Analysis (ICAP Trace)										
	Aluminum, Solid*	11000	U	2.8	23	1	mg/Kg	106021	12/31/03	0418	tds
	Antimony, Solid*	ND	7.2	1.1	2.3	1	mg/Kg	106021	12/31/03	0418	tds
	Arsenic, Solid*	150	150	0.60	1.2	1	mg/Kg	106021	12/31/03	0418	tds
	Barium, Solid*	0.88	0.88	0.19	1.2	1	mg/Kg	106021	12/31/03	0418	tds
	Beryllium, Solid*	0.18	B	0.052	0.47	1	mg/Kg	106021	12/31/03	0418	tds
	Cadmium, Solid*	8300	8300	0.094	0.23	1	mg/Kg	106021	12/31/03	0418	tds
	Calcium, Solid*	19	19	3.6	12	1	mg/Kg	106021	12/31/03	0418	tds
	Chromium, Solid*	7.6	7.6	0.26	1.2	1	mg/Kg	106021	12/31/03	0418	tds
	Cobalt, Solid*	33	33	0.16	0.59	1	mg/Kg	106021	12/31/03	0418	tds
	Copper, Solid*	17000	17000	1.1	1.2	1	mg/Kg	106021	12/31/03	0418	tds
	Iron, Solid*	110	110	3.5	5.9	1	mg/Kg	106021	12/31/03	0418	tds
	Lead, Solid*	3400	3400	0.50	0.59	1	mg/Kg	106021	12/31/03	0418	tds
	Magnesium, Solid*	900	900	2.0	12	1	mg/Kg	106021	12/31/03	0418	tds
	Manganese, Solid*	19	19	0.15	1.2	1	mg/Kg	106021	12/31/03	0418	tds
	Nickel, Solid*	1200	1200	0.29	1.2	1	mg/Kg	106021	12/31/03	0418	tds
	Potassium, Solid*	ND	ND	16	59	1	mg/Kg	106131	01/01/04	0402	lrr
	Selenium, Solid*	ND	ND	0.47	1.2	1	mg/Kg	106021	12/31/03	0418	tds
	Silver, Solid*	ND	ND	0.36	0.59	1	mg/Kg	106021	12/31/03	0418	tds
	Sodium, Solid*	210	210	100	120	1	mg/Kg	106021	12/31/03	0418	tds
	Thallium, Solid*	ND	ND	0.77	1.2	1	mg/Kg	106021	12/31/03	0418	tds
	Vanadium, Solid*	32	32	0.25	0.59	1	mg/Kg	106131	01/01/04	0402	lrr
	Zinc, Solid*	73	73	0.47	2.3	1	mg/Kg	106021	12/31/03	0418	tds
8260B	Volatile Organics Dichlorodifluoromethane, Solid*	ND	U	0.83	5.7	1.00000	ug/Kg	106164	12/26/03	1910	lm

* In Description = Dry Wgt.

Job Number: 223218

LABORATORY TEST RESULTS

Date: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - S10P

ATTN: David Brewer

Customer Sample ID: SB34
 Date Sampled.....: 12/17/2003
 Time Sampled.....: 13:45
 Sample Matrix.....: Soil

Laboratory Sample ID: 223218-17
 Date Received.....: 12/19/2003
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chloromethane, Solid*	ND	U	U	1.3	5.7	1.00000	ug/Kg	106164	12/26/03	1910	lm
	Vinyl chloride, Solid*	ND	U	U	1.3	5.7	1.00000	ug/Kg	106164	12/26/03	1910	lm
	Bromomethane, Solid*	ND	U	U	1.5	5.7	1.00000	ug/Kg	106164	12/26/03	1910	lm
	Chloroethane, Solid*	ND	U	U	1.1	5.7	1.00000	ug/Kg	106164	12/26/03	1910	lm
	Trichlorofluoromethane, Solid*	ND	U	U	1.6	5.7	1.00000	ug/Kg	106164	12/26/03	1910	lm
	1,1-Dichloroethene, Solid*	ND	U	U	1.5	5.7	1.00000	ug/Kg	106164	12/26/03	1910	lm
	Carbon disulfide, Solid*	ND	U	U	1.4	5.7	1.00000	ug/Kg	106164	12/26/03	1910	lm
	Acetone, Solid*	ND	U	U	5.2	5.7	1.00000	ug/Kg	106164	12/26/03	1910	lm
	Methylene chloride, Solid*	ND	U	U	3.3	5.7	1.00000	ug/Kg	106164	12/26/03	1910	lm
	trans-1,2-Dichloroethene, Solid*	ND	U	U	1.3	5.7	1.00000	ug/Kg	106164	12/26/03	1910	lm
	Methyl-tert-butyl-ether (MTBE), Solid*	ND	U	U	1.1	5.7	1.00000	ug/Kg	106164	12/26/03	1910	lm
	1,1-Dichloroethane, Solid*	ND	U	U	1.1	5.7	1.00000	ug/Kg	106164	12/26/03	1910	lm
	2,2-Dichloropropane, Solid*	ND	U	U	1.0	5.7	1.00000	ug/Kg	106164	12/26/03	1910	lm
	cis-1,2-Dichloroethene, Solid*	ND	U	U	1.3	5.7	1.00000	ug/Kg	106164	12/26/03	1910	lm
	2-Butanone (MEK), Solid*	ND	U	U	4.4	5.7	1.00000	ug/Kg	106164	12/26/03	1910	lm
	Bromo-chloromethane, Solid*	ND	U	U	1.3	5.7	1.00000	ug/Kg	106164	12/26/03	1910	lm
	Chloroform, Solid*	ND	U	U	1.3	5.7	1.00000	ug/Kg	106164	12/26/03	1910	lm
	1,1,1-Trichloroethane, Solid*	ND	U	U	1.3	5.7	1.00000	ug/Kg	106164	12/26/03	1910	lm
	1,1-Dichloropropene, Solid*	ND	U	U	1.4	5.7	1.00000	ug/Kg	106164	12/26/03	1910	lm
	Carbon tetrachloride, Solid*	ND	U	U	1.3	5.7	1.00000	ug/Kg	106164	12/26/03	1910	lm
	Benzene, Solid*	ND	U	U	1.3	5.7	1.00000	ug/Kg	106164	12/26/03	1910	lm
	1,2-Dichloroethane, Sol id*	ND	U	U	1.1	5.7	1.00000	ug/Kg	106164	12/26/03	1910	lm
	Trichloroethene, Sol id*	ND	U	U	1.3	5.7	1.00000	ug/Kg	106164	12/26/03	1910	lm
	1,2-Dichloropropene, Sol id*	ND	U	U	1.1	5.7	1.00000	ug/Kg	106164	12/26/03	1910	lm
	Dibromomethane, Sol id*	ND	U	U	1.3	5.7	1.00000	ug/Kg	106164	12/26/03	1910	lm
	Bromodichloromethane, Sol id*	ND	U	U	1.1	5.7	1.00000	ug/Kg	106164	12/26/03	1910	lm
	cis-1,3-Dichloropropene, Sol id*	ND	U	U	1.1	5.7	1.00000	ug/Kg	106164	12/26/03	1910	lm
	4-Methyl-2-pentanone (MBK), Sol id*	ND	U	U	1.1	5.7	1.00000	ug/Kg	106164	12/26/03	1910	lm
	Toluene, Sol id*	ND	U	U	1.3	5.7	1.00000	ug/Kg	106164	12/26/03	1910	lm

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 223218

Date:01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN: David Brewer

Customer Sample ID: SB34
 Date Sampled.....: 12/17/2003
 Time Sampled.....: 13:45
 Sample Matrix.....: Soil

Laboratory Sample ID: 223218-17
 Date Received.....: 12/19/2003
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	trans-1,3-Dichloropropene, Solid*	ND	U		0.90	5.7	1.00000	ug/Kg	106164	12/26/03	1910	m
	1,1,2-Trichloroethane, Solid*	ND	U		1.3	5.7	1.00000	ug/Kg	106164	12/26/03	1910	m
	Tetrachloroethene, Solid*	ND	U		1.4	5.7	1.00000	ug/Kg	106164	12/26/03	1910	m
	1,3-Dichloropropane, Solid*	ND	U		1.1	5.7	1.00000	ug/Kg	106164	12/26/03	1910	m
	2-Hexanone, Solid*	ND	U		1.3	5.7	1.00000	ug/Kg	106164	12/26/03	1910	m
	Dibromochloromethane, Solid*	ND	U		0.90	5.7	1.00000	ug/Kg	106164	12/26/03	1910	m
	1,2-Dibromoethane (EDB), Solid*	ND	U		0.93	5.7	1.00000	ug/Kg	106164	12/26/03	1910	m
	Chlorobenzene, Solid*	ND	U		1.3	5.7	1.00000	ug/Kg	106164	12/26/03	1910	m
	1,1,1,2-Tetrachloroethane, Solid*	ND	U		1.3	5.7	1.00000	ug/Kg	106164	12/26/03	1910	m
	Ethylbenzene, Solid*	ND	U		1.3	5.7	1.00000	ug/Kg	106164	12/26/03	1910	m
	m&p-Xylenes, Solid*	ND	U		2.6	11	1.00000	ug/Kg	106164	12/26/03	1910	m
	o-Xylene, Solid*	ND	U		1.3	5.7	1.00000	ug/Kg	106164	12/26/03	1910	m
	ND	U			1.3	5.7	1.00000	ug/Kg	106164	12/26/03	1910	m
	Styrene, Solid*	ND	U		0.85	5.7	1.00000	ug/Kg	106164	12/26/03	1910	m
	Bromoform, Solid*	ND	U		1.3	5.7	1.00000	ug/Kg	106164	12/26/03	1910	m
	Isopropylbenzene, Solid*	ND	U		1.1	5.7	1.00000	ug/Kg	106164	12/26/03	1910	m
	Bromobenzene, Solid*	ND	U		1.1	5.7	1.00000	ug/Kg	106164	12/26/03	1910	m
	1,1,2,2-Tetrachloroethane, Solid*	ND	U		1.1	5.7	1.00000	ug/Kg	106164	12/26/03	1910	m
	1,2,3-Trichloropropane, Solid*	ND	U		1.3	5.7	1.00000	ug/Kg	106164	12/26/03	1910	m
	n-Propylbenzene, Solid*	ND	U		1.5	5.7	1.00000	ug/Kg	106164	12/26/03	1910	m
	2-Chlorotoluene, Solid*	ND	U		1.5	5.7	1.00000	ug/Kg	106164	12/26/03	1910	m
	1,3,5-Trimethylbenzene, Solid*	ND	U		1.5	5.7	1.00000	ug/Kg	106164	12/26/03	1910	m
	4-Chlorotoluene, Solid*	ND	U		1.5	5.7	1.00000	ug/Kg	106164	12/26/03	1910	m
	tert-Butylbenzene, Solid*	ND	U		1.4	5.7	1.00000	ug/Kg	106164	12/26/03	1910	m
	1,2,4-Trimethylbenzene, Solid*	ND	U		1.6	5.7	1.00000	ug/Kg	106164	12/26/03	1910	m
	sec-Butylbenzene, Solid*	ND	U		1.4	5.7	1.00000	ug/Kg	106164	12/26/03	1910	m
	p-Isopropyltoluene, Solid*	ND	U		1.5	5.7	1.00000	ug/Kg	106164	12/26/03	1910	m
	n-Butylbenzene, Solid*	ND	U		1.5	5.7	1.00000	ug/Kg	106164	12/26/03	1910	m
	1,2-Dibromo-3-chloropropane, Solid*	ND	U		1.4	5.7	1.00000	ug/Kg	106164	12/26/03	1910	m
	1,2,3-Trichlorobenzene, Solid*	ND	U		1.7	5.7	1.00000	ug/Kg	106164	12/26/03	1910	m

* In Description = Dry Wgt.

1091 223218

卷一 01 2001年

CUSTOMER: SCS Engineers, Inc.

PAGE 11 - 10

卷之三

Customer Sample ID: SB35
Date Sampled.....: 12/17/2003
Time Sampled.....: 14:15
Sample Matrix....: Soil

Laboratory Sample ID: 223218-18
Date Received.....: 12/19/2003
Time Received.....: 10:15

TEST / METHOD	PARAMETER / TEST	DESCRIPTION
7471A	% Solids Determination % Solids, Solid % Moisture, Solid	Mercury (CVAA) Solids Mercury, Solid*
6010B	Metals Analysis (ICAP Trace) Aluminum, Solid* Antimony, Solid* Arsenic, Solid* Barium, Solid* Beryllium, Solid* Cadmium, Solid* Calcium, Solid* Chromium, Solid* Cobalt, Solid* Copper, Solid* Iron, Solid* Lead, Solid* Magnesium, Solid* Manganese, Solid* Nickel, Solid* Potassium, Solid* Selenium, Solid* Silver, Solid* Sodium, Solid* Thallium, Solid* Vanadium, Solid*	

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:01/28/2004	
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Breuer							
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	NDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Zinc, Solid*	21	U	0.45	2.2	1	mg/Kg	106164	12/31/03 0424	tds	
	Volatile Organics			0.85	5.8	1.00000	ug/Kg	106164	12/26/03 1937	lm	
	Dichlorodifluoromethane, Solid*		U	1.3	5.8	1.00000	ug/Kg	106164	12/26/03 1937	lm	
	Chloromethane, Solid*		U	1.3	5.8	1.00000	ug/Kg	106164	12/26/03 1937	lm	
	Vinyl chloride, Solid*		U	1.5	5.8	1.00000	ug/Kg	106164	12/26/03 1937	lm	
	Bromomethane, Solid*		U	1.2	5.8	1.00000	ug/Kg	106164	12/26/03 1937	lm	
	Chloroethane, Solid*		U	1.6	5.8	1.00000	ug/Kg	106164	12/26/03 1937	lm	
	Trichlorofluoromethane, Solid*		U	1.5	5.8	1.00000	ug/Kg	106164	12/26/03 1937	lm	
	1,1-Dichloroethene, Solid*		U	1.4	5.8	1.00000	ug/Kg	106164	12/26/03 1937	lm	
	Carbon disulfide, Solid*		U	5.4	5.8	1.00000	ug/Kg	106164	12/26/03 1937	lm	
	Acetone, Solid*		U	3.4	5.8	1.00000	ug/Kg	106164	12/26/03 1937	lm	
	Methylene chloride, Solid*		U	1.3	5.8	1.00000	ug/Kg	106164	12/26/03 1937	lm	
	trans-1,2-Dichloroethene, Solid*		U	1.2	5.8	1.00000	ug/Kg	106164	12/26/03 1937	lm	
	Methyl- <i>t</i> -butyl-ether (MTBE), Solid*		ND	1.2	5.8	1.00000	ug/Kg	106164	12/26/03 1937	lm	
	1,1-Dichloroethane, Solid*		ND	1.1	5.8	1.00000	ug/Kg	106164	12/26/03 1937	lm	
	2,2-Dichloropropane, Solid*		ND	1.3	5.8	1.00000	ug/Kg	106164	12/26/03 1937	lm	
	cis-1,2-Dichloroethene, Solid*		ND	4.5	5.8	1.00000	ug/Kg	106164	12/26/03 1937	lm	
	2-Butanone (MEK), Solid*		ND	1.3	5.8	1.00000	ug/Kg	106164	12/26/03 1937	lm	
	Bromo-chloromethane, Solid*		ND	1.3	5.8	1.00000	ug/Kg	106164	12/26/03 1937	lm	
	Chloroform, Solid*		ND	1.3	5.8	1.00000	ug/Kg	106164	12/26/03 1937	lm	
	1,1,1-Trichloroethane, Solid*		ND	1.4	5.8	1.00000	ug/Kg	106164	12/26/03 1937	lm	
	1,1-Dichloropropane, Solid*		ND	1.3	5.8	1.00000	ug/Kg	106164	12/26/03 1937	lm	
	Carbon tetrachloride, Solid*		ND	1.2	5.8	1.00000	ug/Kg	106164	12/26/03 1937	lm	
	Benzene, Solid*		ND	1.1	5.8	1.00000	ug/Kg	106164	12/26/03 1937	lm	
	1,2-Dichloropropane, Solid*		ND	1.3	5.8	1.00000	ug/Kg	106164	12/26/03 1937	lm	
	Trichloroethene, Solid*		ND	1.2	5.8	1.00000	ug/Kg	106164	12/26/03 1937	lm	
	1,2-Dichloropropane, Solid*		ND	1.3	5.8	1.00000	ug/Kg	106164	12/26/03 1937	lm	
	Dibromoethane, Solid*		ND	1.3	5.8	1.00000	ug/Kg	106164	12/26/03 1937	lm	

* In Description = Dry Wgt.

Job Number: 223218

Date: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - Slop

LABORATORY TEST RESULTS

ATTN: David Brewer

Customer Sample ID: SB35
 Date Sampled.....: 12/17/2003
 Time Sampled.....: 14:15
 Sample Matrix....: Soil

Laboratory Sample ID: 223218-18
 Date Received.....: 12/19/2003
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Bromodichloromethane, Solid*	ND	U			1.1	5.8	1.00000	ug/Kg	106164	12/26/03	1937	m
cis-1,3-Dichloropropene, Solid*	ND	U			1.1	5.8	1.00000	ug/Kg	106164	12/26/03	1937	m
4-Methyl-1,2-pentanone (MIBK), Solid*	ND	U			1.2	5.8	1.00000	ug/Kg	106164	12/26/03	1937	m
Toluene, Solid*	ND	U			1.3	5.8	1.00000	ug/Kg	106164	12/26/03	1937	m
trans-1,3-Dichloropropene, Solid*	ND	U			0.92	5.8	1.00000	ug/Kg	106164	12/26/03	1937	m
1,1,2-Trichloroethane, Solid*	ND	U			1.3	5.8	1.00000	ug/Kg	106164	12/26/03	1937	m
Tetrachloroethene, Solid*	ND	U			1.4	5.8	1.00000	ug/Kg	106164	12/26/03	1937	m
1,3-Dichloropropane, Solid*	ND	U			1.1	5.8	1.00000	ug/Kg	106164	12/26/03	1937	m
2-Hexanone, Solid*	ND	U			1.3	5.8	1.00000	ug/Kg	106164	12/26/03	1937	m
Dibromochloromethane, Solid*	ND	U			0.92	5.8	1.00000	ug/Kg	106164	12/26/03	1937	m
1,2-Dibromoethane (EDB), Solid*	ND	U			0.96	5.8	1.00000	ug/Kg	106164	12/26/03	1937	m
Chlorobenzene, Solid*	ND	U			1.3	5.8	1.00000	ug/Kg	106164	12/26/03	1937	m
1,1,1,2-Tetrachloroethane, Solid*	ND	U			1.3	5.8	1.00000	ug/Kg	106164	12/26/03	1937	m
Ethylbenzene, Solid*	ND	U			1.3	5.8	1.00000	ug/Kg	106164	12/26/03	1937	m
m,p-Xylenes, Solid*	ND	U			2.7	12	1.00000	ug/Kg	106164	12/26/03	1937	m
o-Xylene, Solid*	ND	U			1.3	5.8	1.00000	ug/Kg	106164	12/26/03	1937	m
Styrene, Solid*	ND	U			1.3	5.8	1.00000	ug/Kg	106164	12/26/03	1937	m
Bromoform, Solid*	ND	U			0.87	5.8	1.00000	ug/Kg	106164	12/26/03	1937	m
Isopropylbenzene, Solid*	ND	U			1.3	5.8	1.00000	ug/Kg	106164	12/26/03	1937	m
Bromobenzene, Solid*	ND	U			1.2	5.8	1.00000	ug/Kg	106164	12/26/03	1937	m
1,1,2,2-Tetrachloroethane, Solid*	ND	U			1.1	5.8	1.00000	ug/Kg	106164	12/26/03	1937	m
1,2,3-Trichloropropane, Solid*	ND	U			1.3	5.8	1.00000	ug/Kg	106164	12/26/03	1937	m
n-Propylbenzene, Solid*	ND	U			1.5	5.8	1.00000	ug/Kg	106164	12/26/03	1937	m
2-Chlorotoluene, Solid*	ND	U			1.5	5.8	1.00000	ug/Kg	106164	12/26/03	1937	m
1,3,5-Trimethylbenzene, Solid*	ND	U			1.5	5.8	1.00000	ug/Kg	106164	12/26/03	1937	m
4-Chlorotoluene, Solid*	ND	U			1.5	5.8	1.00000	ug/Kg	106164	12/26/03	1937	m
tert-Butylbenzene, Solid*	ND	U			1.4	5.8	1.00000	ug/Kg	106164	12/26/03	1937	m
1,2,4-Trimethylbenzene, Solid*	ND	U			1.6	5.8	1.00000	ug/Kg	106164	12/26/03	1937	m
sec-Butylbenzene, Solid*	ND	U			1.4	5.8	1.00000	ug/Kg	106164	12/26/03	1937	m

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:01/28/2004	
CUSTOMER: SCS Engineers, Inc.		PROJECT: ESA - SOOP		ATTN: David Brewer							
Customer Sample ID: SB35		Laboratory Sample ID: 223218-18									
Date Sampled.....: 12/17/2003		Date Received.....: 12/19/2003									
Time Sampled.....: 14:15		Time Received.....: 10:15									
Sample Matrix.....: Soil											
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	p-Isopropyltoluene, Solid*n-Butylbenzene, Solid*1,2-Dibromo-3-chloropropane, Solid*1,2,3-Trichlorobenzene, Solid*	ND ND ND ND	U U U U	1.5 1.5 1.4 1.7	5.8 5.8 5.8 5.8	1.00000 1.00000 1.00000 1.00000	ug/Kg ug/Kg ug/Kg ug/Kg	106164 106164 106164 106164	12/26/03 12/26/03 12/26/03 12/26/03	1937 1937 1937 1937	lm lm lm lm

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 223218

Date: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - STOP

Customer Sample ID: SB36
 Date Sampled.....: 12/17/2003
 Time Sampled.....: 15:15
 Sample Matrix....: Soil

Laboratory Sample ID: 223218-19
 Date Received.....: 12/19/2003
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO) Diesel Range Organics (DRO), 3541 Solid*	3.2	J	a	3.2	5.1	1.00000	mg/Kg	105934	12/29/03	1634	mgk
Method	% Solids Determination % Solids, Solid % Moisture, Solid	81.2 18.8			0.10 0.10	0.10 0.10	1 1	%	105971	12/30/03	2040	c1b
8082	PCB Analysis Aroclor 1016, Solid* Aroclor 1221, Solid* Aroclor 1232, Solid* Aroclor 1242, Solid* Aroclor 1248, Solid* Aroclor 1254, Solid* Aroclor 1260, Solid*	ND ND ND ND ND ND ND ND	U U U U U U U U		3.5 8.2 3.7 7.7 2.8 3.3 3.1	20 20 20 20 20 20 20 20	1.00000 1.00000 1.00000 1.00000 1.00000 1.00000 1.00000 1.00000	ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg	105996 105996 105996 105996 105996 105996 105996 105996	12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03	0451 0451 0451 0451 0451 0451 0451 0451	mgk mgk mgk mgk mgk mgk mgk mgk
7471A	Mercury (CVAA) Solids Mercury, Solid*	0.048			0.0053	0.020	1	mg/Kg	106028	12/31/03	1505	daj
6010B	Metals Analysis (ICAP Trace) Aluminum, Solid* Antimony, Solid* Arsenic, Solid* Barium, Solid* Beryllium, Solid* Cadmium, Solid* Calcium, Solid* Chromium, Solid* Cobalt, Solid*	12000 ND ND ND ND ND ND ND ND	U 4.9 60 0.84 1800 17 4.7		2.8 1.1 0.60 0.19 0.052 0.094 3.6 0.26 0.16	24 2.4 1.2 1.2 0.47 0.24 12 1.2 0.59	1 1 1 1 1 1 1 1 1	mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg	106021 106021 106021 106021 106021 106021 106021 106021 106021	12/31/03 12/31/03 12/31/03 12/31/03 12/31/03 12/31/03 12/31/03 12/31/03 12/31/03	0430 0430 0430 0430 0430 0430 0430 0430 0430	tds tds tds tds tds tds tds tds tds

* In Description = Dry Wgt.

LABORATORY TEST RESULTS									
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer		Date: 01/28/2004			
Customer Sample ID:	SB36	Laboratory Sample ID:	223218-19						
Date Sampled.....:	12/17/2003	Date Received.....:	12/19/2003						
Time Sampled.....:	15:15	Time Received.....:	10:15						
Sample Matrix....:	Soil								
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	NDL	RL	DILUTION	UNITS	BATCH	DT
Copper, Solid*	9.7			1.1	1.2	1	mg/Kg	106021	12/31/03 0430 tds
Iron, Solid*	16000			3.5	5.9	1	mg/Kg	106021	12/31/03 0430 tds
Lead, Solid*	9.7			0.51	0.59	1	mg/Kg	106021	12/31/03 0430 tds
Magnesium, Solid*	1600			2.0	12	1	mg/Kg	106021	12/31/03 0430 tds
Manganese, Solid*	170			0.15	1.2	1	mg/Kg	106021	12/31/03 0430 tds
Nickel, Solid*	10			0.29	1.2	1	mg/Kg	106021	12/31/03 0430 tds
Potassium, Solid*	480			16	59	1	mg/Kg	106131	01/01/04 0416 lmr
Selenium, Solid*	ND	U		0.47	1.2	1	mg/Kg	106021	12/31/03 0430 tds
Silver, Solid*	ND	U		0.36	0.59	1	mg/Kg	106021	12/31/03 0430 tds
Sodium, Solid*	340	U		100	120	1	mg/Kg	106021	12/31/03 0430 tds
Thallium, Solid*	ND	ND		0.78	1.2	1	mg/Kg	106021	12/31/03 0430 tds
Vanadium, Solid*	31			0.25	0.59	1	mg/Kg	106131	01/01/04 0416 lmr
Zinc, Solid*	23			0.47	2.4	1	mg/Kg	106021	12/31/03 0430 tds

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:01/28/2004			
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN: David Brewer									
Laboratory Sample ID: 223218-20 Date Received.....: 12/19/2003 Time Received.....: 10:15													
Customer Sample ID: SB37	Date Sampled.....: 12/17/2003	Time Sampled.....: 16:10	Sample Matrix....: Soil										
TEST METHOD	PARAMETER/TEST DESCRIPTION			SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO) Diesel Range Organics (DRO), 3541 Sol id*	5.1		3.1		5.0	1.00000	mg/Kg	105934	12/29/03	1713	mgk	
Method	% Solids Determination % Solids, Solid % Moisture, Solid	82.1 17.9		0.10 0.10	0.10 0.10	1	1	%	105971 105971	12/30/03 12/30/03	2040	c1b	
8082	PCB Analysis Aroclor 1016, solid* Aroclor 1221, solid* Aroclor 1232, solid* Aroclor 1242, solid* Aroclor 1248, solid* Aroclor 1254, solid* Aroclor 1260, solid*	ND U U U U U U U ND	3.5 8.1 3.6 7.6 2.8 3.3 3.0	20 20 20 20 20 20 20	1.00000 1.00000 1.00000 1.00000 1.00000 1.00000 1.00000	ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg ug/Kg	105996 105996 105996 105996 105996 105996 105996	12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03 12/30/03	0557 0557 0557 0557 0557 0557 0557	mgk mgk mgk mgk mgk mgk mgk			

* In Description = Dry Wgt.

LABORATORY TEST RESULTS														
Job Number: 223218											Date:01/28/2004			
CUSTOMER: SCS Engineers, Inc.											ATTN: David Breuer			
PROJECT: GSA - STOP														
Customer Sample ID: SB38 Date Sampled.....: 12/17/2003 Time Sampled.....: 16:30 Sample Matrix.....: Soil				Laboratory Sample ID: 223218-21 Date Received.....: 12/19/2003 Time Received.....: 10:15										
TEST METHOD	PARAMETER/TEST DESCRIPTION			SAMPLE RESULT	Q	FLAGS	NDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO) Diesel Range Organics (DRO), 3541 Solid*			4.8	J	a	3.1	5.0	1.00000	mg/Kg	105934		12/29/03 1752	mgk
Method	% Solids Determination			83.9			0.10	0.10	1	%	105972		12/30/03 2040	c/lb
	% Solids, Solid			16.1			0.10	0.10	1	%	105972		12/30/03 2040	c/lb
8082	% Moisture, Solid													
	PCB Analysis			3.4			20	1.00000		ug/Kg	105996		12/30/03 0630	mgk
	Aroclor 1016, Solid*			ND			20	1.00000		ug/Kg	105996		12/30/03 0630	mgk
	Aroclor 1221, Solid*			ND			20	1.00000		ug/Kg	105996		12/30/03 0630	mgk
	Aroclor 1232, Solid*			ND			3.6	20	1.00000	ug/Kg	105996		12/30/03 0630	mgk
	Aroclor 1242, Solid*			ND			7.5	20	1.00000	ug/Kg	105996		12/30/03 0630	mgk
	Aroclor 1248, Solid*			ND			2.7	20	1.00000	ug/Kg	105996		12/30/03 0630	mgk
	Aroclor 1254, Solid*			ND			3.2	20	1.00000	ug/Kg	105996		12/30/03 0630	mgk
	Aroclor 1260, Solid*			ND			3.0	20	1.00000	ug/Kg	105996		12/30/03 0630	mgk

* In Description = Dry Wgt.

LABORATORY TEST RESULTS											
Job Number: 223218		Date: 01/28/2004									
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - STOP		ATTN: David Breuer							
Customer Sample ID: SB39 Date Sampled.....: 12/17/2003 Time Sampled.....: 17:10 Sample Matrix...: Soil											
Laboratory Sample ID: 223218-22 Date Received.....: 12/19/2003 Time Received.....: 10:15											
TEST METHOD	PARAMETER/TEST DESCRIPTION		SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO) Diesel Range Organics (DRO), 3541 Solid*		27		3.1	4.9	1.00000	mg/Kg	105934	12/30/03 1003	mgk
Method	% Solids Determination				0.10	0.10	1	%	105972	12/30/03 2040	c1b
	% Solids, Solid				0.10	0.10	1	%	105972	12/30/03 2040	c1b
	% Moisture, Solid										
8082	PCB Analysis				35	200	10.0000	ug/Kg	105996	12/30/03 0840	mgk
	Aroclor 1016, Solid*				80	200	10.0000	ug/Kg	105996	12/30/03 0840	mgk
	Aroclor 1221, Solid*				36	200	10.0000	ug/Kg	105996	12/30/03 0840	mgk
	Aroclor 1232, Solid*				75	200	10.0000	ug/Kg	105996	12/30/03 0840	mgk
	Aroclor 1242, Solid*				28	200	10.0000	ug/Kg	105996	12/30/03 0840	mgk
	Aroclor 1248, Solid*				32	200	10.0000	ug/Kg	105996	12/30/03 0840	mgk
	Aroclor 1254, Solid*				30	200	10.0000	ug/Kg	105996	12/30/03 0840	mgk
	Aroclor 1260, Solid*				3900						

* In Description = Dry Wgt.

LABORATORY TEST RESULTS										Date:01/28/2004				
CUSTOMER: STS Engineers, Inc.		PROJECT: GSA - Slop		ATTN: David Brewer										
Customer Sample ID: SB40 Date Sampled.....: 12/17/2003 Time Sampled.....: 17:30 Sample Matrix....: Soil														
Laboratory Sample ID: 223218-23 Date Received.....: 12/19/2003 Time Received.....: 10:15														
TEST METHOD	PARAMETER/TEST DESCRIPTION		SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH	
8015B MDRO	TPH - Diesel Range Organics (DRO) Diesel Range Organics (DRO), 3541 Solid*		17			3.1	5.0	1.00000	mg/Kg	105934	12/30/03	1120	mgk	
Method	% Solids Determination					0.10	0.10	1	%	105972	12/30/03	2040	clb	
	% Solids, Solid					0.10	0.10	1	%	105972	12/30/03	2040	clb	
	% Moisture, Solid													
8082	PCB Analysis					35	200	10.0000	ug/Kg	105996	12/30/03	1230	mgk	
	Aroclor 1016, Solid*		ND	ND	ND	81	200	10.0000	ug/Kg	105996	12/30/03	1230	mgk	
	Aroclor 1221, Solid*		ND	ND	ND	36	200	10.0000	ug/Kg	105996	12/30/03	1230	mgk	
	Aroclor 1232, Solid*		ND	ND	ND	76	200	10.0000	ug/Kg	105996	12/30/03	1230	mgk	
	Aroclor 1242, Solid*		ND	ND	ND	28	200	10.0000	ug/Kg	105996	12/30/03	1230	mgk	
	Aroclor 1248, Solid*		ND	ND	ND	33	200	10.0000	ug/Kg	105996	12/30/03	1230	mgk	
	Aroclor 1254, Solid*		ND	ND	ND	30	200	10.0000	ug/Kg	105996	12/30/03	1230	mgk	
	Aroclor 1260, Solid*		1000											

* In Description = Dry Wgt.

LABORATORY CHRONICLE

Job Number: 223218

Date: 01/28/2004

CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP			ATTN: David Brewer	
Lab ID: 223218-1	Client ID: SB18	Date Recvd:	12/19/2003	Sample Date:	12/17/2003	
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(\$)	DATE/TIME ANALYZED	DILUTION
Method	% Solids Determination	1	105971		12/30/2003	2040
8330	8330 Extraction (Explosives)	1	105476		12/23/2003	1400
3050B	Acid Digestion: Solids (ICAP)	1	105701		12/29/2003	1135
EDD	Electronic Data Deliverable	1	106231			
8330	Explosives by 8330 (HPLC)	1	105995	105476	12/29/2003	2204
3550B	Extraction Ultrasonic (PCBs)	1	105538		12/25/2003	0900
7471A	Mercury (CVAA) Solids	1	106028	106001	12/31/2003	1407
6010B	Metals Analysis (ICAP Trace)	1	106021	105701	12/31/2003	0115
6010B	Metals Analysis (ICAP Trace)	1	106131	105701	01/01/2004	0033
8082	PCB Analysis	1	105996	105538	12/29/2003	1546
7470/7471	SW846 Digestion (Hg)	1	106001		12/31/2003	0925
Lab ID: 223218-2	Client ID: SB19	Date Recvd:	12/19/2003	Sample Date:	12/17/2003	
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(\$)	DATE/TIME ANALYZED	DILUTION
Method	% Solids Determination	1	105971		12/30/2003	2040
8330	8330 Extraction (Explosives)	1	105476		12/23/2003	1400
3050B	Acid Digestion: Solids (ICAP)	1	105701		12/29/2003	1135
8330	Explosives by 8330 (HPLC)	1	105995	105476	12/29/2003	2236
3550B	Extraction Ultrasonic (PCBs)	1	105538		12/25/2003	0900
7471A	Mercury (CVAA) Solids	1	106028	106001	12/31/2003	1415
6010B	Metals Analysis (ICAP Trace)	1	106021	105701	12/31/2003	0146
6010B	Metals Analysis (ICAP Trace)	1	106131	105701	01/01/2004	0107
8082	PCB Analysis	1	105996	105538	12/29/2003	1757
7470/7471	SW846 Digestion (Hg)	1	106001		12/31/2003	0925
Lab ID: 223218-3	Client ID: SB20	Date Recvd:	12/19/2003	Sample Date:	12/17/2003	
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(\$)	DATE/TIME ANALYZED	DILUTION
Method	% Solids Determination	1	105971		12/30/2003	2040
5030A	5030 Purge & Trap of Methanol Extract	1	105814		12/30/2003	0414
5035	5035 Archon Closed Purge & Trap	1	105634		12/26/2003	2004
5035	5035 Preservation High (Methanol)	1	105448		12/17/2003	1220
5035	5035 Preservation Low	1	105443		12/17/2003	1220
5035	5035 Preservation Low	2	105443		12/17/2003	1220
3050B	Acid Digestion: Solids (ICAP)	1	105701		12/29/2003	1135
3550B	Extraction Ultrasonic (PCBs)	1	105538		12/25/2003	0900
7471A	Mercury (CVAA) Solids	1	106028	106001	12/31/2003	1424
6010B	Metals Analysis (ICAP Trace)	1	106021	105701	12/31/2003	0152
6010B	Metals Analysis (ICAP Trace)	1	106131	105701	01/01/2004	0113
8082	PCB Analysis	1	105996	105538	12/29/2003	1830
7470/7471	SW846 Digestion (Hg)	1	106001		12/31/2003	0925
8260B	Volatile Organics	1	106164	105443-105634	12/26/2003	2004
Lab ID: 223218-4	Client ID: SB21	Date Recvd:	12/19/2003	Sample Date:	12/17/2003	
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(\$)	DATE/TIME ANALYZED	DILUTION
Method	% Solids Determination	1	105971		12/30/2003	2040
3050B	Acid Digestion: Solids (ICAP)	1	105701		12/29/2003	1135
3550B	Extraction Ultrasonic (PCBs)	1	105538		12/25/2003	0900
7471A	Mercury (CVAA) Solids	1	106028	106001	12/31/2003	1426
6010B	Metals Analysis (ICAP Trace)	1	106021	105701	12/31/2003	0159
6010B	Metals Analysis (ICAP Trace)	1	106131	105701	01/01/2004	0201
8082	PCB Analysis	1	105996	105538	12/29/2003	1902
7470/7471	SW846 Digestion (Hg)	1	106001		12/31/2003	0925
Lab ID: 223218-5	Client ID: SB22	Date Recvd:	12/19/2003	Sample Date:	12/17/2003	
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(\$)	DATE/TIME ANALYZED	DILUTION
Method	% Solids Determination	1	105971		12/30/2003	2040

STL Chicago is part of Severn Trent Laboratories, Inc.

L A B O R A T O R Y C H R O N I C L E

Job Number: 223218

Date: 01/28/2004

CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP			ATTN: David Brewer		
Lab ID: 223218-5	Client ID: SB22		Date Recvd: 12/19/2003	Sample Date: 12/17/2003			
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(\$)	DATE/TIME ANALYZED	DILUTION	
3050B	Acid Digestion: Solids (ICAP)	1	105701		12/29/2003	1135	
7471A	Mercury (CVAA) Solids	1	106028	106001	12/31/2003	1520	2000
6010B	Metals Analysis (ICAP Trace)	1	106021	105701	12/31/2003	0233	
6010B	Metals Analysis (ICAP Trace)	1	106131	105701	01/01/2004	0207	
7470/7471	SW846 Digestion (Hg)	1	106001		12/31/2003	0925	
9045C	pH (Soil)	1	106149	106149	01/02/2004	1209	
Lab ID: 223218-6	Client ID: SB23		Date Recvd: 12/19/2003	Sample Date: 12/17/2003			
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(\$)	DATE/TIME ANALYZED	DILUTION	
Method	% Solids Determination	1	105971		12/30/2003	2040	
8330	8330 Extraction (Explosives)	1	105476		12/23/2003	1400	
3050B	Acid Digestion: Solids (ICAP)	1	105701		12/29/2003	1135	
8330	Explosives by 8330 (HPLC)	1	105995	105476	12/29/2003	2309	1.00000
3550B	Extraction Ultrasonic (PCBs)	1	105538		12/25/2003	0900	
7471A	Mercury (CVAA) Solids	1	106028	106001	12/31/2003	1434	
6010B	Metals Analysis (ICAP Trace)	1	106021	105701	12/31/2003	0239	
6010B	Metals Analysis (ICAP Trace)	1	106131	105701	01/01/2004	0214	
8082	PCB Analysis	1	105996	105538	12/29/2003	1935	
7470/7471	SW846 Digestion (Hg)	1	106001		12/31/2003	0925	
Lab ID: 223218-7	Client ID: SB24		Date Recvd: 12/19/2003	Sample Date: 12/17/2003			
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(\$)	DATE/TIME ANALYZED	DILUTION	
Method	% Solids Determination	1	105971		12/30/2003	2040	
5030A	5030 Purge & Trap of Methanol Extract	1	105814		12/30/2003	0436	
5035	5035 Archon Closed Purge & Trap	1	105634		12/26/2003	1843	
5035	5035 Preservation High (Methanol)	1	105448		12/17/2003	1430	
5035	5035 Preservation Low	1	105443		12/17/2003	1430	
8330	8330 Extraction (Explosives)	1	105476		12/23/2003	1400	
3050B	Acid Digestion: Solids (ICAP)	1	105701		12/29/2003	1135	
8330	Explosives by 8330 (HPLC)	1	105995	105476	12/29/2003	2342	1.00000
3550B	Extraction Ultrasonic (PCBs)	1	105538		12/25/2003	0900	
7471A	Mercury (CVAA) Solids	1	106028	106001	12/31/2003	1436	
6010B	Metals Analysis (ICAP Trace)	1	106021	105701	12/31/2003	0245	
6010B	Metals Analysis (ICAP Trace)	1	106131	105701	01/01/2004	0221	
8082	PCB Analysis	1	105996	105538	12/29/2003	2113	
7470/7471	SW846 Digestion (Hg)	1	106001		12/31/2003	0925	
8260B	Volatile Organics	1	106164	105443-105634	12/26/2003	1843	1.00000
Lab ID: 223218-8	Client ID: SB25		Date Recvd: 12/19/2003	Sample Date: 12/17/2003			
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(\$)	DATE/TIME ANALYZED	DILUTION	
Method	% Solids Determination	1	105971		12/30/2003	2040	
8330	8330 Extraction (Explosives)	1	105476		12/23/2003	1400	
3050B	Acid Digestion: Solids (ICAP)	1	105701		12/29/2003	1135	
8330	Explosives by 8330 (HPLC)	1	105995	105476	12/30/2003	0014	1.00000
3550B	Extraction Ultrasonic (PCBs)	1	105538		12/25/2003	0900	
7471A	Mercury (CVAA) Solids	1	106028	106001	12/31/2003	1438	
6010B	Metals Analysis (ICAP Trace)	1	106021	105701	12/31/2003	0252	
6010B	Metals Analysis (ICAP Trace)	1	106131	105701	01/01/2004	0228	
8082	PCB Analysis	1	105996	105538	12/29/2003	2146	
7470/7471	SW846 Digestion (Hg)	1	106001		12/31/2003	0925	
Lab ID: 223218-9	Client ID: SB26		Date Recvd: 12/19/2003	Sample Date: 12/17/2003			
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(\$)	DATE/TIME ANALYZED	DILUTION	
Method	% Solids Determination	1	105971		12/30/2003	2040	
8330	8330 Extraction (Explosives)	1	105476		12/23/2003	1400	

STL Chicago is part of Severn Trent Laboratories, Inc.

L A B O R A T O R Y C H R O N I C L E

Job Number: 223218

Date: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN: David Brewer

Lab ID: 223218-9 Client ID: SB26		Date Recvd: 12/19/2003 Sample Date: 12/17/2003				
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
3050B	Acid Digestion: Solids (ICAP)	1	105701		12/29/2003 1135	
8330	Explosives by 8330 (HPLC)	1	105995	105476	12/30/2003 0047	1.00000
3550B	Extraction Ultrasonic (PCBs)	1	105538		12/25/2003 0900	
7471A	Mercury (CVAA) Solids	1	106028	106001	12/31/2003 1440	
6010B	Metals Analysis (ICAP Trace)	1	106021	105701	12/31/2003 0258	
6010B	Metals Analysis (ICAP Trace)	1	106131	105701	01/01/2004 0234	
8082	PCB Analysis	1	105996	105538	12/29/2003 2218	
7470/7471	SW846 Digestion (Hg)	1	106001		12/31/2003 0925	1.00000

Lab ID: 223218-10 Client ID: SB27		Date Recvd: 12/19/2003 Sample Date: 12/17/2003				
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
Method	% Solids Determination	1	105971		12/30/2003 2040	
3050B	Acid Digestion: Solids (ICAP)	1	105701		12/29/2003 1135	
3541	Extraction Soxhlet (DRO)	1	105534		12/24/2003 1115	
3550B	Extraction Ultrasonic (PCBs)	1	105538		12/25/2003 0900	
7471A	Mercury (CVAA) Solids	1	106028	106001	12/31/2003 1442	
6010B	Metals Analysis (ICAP Trace)	1	106021	105701	12/31/2003 0304	
6010B	Metals Analysis (ICAP Trace)	1	106131	105701	01/01/2004 0241	
8082	PCB Analysis	1	105996	105538	12/29/2003 2251	
7470/7471	SW846 Digestion (Hg)	1	106001		12/31/2003 0925	1.00000
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	105934	105534	12/29/2003 1556	1.00000

Lab ID: 223218-11 Client ID: SB28		Date Recvd: 12/19/2003 Sample Date: 12/17/2003				
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
Method	% Solids Determination	1	105971		12/30/2003 2040	
8330	8330 Extraction (Explosives)	1	105476		12/23/2003 1400	
3050B	Acid Digestion: Solids (ICAP)	1	105701		12/29/2003 1135	
8330	Explosives by 8330 (HPLC)	1	105995	105476	12/30/2003 0119	1.00000
3550B	Extraction Ultrasonic (PCBs)	1	105538		12/25/2003 0900	
7471A	Mercury (CVAA) Solids	1	106028	106001	12/31/2003 1444	
6010B	Metals Analysis (ICAP Trace)	1	106021	105701	12/31/2003 0310	
6010B	Metals Analysis (ICAP Trace)	1	106131	105701	01/01/2004 0248	
8082	PCB Analysis	1	105996	105538	12/29/2003 2356	
7470/7471	SW846 Digestion (Hg)	1	106001		12/31/2003 0925	1.00000

Lab ID: 223218-12 Client ID: SB29		Date Recvd: 12/19/2003 Sample Date: 12/17/2003				
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
Method	% Solids Determination	1	105971		12/30/2003 2040	
8330	8330 Extraction (Explosives)	1	105476		12/23/2003 1400	
3050B	Acid Digestion: Solids (ICAP)	1	105701		12/29/2003 1135	
8330	Explosives by 8330 (HPLC)	1	105995	105476	12/30/2003 0224	1.00000
3550B	Extraction Ultrasonic (PCBs)	1	105538		12/25/2003 0900	
7471A	Mercury (CVAA) Solids	1	106028	106001	12/31/2003 1447	
6010B	Metals Analysis (ICAP Trace)	1	106021	105701	12/31/2003 0317	
6010B	Metals Analysis (ICAP Trace)	1	106131	105701	01/01/2004 0255	
8082	PCB Analysis	1	105996	105538	12/30/2003 0029	
7470/7471	SW846 Digestion (Hg)	1	106001		12/31/2003 0925	1.00000

Lab ID: 223218-13 Client ID: SB30		Date Recvd: 12/19/2003 Sample Date: 12/17/2003				
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
Method	% Solids Determination	1	105971		12/30/2003 2040	
8330	8330 Extraction (Explosives)	1	105476		12/23/2003 1400	
3050B	Acid Digestion: Solids (ICAP)	1	105701		12/29/2003 1135	
8330	Explosives by 8330 (HPLC)	1	105995	105476	12/30/2003 0402	1.00000
3550B	Extraction Ultrasonic (PCBs)	1	105538		12/25/2003 0900	

STL Chicago is part of Severn Trent Laboratories, Inc.

L A B O R A T O R Y C H R O N I C L E

Job Number: 223218

Date: 01/28/2004

CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP				ATTN: David Brewer	
Lab ID: 223218-13	Client ID: SB30	Date Recvd:	12/19/2003	Sample Date:	12/17/2003		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #\$(S)	DATE/TIME ANALYZED	DILUTION	
7471A	Mercury (CVAA) Solids	1	106028	106001	12/31/2003	1453	
6010B	Metals Analysis (ICAP Trace)	1	106021	105701	12/31/2003	0323	
6010B	Metals Analysis (ICAP Trace)	1	106131	105701	01/01/2004	0301	
8082	PCB Analysis	1	105996	105538	12/30/2003	0102	1.000000
7470/7471	SW846 Digestion (Hg)	1	106001		12/31/2003	0925	
Lab ID: 223218-14	Client ID: SB31	Date Recvd:	12/19/2003	Sample Date:	12/17/2003		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #\$(S)	DATE/TIME ANALYZED	DILUTION	
Method	% Solids Determination	1	105971		12/30/2003	2040	
8330	8330 Extraction (Explosives)	1	105476		12/23/2003	1400	
3050B	Acid Digestion: Solids (ICAP)	1	105701		12/29/2003	1135	
8330	Explosives by 8330 (HPLC)	1	105995	105476	12/31/2003	0622	1.000000
3550B	Extraction Ultrasonic (PCBs)	1	105538		12/25/2003	0900	
7471A	Mercury (CVAA) Solids	1	106028	106001	12/31/2003	1455	
6010B	Metals Analysis (ICAP Trace)	1	106021	105701	12/31/2003	0329	
6010B	Metals Analysis (ICAP Trace)	1	106131	105701	01/01/2004	0335	
8082	PCB Analysis	1	105996	105538	12/30/2003	0135	1.000000
7470/7471	SW846 Digestion (Hg)	1	106001		12/31/2003	0925	
Lab ID: 223218-15	Client ID: SB32	Date Recvd:	12/19/2003	Sample Date:	12/17/2003		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #\$(S)	DATE/TIME ANALYZED	DILUTION	
Method	% Solids Determination	1	105971		12/30/2003	2040	
8330	8330 Extraction (Explosives)	1	105476		12/23/2003	1400	
3050B	Acid Digestion: Solids (ICAP)	1	105701		12/29/2003	1135	
8330	Explosives by 8330 (HPLC)	1	105995	105476	12/30/2003	0507	1.000000
3550B	Extraction Ultrasonic (PCBs)	1	105538		12/25/2003	0900	
7471A	Mercury (CVAA) Solids	1	106028	106001	12/31/2003	1457	
6010B	Metals Analysis (ICAP Trace)	1	106021	105701	12/31/2003	0406	
6010B	Metals Analysis (ICAP Trace)	1	106131	105701	01/01/2004	0342	
8082	PCB Analysis	1	105996	105538	12/30/2003	0313	1.000000
7470/7471	SW846 Digestion (Hg)	1	106001		12/31/2003	0925	
Lab ID: 223218-16	Client ID: SB33	Date Recvd:	12/19/2003	Sample Date:	12/17/2003		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #\$(S)	DATE/TIME ANALYZED	DILUTION	
Method	% Solids Determination	1	105971		12/30/2003	2040	
8330	8330 Extraction (Explosives)	1	105476		12/23/2003	1400	
3050B	Acid Digestion: Solids (ICAP)	1	105701		12/29/2003	1135	
8330	Explosives by 8330 (HPLC)	1	105995	105476	12/30/2003	0539	1.000000
3550B	Extraction Ultrasonic (PCBs)	1	105538		12/25/2003	0900	
7471A	Mercury (CVAA) Solids	1	106028	106001	12/31/2003	1459	
6010B	Metals Analysis (ICAP Trace)	1	106021	105701	12/31/2003	0412	
6010B	Metals Analysis (ICAP Trace)	1	106131	105701	01/01/2004	0349	
8082	PCB Analysis	1	105996	105538	12/30/2003	0346	1.000000
7470/7471	SW846 Digestion (Hg)	1	106001		12/31/2003	0925	
Lab ID: 223218-17	Client ID: SB34	Date Recvd:	12/19/2003	Sample Date:	12/17/2003		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #\$(S)	DATE/TIME ANALYZED	DILUTION	
Method	% Solids Determination	1	105971		12/30/2003	2040	
5030A	5030 Purge & Trap of Methanol Extract	1	105814		12/30/2003	0459	
5035	5035 Archon Closed Purge & Trap	1	105634		12/26/2003	1910	
5035	5035 Preservation High (Methanol)	1	105448		12/17/2003	1345	
5035	5035 Preservation Low	1	105443		12/17/2003	1345	
5035	5035 Preservation Low	2	105443		12/17/2003	1345	
8330	8330 Extraction (Explosives)	1	105476		12/23/2003	1400	
3050B	Acid Digestion: Solids (ICAP)	1	105701		12/29/2003	1135	

STL Chicago is part of Severn Trent Laboratories, Inc.

L A B O R A T O R Y C H R O N I C L E

Job Number: 223218

Date: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN: David Brewer

Lab ID: 223218-17 Client ID: SB34		Date Recvd: 12/19/2003 Sample Date: 12/17/2003				
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
8330	Explosives by 8330 (HPLC)	1	105995	105476	12/30/2003 0612	1.00000
3550B	Extraction Ultrasonic (PCBs)	1	105538		12/25/2003 0900	
7471A	Mercury (CVAA) Solids	1	106028	106001	12/31/2003 1501	
6010B	Metals Analysis (ICAP Trace)	1	106021	105701	12/31/2003 0418	
6010B	Metals Analysis (ICAP Trace)	1	106131	105701	01/01/2004 0402	
8082	PCB Analysis	1	105996	105538	12/30/2003 0419	
7470/7471	SW846 Digestion (Hg)	1	106001		12/31/2003 0925	
8260B	Volatile Organics	1	106164	105443-105634	12/26/2003 1910	1.00000
Lab ID: 223218-18 Client ID: SB35		Date Recvd: 12/19/2003 Sample Date: 12/17/2003				
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
Method	% Solids Determination	1	105971		12/30/2003 2040	
5030A	5030 Purge & Trap of Methanol Extract	1	105814		12/30/2003 0521	
5035	5035 Archon Closed Purge & Trap	1	105634		12/26/2003 1937	
5035	5035 Preservation High (Methanol)	1	105448		12/17/2003 1415	
5035	5035 Preservation Low	1	105443		12/17/2003 1415	
5035	5035 Preservation Low	2	105443		12/17/2003 1415	
3050B	Acid Digestion: Solids (ICAP)	1	105701		12/29/2003 1135	
7471A	Mercury (CVAA) Solids	1	106028	106001	12/31/2003 1503	
6010B	Metals Analysis (ICAP Trace)	1	106021	105701	12/31/2003 0424	
6010B	Metals Analysis (ICAP Trace)	1	106131	105701	01/01/2004 0409	
7470/7471	SW846 Digestion (Hg)	1	106001		12/31/2003 0925	
8260B	Volatile Organics	1	106164	105443-105634	12/26/2003 1937	1.00000
Lab ID: 223218-19 Client ID: SB36		Date Recvd: 12/19/2003 Sample Date: 12/17/2003				
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
Method	% Solids Determination	1	105971		12/30/2003 2040	
3050B	Acid Digestion: Solids (ICAP)	1	105701		12/29/2003 1135	
3541	Extraction Soxhlet (DRO)	1	105534		12/24/2003 1115	
3550B	Extraction Ultrasonic (PCBs)	1	105538		12/25/2003 0900	
7471A	Mercury (CVAA) Solids	1	106028	106001	12/31/2003 1505	
6010B	Metals Analysis (ICAP Trace)	1	106021	105701	12/31/2003 0430	
6010B	Metals Analysis (ICAP Trace)	1	106131	105701	01/01/2004 0416	
8082	PCB Analysis	1	105996	105538	12/30/2003 0451	
7470/7471	SW846 Digestion (Hg)	1	106001		12/31/2003 0925	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	105934	105534	12/29/2003 1634	1.00000
Lab ID: 223218-20 Client ID: SB37		Date Recvd: 12/19/2003 Sample Date: 12/17/2003				
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
Method	% Solids Determination	1	105971		12/30/2003 2040	
3541	Extraction Soxhlet (DRO)	1	105534		12/24/2003 1115	
3550B	Extraction Ultrasonic (PCBs)	1	105538		12/25/2003 0900	
8082	PCB Analysis	1	105996	105538	12/30/2003 0557	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	105934	105534	12/29/2003 1713	1.00000
Lab ID: 223218-21 Client ID: SB38		Date Recvd: 12/19/2003 Sample Date: 12/17/2003				
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
Method	% Solids Determination	1	105972		12/30/2003 2040	
3541	Extraction Soxhlet (DRO)	1	105534		12/24/2003 1115	
3550B	Extraction Ultrasonic (PCBs)	1	105538		12/25/2003 0900	
8082	PCB Analysis	1	105996	105538	12/30/2003 0630	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	105934	105534	12/29/2003 1752	1.00000
Lab ID: 223218-22 Client ID: SB39		Date Recvd: 12/19/2003 Sample Date: 12/17/2003				
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
Method	% Solids Determination	1	105972		12/30/2003 2040	

STL Chicago is part of Severn Trent Laboratories, Inc.

L A B O R A T O R Y C H R O N I C L E

Job Number: 223218

Date: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLDP

ATTN: David Brewer

Lab ID: 223218-22 Client ID: SB39		Date Recvd: 12/19/2003 Sample Date: 12/17/2003			
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED
3541	Extraction Soxhlet (DRO)	1	105534		12/24/2003 1115
3550B	Extraction Ultrasonic (PCBs)	1	105538		12/25/2003 0900
8082	PCB Analysis	1	105996	105538	12/30/2003 0840
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	105934	105534	12/30/2003 1003
Lab ID: 223218-23 Client ID: SB40		Date Recvd: 12/19/2003 Sample Date: 12/17/2003			
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED
Method	% Solids Determination	1	105972		12/30/2003 2040
3541	Extraction Soxhlet (DRO)	1	105534		12/24/2003 1115
3550B	Extraction Ultrasonic (PCBs)	1	105553		12/26/2003 0830
8082	PCB Analysis	1	105996	105553	12/30/2003 1230
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	105934	105534	12/30/2003 1120

STL Chicago is part of Severn Trent Laboratories, Inc.

S U R R O G A T E R E C O V E R I E S R E P O R T

Job Number.: 223218

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN: David Brewer

Method.....: TPH - Diesel Range Organics (DRO)
Method Code...: 8015D

Test Matrix...: 3541 Solid
Batch(s).....: 105934

Prep Batch..: 105534

Lab ID	DT	Sample ID	Date	2FLUBP	OTERPH
LCS			12/29/2003	94	95
MB			12/29/2003	89	91
223218- 10		SB27	12/29/2003	81	86
223218- 19		SB36	12/29/2003	86	92
223218- 20		SB37	12/29/2003	85	91
223218- 21		SB38	12/29/2003	91	101
223218- 22		SB39	12/30/2003	84	98
223218- 23		SB40	12/30/2003	81	91

Test	Test Description	Limits
2FLUBP	2-Fluorobiphenyl (surr)	48 - 103
OTERPH	o-Terphenyl (surr)	44 - 128

STL Chicago is part of Severn Trent Laboratories, Inc.

S U R R O G A T E R E C O V E R I E S R E P O R T

Job Number.: 223218

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN: David Brewer

Method.....: PCB Analysis
Method Code...: 8082

Test Matrix...: Solid
Batch(s).....: 105996

Prep Batch..: 105538

Lab ID	DT	Sample ID	Date	DCB	TCX
LCS			12/29/2003	85	84
MB			12/29/2003	86	92
223218- 1		SB18	12/29/2003	81	77
223218- 1 MS		SB18	12/29/2003	70	75
223218- 1 MSD		SB18	12/29/2003	66	82
223218- 2		SB19	12/29/2003	75	88
223218- 3		SB20	12/29/2003	70	80
223218- 4		SB21	12/29/2003	70	86
223218- 6		SB23	12/29/2003	68	87
223218- 7		SB24	12/29/2003	76	87
223218- 8		SB25	12/29/2003	64	80
223218- 9		SB26	12/29/2003	72	82
223218- 10		SB27	12/29/2003	74	76
223218- 11		SB28	12/29/2003	65	73
223218- 12		SB29	12/30/2003	71	79
223218- 13		SB30	12/30/2003	77	86
223218- 14		SB31	12/30/2003	79	90
223218- 15		SB32	12/30/2003	72	82
223218- 16		SB33	12/30/2003	72	75
223218- 17		SB34	12/30/2003	61	74
223218- 19		SB36	12/30/2003	72	76
223218- 20		SB37	12/30/2003	81	77
223218- 21		SB38	12/30/2003	69	87
223218- 22		SB39	12/30/2003	87	84

Test	Test Description	Limits
DCB	Decachlorobiphenyl (surr)	24 - 129
TCX	Tetrachloro-m-xylene (surr)	40 - 116

Method.....: PCB Analysis
Method Code...: 8082

Test Matrix...: Solid
Batch(s).....: 105996

Prep Batch..: 105553

Lab ID	DT	Sample ID	Date	DCB	TCX
LCS			12/30/2003	89	79
MB			12/30/2003	89	80
223218- 23		SB40	12/30/2003	110	80

Test	Test Description	Limits
DCB	Decachlorobiphenyl (surr)	24 - 129
TCX	Tetrachloro-m-xylene (surr)	40 - 116

STL Chicago is part of Severn Trent Laboratories, Inc.

S U R R O G A T E R E C O V E R I E S R E P O R T

Job Number.: 223218

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN: David Brewer

Method.....: Volatile Organics
Method Code...: 8260B

Test Matrix...: Solid
Batch(s).....: 106164

Prep Batch..: 105443

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
EB1			12/26/2003	87	82	86	90
EB3			12/26/2003	71	73	76	83
223218- 3		SB20	12/26/2003	76	93	77	84
223218- 7		SB24	12/26/2003	73	74	76	82
223218- 17		SB34	12/26/2003	63	66	69	73
223218- 18		SB35	12/26/2003	91	77	94	87

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	50 - 145
BRFLBE	4-Bromofluorobenzene (surr)	60 - 140
DBRFLM	Dibromofluoromethane (surr)	60 - 140
TOLD8	Toluene-d8 (surr)	66 - 141

Method.....: Volatile Organics
Method Code...: 8260B

Test Matrix...: Solid
Batch(s).....: 106164

Prep Batch..: 105634

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
LCS			12/26/2003	90	87	89	93
MB			12/26/2003	74	70	74	80

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	50 - 145
BRFLBE	4-Bromofluorobenzene (surr)	60 - 140
DBRFLM	Dibromofluoromethane (surr)	60 - 140
TOLD8	Toluene-d8 (surr)	66 - 141

STL Chicago is part of Severn Trent Laboratories, Inc.

S U R R O G A T E R E C O V E R I E S R E P O R T

Job Number.: 223218

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN: David Brewer

Method.....: Explosives by 8330 (HPLC)
Method Code...: 8330

Test Matrix...: Solid
Batch(s).....: 105995

Prep Batch..: 105476

Lab ID	DT	Sample ID	Date	12DNBZ
LCS			12/29/2003	98
MB			12/29/2003	97
223218- 1		SB18	12/29/2003	97
223218- 2		SB19	12/29/2003	97
223218- 6		SB23	12/29/2003	98
223218- 7		SB24	12/29/2003	97
223218- 8		SB25	12/30/2003	93
223218- 9		SB26	12/30/2003	95
223218- 11		SB28	12/30/2003	97
223218- 12		SB29	12/30/2003	98
223218- 12 MS		SB29	12/30/2003	99
223218- 12 MSD		SB29	12/30/2003	100
223218- 13		SB30	12/30/2003	97
223218- 14		SB31	12/31/2003	94
223218- 15		SB32	12/30/2003	97
223218- 16		SB33	12/30/2003	96
223218- 17		SB34	12/30/2003	93

Test	Test Description	Limits
12DNBZ	1,2-Dinitrobenzene (surr)	69 - 160

QUALITY CONTROL RESULTS

Job Number.: 223218

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN: David Brewer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8082
Method Description.: PCB AnalysisEquipment Code....: INST0708
Batch.....: 105996

Analyst...: mgk

LCS	Laboratory Control Sample	003LWPCBA		105538-002		12/29/2003	1513		
Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Aroclor 1016, Solid	ug/Kg	131.703		166.700	2.900	U 79	%	63-106	
Aroclor 1260, Solid	ug/Kg	137.503		167.000	2.500	U 82	%	68-105	

QUALITY CONTROL RESULTS

Job Number.: 223218

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8082
Method Description.: PCB AnalysisEquipment Code....: INST0708
Batch.....: 105996

Analyst...: mgk

LCS	Laboratory Control Sample	003LWLPCBA	105553-002		12/30/2003	1158
Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.
Aroclor 1016, Solid	ug/Kg	134.717		166.700	2.900	U 81
Aroclor 1260, Solid	ug/Kg	146.520		167.000	2.500	U 88

QUALITY CONTROL RESULTS

Job Number.: 223218

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8082
Method Description.: PCB AnalysisEquipment Code....: INST0708
Batch.....: 105996

Analyst...: mgk

MB	Method Blank			105538-001			12/29/2003	1440
Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Aroclor 1016, Solid	ug/Kg	2.900	U					
Aroclor 1221, Solid	ug/Kg	6.700	U					
Aroclor 1232, Solid	ug/Kg	3.000	U					
Aroclor 1242, Solid	ug/Kg	6.300	U					
Aroclor 1248, Solid	ug/Kg	2.300	U					
Aroclor 1254, Solid	ug/Kg	2.700	U					
Aroclor 1260, Solid	ug/Kg	2.500	U					

QUALITY CONTROL RESULTS

Job Number.: 223218

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8082
Method Description.: PCB Analysis

Equipment Code.....: INST0708
Batch.....: 105996

Analyst...: mgk

MB	Method Blank			105553-001			12/30/2003	1125
Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Aroclor 1016, Solid	ug/Kg	2.900	U					
Aroclor 1221, Solid	ug/Kg	6.700	U					
Aroclor 1232, Solid	ug/Kg	3.000	U					
Aroclor 1242, Solid	ug/Kg	6.300	U					
Aroclor 1248, Solid	ug/Kg	2.300	U					
Aroclor 1254, Solid	ug/Kg	2.700	U					
Aroclor 1260, Solid	ug/Kg	2.500	U					

QUALITY CONTROL RESULTS

Job Number.: 223218

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8082
Method Description.: PCB Analysis

Equipment Code.....: INST0708
Batch.....: 105996

Analyst...: mgk

MS	Matrix Spike	003LWLPCBA	223218-1		12/29/2003 1619					
Parameter/Test Description		Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Aroclor 1016, Solid		ug/Kg	151.500		206.900	3.600	U 73	%	63-106	
Aroclor 1260, Solid		ug/Kg	142.732		207.300	3.103	U 69	%	68-105	

QUALITY CONTROL RESULTS

Job Number.: 223218

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8082
 Method Description.: PCB Analysis

Equipment Code....: INST0708
 Batch.....: 105996

Analyst...: mgk

MSD	Matrix Spike Duplicate	003LWPCBA	223218-1		12/29/2003	1652				
Parameter/Test Description		Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Aroclor 1016, Solid		ug/Kg	155.840	151.500	206.100	3.585	U 76	%	63-106	
						4		R	30	
Aroclor 1260, Solid		ug/Kg	148.002	142.732	206.500	3.091	U 72	%	68-105	
						4		R	30	

QUALITY CONTROL RESULTS

Job Number.: 223218

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

卷之三

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8015B MDRO

Method Description.: TPH - Diesel Range Organics (DRO)

Equipment Code.....: INST10

Batch.....: 105934

Analyst...: mgk

LCS	Laboratory Control Sample	003KWLDIEA	105534-002			12/29/2003	1242
Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits F
Diesel Range Organics (DRO), 3541 Soli	mg/Kg	57.353		66.670	2.600 U 86	%	70-106

QUALITY CONTROL RESULTS

Job Number.: 223218

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8015B MDRO Equipment Code....: INST10
Method Description.: TPH - Diesel Range Organics (DRO) Batch.....: 105934

Analyst...: mgk

MB	Method Blank				105534-001			12/29/2003	1203
Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Diesel Range Organics (DRO), 3541 Soli mg/Kg	mg/Kg	2.600	U						

QUALITY CONTROL RESULTS

Job Number.: 223218

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8330
Method Description.: Explosives by 8330 (HPLC)

Equipment Code....: INST43
Batch.....: 105995

Analyst...: san

LCS	Laboratory Control Sample		003LWLEXPB	105476-002			12/29/2003 2131			
Parameter/Test Description		Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
HMX, Solid		ug/Kg	1077.500		1000.000	113.000	U 108	%	84-120	
RDX, Solid		ug/Kg	1065.400		1000.000	58.600	U 107	%	81-115	
1,3,5-Trinitrobenzene, Solid		ug/Kg	1016.300		1000.000	17.500	U 102	%	77-114	
1,3-Dinitrobenzene, Solid		ug/Kg	1046.400		1000.000	17.800	U 105	%	85-112	
Nitrobenzene, Solid		ug/Kg	1048.650		1000.000	22.200	U 105	%	86-112	
2,4,6-TNT, Solid		ug/Kg	1000.800		1000.000	33.800	U 100	%	77-118	
Tetryl, Solid		ug/Kg	1815.750		2000.000	43.400	U 91	%	35-132	
2,4-Dinitrotoluene, Solid		ug/Kg	1081.800		1000.000	35.600	U 108	%	81-121	
2,6-Dinitrotoluene, Solid		ug/Kg	2093.950		2000.000	47.500	U 105	%	84-114	
2-Amino-4,6-Dinitrotoluene, Solid		ug/Kg	1949.300		2000.000	36.000	U 97	%	83-113	
4-Amino-2,6-Dinitrotoluene, Solid		ug/Kg	1981.100		2000.000	97.200	U 99	%	80-131	
2-Nitrotoluene, Solid		ug/Kg	2013.200		2000.000	33.200	U 101	%	84-114	
4-Nitrotoluene, Solid		ug/Kg	1949.750		2000.000	46.600	U 97	%	82-112	
3-Nitrotoluene, Solid		ug/Kg	1962.950		2000.000	50.000	U 98	%	84-117	

QUALITY CONTROL RESULTS

Job Number.: 223218

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8330

Method Description.: Explosives by 8330 (HPLC)

Equipment Code....: INST43

Batch.....: 105995

Analyst...: san

MB	Method Blank	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
	HMX, Solid	ug/Kg	113.000	U						
	RDX, Solid	ug/Kg	58.600	U						
	1,3,5-Trinitrobenzene, Solid	ug/Kg	17.500	U						
	1,3-Dinitrobenzene, Solid	ug/Kg	17.800	U						
	Nitrobenzene, Solid	ug/Kg	22.200	U						
	2,4,6-TNT, Solid	ug/Kg	33.800	U						
	Tetryl, Solid	ug/Kg	43.400	U						
	2,4-Dinitrotoluene, Solid	ug/Kg	35.600	U						
	2,6-Dinitrotoluene, Solid	ug/Kg	47.500	U						
	2-Amino-4,6-Dinitrotoluene, Solid	ug/Kg	36.000	U						
	4-Amino-2,6-Dinitrotoluene, Solid	ug/Kg	97.200	U						
	2-Nitrotoluene, Solid	ug/Kg	33.200	U						
	4-Nitrotoluene, Solid	ug/Kg	46.600	U						
	3-Nitrotoluene, Solid	ug/Kg	50.000	U						

QUALITY CONTROL RESULTS

Job Number.: 223218

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8330

Method Description.: Explosives by 8330 (HPLC)

Equipment Code....: INST43

Batch.....: 105995

Analyst...: san

MS	Matrix Spike	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
HMX, Solid	ug/Kg	1023.600		1000.000	113.000	U 102	%	84-120		
RDX, Solid	ug/Kg	964.550		1000.000	58.600	U 96	%	81-115		
1,3,5-Trinitrobenzene, Solid	ug/Kg	859.900		1000.000	17.500	U 86	%	77-114		
1,3-Dinitrobenzene, Solid	ug/Kg	1050.650		1000.000	17.800	U 105	%	85-112		
Nitrobenzene, Solid	ug/Kg	1023.900		1000.000	22.200	U 102	%	86-112		
2,4,6-TNT, Solid	ug/Kg	981.550		1000.000	33.800	U 98	%	77-118		
Tetryl, Solid	ug/Kg	600.300		2000.000	43.400	U 30	%	35-132	*	
2,4-Dinitrotoluene, Solid	ug/Kg	1080.650		1000.000	35.600	U 108	%	81-121		
2,6-Dinitrotoluene, Solid	ug/Kg	2102.600		2000.000	47.500	U 105	%	84-114		
2-Amino-4,6-Dinitrotoluene, Solid	ug/Kg	1986.150		2000.000	36.000	U 99	%	83-113		
4-Amino-2,6-Dinitrotoluene, Solid	ug/Kg	2373.850		2000.000	97.200	U 119	%	80-131		
2-Nitrotoluene, Solid	ug/Kg	1911.600		2000.000	33.200	U 96	%	84-114		
4-Nitrotoluene, Solid	ug/Kg	1863.000		2000.000	46.600	U 93	%	82-112		
3-Nitrotoluene, Solid	ug/Kg	1902.100		2000.000	50.000	U 95	%	84-117		

Q U A L I T Y C O N T R O L R E S U L T S

Job Number.: 223218

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP	ATTN:		
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date Time

Test Method.....: 8330 Method Description.: Explosives by 8330 (HPLC)	Equipment Code....: INST43 Batch.....: 105995	Analyst...: san
--	--	-----------------

MSD	Matrix Spike Duplicate	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
HMX, Solid		ug/Kg	1052.745	1023.600	980.400	110.785	U 107	%	84-120	
RDX, Solid		ug/Kg	992.402	964.550	980.400	57.451	U 101	R 30	% 81-115	
1,3,5-Trinitrobenzene, Solid		ug/Kg	825.392	859.900	980.400	17.157	U 84	% 77-114	R 30	
1,3-Dinitrobenzene, Solid		ug/Kg	1055.000	1050.650	980.400	17.451	U 108	% 85-112	R 30	
Nitrobenzene, Solid		ug/Kg	1026.373	1023.900	980.400	21.765	U 105	% 86-112	R 30	
2,4,6-TNT, Solid		ug/Kg	993.971	981.550	980.400	33.138	U 101	% 77-118	R 30	
Tetryl, Solid		ug/Kg	578.676	600.300	1961.000	42.549	U 30	% 35-132	R 30	*
2,4-Dinitrotoluene, Solid		ug/Kg	1065.343	1080.650	980.400	34.902	U 109	% 81-121	R 30	
2,6-Dinitrotoluene, Solid		ug/Kg	2076.177	2102.600	1961.000	46.569	U 106	% 84-114	R 30	
2-Amino-4,6-Dinitrotoluene, Solid		ug/Kg	1992.892	1986.150	1961.000	35.294	U 102	% 83-113	R 30	
4-Amino-2,6-Dinitrotoluene, Solid		ug/Kg	2342.794	2373.850	1961.000	95.295	U 119	% 80-131	R 30	
2-Nitrotoluene, Solid		ug/Kg	1948.480	1911.600	1961.000	32.549	U 99	% 84-114	R 30	
4-Nitrotoluene, Solid		ug/Kg	1883.088	1863.000	1961.000	45.687	U 96	% 82-112	R 30	
3-Nitrotoluene, Solid		ug/Kg	1929.265	1902.100	1961.000	49.020	U 98	% 84-117	R 30	

QUALITY CONTROL RESULTS

Job Number.: 223218

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP	ATTN:		
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date Time

Test Method.....: 8260B Method Description.: Volatile Organics	Equipment Code....: GCL6 Batch.....: 106164	Analyst...: lm
---	--	----------------

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Dichlorodifluoromethane, Solid	ug/Kg	0.730	U					
Chloromethane, Solid	ug/Kg	1.100	U					
Vinyl chloride, Solid	ug/Kg	1.100	U					
Bromomethane, Solid	ug/Kg	1.300	U					
Chloroethane, Solid	ug/Kg	1.000	U					
Trichlorofluoromethane, Solid	ug/Kg	1.400	U					
1,1-Dichloroethene, Solid	ug/Kg	1.300	U					
Carbon disulfide, Solid	ug/Kg	1.200	U					
Acetone, Solid	ug/Kg	4.600	U					
Methylene chloride, Solid	ug/Kg	2.900	U					
trans-1,2-Dichloroethene, Solid	ug/Kg	1.100	U					
Methyl-tert-butyl-ether (MTBE), Solid	ug/Kg	1.000	U					
1,1-Dichloroethane, Solid	ug/Kg	1.000	U					
2,2-Dichloropropane, Solid	ug/Kg	0.920	U					
cis-1,2-Dichloroethene, Solid	ug/Kg	1.100	U					
2-Butanone (MEK), Solid	ug/Kg	3.900	U					
Bromochloromethane, Solid	ug/Kg	1.100	U					
Chloroform, Solid	ug/Kg	1.100	U					
1,1,1-Trichloroethane, Solid	ug/Kg	1.100	U					
1,1-Dichloropropene, Solid	ug/Kg	1.200	U					
Carbon tetrachloride, Solid	ug/Kg	1.100	U					
Benzene, Solid	ug/Kg	1.100	U					
1,2-Dichloroethane, Solid	ug/Kg	0.940	U					
Trichloroethene, Solid	ug/Kg	1.100	U					
1,2-Dichloropropane, Solid	ug/Kg	1.000	U					
Dibromomethane, Solid	ug/Kg	1.100	U					
Bromodichloromethane, Solid	ug/Kg	0.960	U					
cis-1,3-Dichloropropene, Solid	ug/Kg	0.930	U					
4-Methyl-2-pentanone (MIBK), Solid	ug/Kg	1.000	U					
Toluene, Solid	ug/Kg	1.100	U					
trans-1,3-Dichloropropene, Solid	ug/Kg	0.790	U					
1,1,2-Trichloroethane, Solid	ug/Kg	1.100	U					
Tetrachloroethene, Solid	ug/Kg	1.200	U					
1,3-Dichloropropane, Solid	ug/Kg	0.940	U					
2-Hexanone, Solid	ug/Kg	1.100	U					
Dibromochloromethane, Solid	ug/Kg	0.790	U					
1,2-Dibromoethane (EDB), Solid	ug/Kg	0.820	U					
Chlorobenzene, Solid	ug/Kg	1.100	U					
1,1,1,2-Tetrachloroethane, Solid	ug/Kg	1.100	U					
Ethylbenzene, Solid	ug/Kg	1.100	U					
m&p-Xylenes, Solid	ug/Kg	2.300	U					
o-Xylene, Solid	ug/Kg	1.100	U					
Styrene, Solid	ug/Kg	1.100	U					
Bromoform, Solid	ug/Kg	0.750	U					
Isopropylbenzene, Solid	ug/Kg	1.100	U					
Bromobenzene, Solid	ug/Kg	1.000	U					
1,1,2,2-Tetrachloroethane, Solid	ug/Kg	0.960	U					
1,2,3-Trichloropropane, Solid	ug/Kg	1.100	U					
n-Propylbenzene, Solid	ug/Kg	1.300	U					
2-Chlorotoluene, Solid	ug/Kg	1.300	U					

QUALITY CONTROL RESULTS

Job Number.: 223218

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
EB1	Extraction Blank 1	223218	105443-008		12/26/2003	1748

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
1,3,5-Trimethylbenzene, Solid	ug/Kg	1.300	U					
4-Chlorotoluene, Solid	ug/Kg	1.300	U					
tert-Butylbenzene, Solid	ug/Kg	1.200	U					
1,2,4-Trimethylbenzene, Solid	ug/Kg	1.400	U					
sec-Butylbenzene, Solid	ug/Kg	1.200	U					
p-Isopropyltoluene, Solid	ug/Kg	1.300	U					
n-Butylbenzene, Solid	ug/Kg	1.300	U					
1,2-Dibromo-3-chloropropane, Solid	ug/Kg	1.200	U					
1,2,3-Trichlorobenzene, Solid	ug/Kg	1.500	U					

QUALITY CONTROL RESULTS

Job Number.: 223218

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN:	
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date Time

Test Method.....: 8260B Method Description.: Volatile Organics	Equipment Code....: GCL6 Batch.....: 106164	Analyst...: lm
---	--	----------------

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Dichlorodifluoromethane, Solid	ug/Kg	0.730	U					
Chloromethane, Solid	ug/Kg	1.100	U					
Vinyl chloride, Solid	ug/Kg	1.100	U					
Bromomethane, Solid	ug/Kg	1.300	U					
Chloroethane, Solid	ug/Kg	1.000	U					
Trichlorofluoromethane, Solid	ug/Kg	1.400	U					
1,1-Dichloroethene, Solid	ug/Kg	1.300	U					
Carbon disulfide, Solid	ug/Kg	1.200	U					
Acetone, Solid	ug/Kg	4.600	U					
Methylene chloride, Solid	ug/Kg	2.900	U					
trans-1,2-Dichloroethene, Solid	ug/Kg	1.100	U					
Methyl-tert-butyl-ether (MTBE), Solid	ug/Kg	1.000	U					
1,1-Dichloroethane, Solid	ug/Kg	1.000	U					
2,2-Dichloropropane, Solid	ug/Kg	0.920	U					
cis-1,2-Dichloroethene, Solid	ug/Kg	1.100	U					
2-Butanone (MEK), Solid	ug/Kg	3.900	U					
Bromochloromethane, Solid	ug/Kg	1.100	U					
Chloroform, Solid	ug/Kg	1.100	U					
1,1,1-Trichloroethane, Solid	ug/Kg	1.100	U					
1,1-Dichloropropene, Solid	ug/Kg	1.200	U					
Carbon tetrachloride, Solid	ug/Kg	1.100	U					
Benzene, Solid	ug/Kg	1.100	U					
1,2-Dichloroethane, Solid	ug/Kg	0.940	U					
Trichloroethene, Solid	ug/Kg	1.100	U					
1,2-Dichloropropane, Solid	ug/Kg	1.000	U					
Dibromomethane, Solid	ug/Kg	1.100	U					
Bromodichloromethane, Solid	ug/Kg	0.960	U					
cis-1,3-Dichloropropene, Solid	ug/Kg	0.930	U					
4-Methyl-2-pentanone (MIBK), Solid	ug/Kg	1.000	U					
Toluene, Solid	ug/Kg	1.100	U					
trans-1,3-Dichloropropene, Solid	ug/Kg	0.790	U					
1,1,2-Trichloroethane, Solid	ug/Kg	1.100	U					
Tetrachloroethene, Solid	ug/Kg	1.200	U					
1,3-Dichloropropane, Solid	ug/Kg	0.940	U					
2-Hexanone, Solid	ug/Kg	1.100	U					
Dibromochloromethane, Solid	ug/Kg	0.790	U					
1,2-Dibromoethane (EDB), Solid	ug/Kg	0.820	U					
Chlorobenzene, Solid	ug/Kg	1.100	U					
1,1,1,2-Tetrachloroethane, Solid	ug/Kg	1.100	U					
Ethylbenzene, Solid	ug/Kg	1.100	U					
m&p-Xylenes, Solid	ug/Kg	2.300	U					
o-Xylene, Solid	ug/Kg	1.100	U					
Styrene, Solid	ug/Kg	1.100	U					
Bromoform, Solid	ug/Kg	0.750	U					
Isopropylbenzene, Solid	ug/Kg	1.100	U					
Bromobenzene, Solid	ug/Kg	1.000	U					
1,1,2,2-Tetrachloroethane, Solid	ug/Kg	0.960	U					
1,2,3-Trichloropropane, Solid	ug/Kg	1.100	U					
n-Propylbenzene, Solid	ug/Kg	1.300	U					
2-Chlorotoluene, Solid	ug/Kg	1.300	U					

Q U A L I T Y C O N T R O L R E S U L T S

Job Number.: 223218

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
EB3	DI Blank	223218	105443-009		12/26/2003	1815

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
1,3,5-Trimethylbenzene, Solid	ug/Kg	1.300	U					
4-Chlorotoluene, Solid	ug/Kg	1.300	U					
tert-Butylbenzene, Solid	ug/Kg	1.200	U					
1,2,4-Trimethylbenzene, Solid	ug/Kg	1.400	U					
sec-Butylbenzene, Solid	ug/Kg	1.200	U					
p-Isopropyltoluene, Solid	ug/Kg	1.300	U					
n-Butylbenzene, Solid	ug/Kg	1.300	U					
1,2-Dibromo-3-chloropropane, Solid	ug/Kg	1.200	U					
1,2,3-Trichlorobenzene, Solid	ug/Kg	1.500	U					

QUALITY CONTROL RESULTS

Job Number.: 223218

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN:			
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time	

Test Method.....: 8260B Method Description.: Volatile Organics	Equipment Code....: GCL6 Batch.....: 106164	Analyst...: lm
---	--	----------------

LCS	Laboratory Control Sample	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Dichlorodifluoromethane, Solid	ug/Kg	48.515		50.000	0.730	U 97		%	43-121	
Chloromethane, Solid	ug/Kg	40.252		50.000	1.100	U 81		%	45-141	
Vinyl chloride, Solid	ug/Kg	45.727		50.000	1.100	U 91		%	58-140	
Bromomethane, Solid	ug/Kg	43.241		50.000	1.300	U 86		%	48-127	
Chloroethane, Solid	ug/Kg	47.217		50.000	1.000	U 94		%	59-163	
Trichlorofluoromethane, Solid	ug/Kg	51.490		50.000	1.400	U 103		%	57-135	
1,1-Dichloroethene, Solid	ug/Kg	51.175		50.000	1.300	U 102		%	51-132	
Carbon disulfide, Solid	ug/Kg	47.309		50.000	1.200	U 95		%	23-138	
Acetone, Solid	ug/Kg	36.445		50.000	4.600	U 73		%	46-167	
Methylene chloride, Solid	ug/Kg	50.808		50.000	2.900	U 102		%	58-143	
trans-1,2-Dichloroethene, Solid	ug/Kg	52.680		50.000	1.100	U 105		%	58-139	
Methyl-tert-butyl-ether (MTBE), Solid	ug/Kg	57.432		50.000	1.000	U 115		%	61-132	
1,1-Dichloroethane, Solid	ug/Kg	51.653		50.000	1.000	U 103		%	63-133	
2,2-Dichloropropane, Solid	ug/Kg	53.717		50.000	0.920	U 107		%	67-134	
cis-1,2-Dichloroethene, Solid	ug/Kg	52.864		50.000	1.100	U 106		%	68-148	
2-Butanone (MEK), Solid	ug/Kg	36.353		50.000	3.900	U 73		%	50-150	
Bromochloromethane, Solid	ug/Kg	48.363		50.000	1.100	U 97		%	68-129	
Chloroform, Solid	ug/Kg	54.076		50.000	1.100	U 108		%	73-135	
1,1,1-Trichloroethane, Solid	ug/Kg	55.337		50.000	1.100	U 111		%	63-133	
1,1-Dichloropropene, Solid	ug/Kg	52.921		50.000	1.200	U 106		%	78-148	
Carbon tetrachloride, Solid	ug/Kg	62.730		50.000	1.100	U 125		%	67-127	
Benzene, Solid	ug/Kg	54.889		50.000	1.100	U 110		%	72-128	
1,2-Dichloroethane, Solid	ug/Kg	54.772		50.000	0.940	U 110		%	69-125	
Trichloroethene, Solid	ug/Kg	58.615		50.000	1.100	U 117		%	75-129	
1,2-Dichloropropane, Solid	ug/Kg	51.547		50.000	1.000	U 103		%	76-132	
Dibromomethane, Solid	ug/Kg	47.811		50.000	1.100	U 96		%	70-130	
Bromodichloromethane, Solid	ug/Kg	60.150		50.000	0.960	U 120		%	74-128	
cis-1,3-Dichloropropene, Solid	ug/Kg	52.767		52.000	0.930	U 101		%	80-124	
4-Methyl-2-pentanone (MIBK), Solid	ug/Kg	37.657		50.000	1.000	U 75		%	68-134	
Toluene, Solid	ug/Kg	53.048		50.000	1.100	U 106		%	75-125	
trans-1,3-Dichloropropene, Solid	ug/Kg	48.634		48.000	0.790	U 101		%	75-134	
1,1,2-Trichloroethane, Solid	ug/Kg	42.708		50.000	1.100	U 85		%	71-143	
Tetrachloroethene, Solid	ug/Kg	64.066		50.000	1.200	U 128		%	75-129	
1,3-Dichloropropane, Solid	ug/Kg	50.273		50.000	0.940	U 101		%	78-127	
2-Hexanone, Solid	ug/Kg	38.221		50.000	1.100	U 76		%	69-140	
Dibromochloromethane, Solid	ug/Kg	56.448		50.000	0.790	U 113		%	77-127	
1,2-Dibromoethane (EDB), Solid	ug/Kg	45.921		50.000	0.820	U 92		%	72-133	
Chlorobenzene, Solid	ug/Kg	54.040		50.000	1.100	U 108		%	83-125	
1,1,1,2-Tetrachloroethane, Solid	ug/Kg	58.532		50.000	1.100	U 117		%	83-123	
Ethylbenzene, Solid	ug/Kg	55.300		50.000	1.100	U 111		%	79-123	
m&p-Xylenes, Solid	ug/Kg	112.198		100.000	2.300	U 112		%	79-123	
o-Xylene, Solid	ug/Kg	54.458		50.000	1.100	U 109		%	80-123	
Styrene, Solid	ug/Kg	53.938		50.000	1.100	U 108		%	85-126	
Bromoform, Solid	ug/Kg	56.403		50.000	0.750	U 113		%	78-132	
Isopropylbenzene, Solid	ug/Kg	52.703		50.000	1.100	U 105		%	77-118	
Bromobenzene, Solid	ug/Kg	55.711		50.000	1.000	U 111		%	81-123	
1,1,2,2-Tetrachloroethane, Solid	ug/Kg	43.050		50.000	0.960	U 86		%	68-139	
1,2,3-Trichloropropane, Solid	ug/Kg	44.088		50.000	1.100	U 88		%	71-129	
n-Propylbenzene, Solid	ug/Kg	53.817		50.000	1.300	U 108		%	77-124	
2-Chlorotoluene, Solid	ug/Kg	53.795		50.000	1.300	U 108		%	63-137	

QUALITY CONTROL RESULTS

Job Number.: 223218

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
LCS	Laboratory Control Sample	V03L26DSD	105634-015		12/26/2003	1358

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
1,3,5-Trimethylbenzene, Solid	ug/Kg	58.246		50.000	1.300	U 116	%	72-128	
4-Chlorotoluene, Solid	ug/Kg	53.465		50.000	1.300	U 107	%	76-123	
tert-Butylbenzene, Solid	ug/Kg	56.444		50.000	1.200	U 113	%	79-124	
1,2,4-Trimethylbenzene, Solid	ug/Kg	59.905		50.000	1.400	U 120	%	74-133	
sec-Butylbenzene, Solid	ug/Kg	56.403		50.000	1.200	U 113	%	77-128	
p-Isopropyltoluene, Solid	ug/Kg	56.554		50.000	1.300	U 113	%	74-126	
n-Butylbenzene, Solid	ug/Kg	54.622		50.000	1.300	U 109	%	65-138	
1,2-Dibromo-3-chloropropane, Solid	ug/Kg	39.292		50.000	1.200	U 79	%	59-124	
1,2,3-Trichlorobenzene, Solid	ug/Kg	57.225		50.000	1.500	U 114	%	75-125	

QUALITY CONTROL RESULTS

Job Number.: 223218

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN:		
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8260B Method Description.: Volatile Organics	Equipment Code....: GCL6 Batch.....: 106164	Analyst...: lm
---	--	----------------

MB	Method Blank	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Dichlorodifluoromethane, Solid	ug/Kg	0.730	U						
Chloromethane, Solid	ug/Kg	1.100	U						
Vinyl chloride, Solid	ug/Kg	1.100	U						
Bromomethane, Solid	ug/Kg	1.300	U						
Chloroethane, Solid	ug/Kg	1.000	U						
Trichlorofluoromethane, Solid	ug/Kg	1.400	U						
1,1-Dichloroethene, Solid	ug/Kg	1.300	U						
Carbon disulfide, Solid	ug/Kg	1.200	U						
Acetone, Solid	ug/Kg	4.600	U						
Methylene chloride, Solid	ug/Kg	2.900	U						
trans-1,2-Dichloroethene, Solid	ug/Kg	1.100	U						
Methyl-tert-butyl-ether (MTBE), Solid	ug/Kg	1.000	U						
1,1-Dichloroethane, Solid	ug/Kg	1.000	U						
2,2-Dichloropropane, Solid	ug/Kg	0.920	U						
cis-1,2-Dichloroethene, Solid	ug/Kg	1.100	U						
2-Butanone (MEK), Solid	ug/Kg	3.900	U						
Bromochloromethane, Solid	ug/Kg	1.100	U						
Chloroform, Solid	ug/Kg	1.100	U						
1,1,1-Trichloroethane, Solid	ug/Kg	1.100	U						
1,1-Dichloropropene, Solid	ug/Kg	1.200	U						
Carbon tetrachloride, Solid	ug/Kg	1.100	U						
Benzene, Solid	ug/Kg	1.100	U						
1,2-Dichloroethane, Solid	ug/Kg	0.940	U						
Trichloroethene, Solid	ug/Kg	1.100	U						
1,2-Dichloropropane, Solid	ug/Kg	1.000	U						
Dibromomethane, Solid	ug/Kg	1.100	U						
Bromodichloromethane, Solid	ug/Kg	0.960	U						
cis-1,3-Dichloropropene, Solid	ug/Kg	0.930	U						
4-Methyl-2-pentanone (MIBK), Solid	ug/Kg	1.000	U						
Toluene, Solid	ug/Kg	1.100	U						
trans-1,3-Dichloropropene, Solid	ug/Kg	0.790	U						
1,1,2-Trichloroethane, Solid	ug/Kg	1.100	U						
Tetrachloroethene, Solid	ug/Kg	1.200	U						
1,3-Dichloropropane, Solid	ug/Kg	0.940	U						
2-Hexanone, Solid	ug/Kg	1.100	U						
Dibromochemicalmethane, Solid	ug/Kg	0.790	U						
1,2-Dibromoethane (EDB), Solid	ug/Kg	0.820	U						
Chlorobenzene, Solid	ug/Kg	1.100	U						
1,1,1,2-Tetrachloroethane, Solid	ug/Kg	1.100	U						
Ethylbenzene, Solid	ug/Kg	1.100	U						
m&p-Xylenes, Solid	ug/Kg	2.300	U						
o-Xylene, Solid	ug/Kg	1.100	U						
Styrene, Solid	ug/Kg	1.100	U						
Bromoform, Solid	ug/Kg	0.750	U						
Isopropylbenzene, Solid	ug/Kg	1.100	U						
Bromobenzene, Solid	ug/Kg	1.000	U						
1,1,2,2-Tetrachloroethane, Solid	ug/Kg	0.960	U						
1,2,3-Trichloropropane, Solid	ug/Kg	1.100	U						
n-Propylbenzene, Solid	ug/Kg	1.300	U						
2-Chlorotoluene, Solid	ug/Kg	1.300	U						

Q U A L I T Y C O N T R O L R E S U L T S

Job Number.: 223218

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

MB	Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
	Parameter/Test Description									
1,3,5-Trimethylbenzene, Solid	ug/Kg	1.300	U							
4-Chlorotoluene, Solid	ug/Kg	1.300	U							
tert-Butylbenzene, Solid	ug/Kg	1.200	U							
1,2,4-Trimethylbenzene, Solid	ug/Kg	1.400	U							
sec-Butylbenzene, Solid	ug/Kg	1.200	U							
p-Isopropyltoluene, Solid	ug/Kg	1.300	U							
n-Butylbenzene, Solid	ug/Kg	1.300	U							
1,2-Dibromo-3-chloropropane, Solid	ug/Kg	1.200	U							
1,2,3-Trichlorobenzene, Solid	ug/Kg	1.500	U							

QUALITY CONTROL RESULTS

Job Number.: 223218

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN: David Brewer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B

Equipment Code....: ICP4

Analyst...: tds

Method Description.: Metals Analysis (ICAP Trace)

Batch.....: 106021

LCS	Laboratory Control Sample	M03LSPK002	105701-002			12/31/2003	0109		
Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Aluminum, Solid	mg/Kg	186.18		200.00	2.40	U 93	%	80-120	
Antimony, Solid	mg/Kg	44.27		50.00	0.90	U 89	%	80-120	
Arsenic, Solid	mg/Kg	8.99		10.00	0.51	U 90	%	80-120	
Barium, Solid	mg/Kg	186.38		200.00	0.16	U 93	%	80-120	
Beryllium, Solid	mg/Kg	4.57		5.00	0.04	U 91	%	80-120	
Cadmium, Solid	mg/Kg	4.53		5.00	0.08	U 91	%	80-120	
Calcium, Solid	mg/Kg	936.62		1000.00	7.12	B 94	%	80-120	
Chromium, Solid	mg/Kg	18.72		20.00	0.22	U 94	%	80-120	
Cobalt, Solid	mg/Kg	45.90		50.00	0.14	U 92	%	80-120	
Copper, Solid	mg/Kg	23.70		25.00	0.90	U 95	%	80-120	
Iron, Solid	mg/Kg	95.14		100.00	3.52	B 95	%	80-120	
Lead, Solid	mg/Kg	9.54		10.00	0.43	U 95	%	80-120	
Magnesium, Solid	mg/Kg	921.02		1000.00	1.70	U 92	%	80-120	
Manganese, Solid	mg/Kg	47.75		50.00	0.13	U 96	%	80-120	
Nickel, Solid	mg/Kg	45.97		50.00	0.25	U 92	%	80-120	
Selenium, Solid	mg/Kg	8.11		10.00	0.40	U 81	%	80-120	
Silver, Solid	mg/Kg	4.53		5.00	0.31	U 91	%	80-120	
Sodium, Solid	mg/Kg	886.97		1000.00	86.70	U 89	%	80-120	
Thallium, Solid	mg/Kg	10.19		10.00	0.66	U 102	%	80-120	
Zinc, Solid	mg/Kg	45.43		50.00	0.41	B 91	%	80-120	

QUALITY CONTROL RESULTS

Job Number.: 223218

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B

Equipment Code....: ICP4

Analyst...: tds

Method Description.: Metals Analysis (ICAP Trace)

Batch.....: 106021

MB	Method Blank	105701	105701-001			12/31/2003	0103
----	--------------	--------	------------	--	--	------------	------

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Aluminum, Solid	mg/Kg	2.40	U					
Antimony, Solid	mg/Kg	0.90	U					
Arsenic, Solid	mg/Kg	0.51	U					
Barium, Solid	mg/Kg	0.16	U					
Beryllium, Solid	mg/Kg	0.04	U					
Cadmium, Solid	mg/Kg	0.08	U					
Calcium, Solid	mg/Kg	7.12	B					
Chromium, Solid	mg/Kg	0.22	U					
Cobalt, Solid	mg/Kg	0.14	U					
Copper, Solid	mg/Kg	0.90	U					
Iron, Solid	mg/Kg	3.52	B					
Lead, Solid	mg/Kg	0.43	U					
Magnesium, Solid	mg/Kg	1.70	U					
Manganese, Solid	mg/Kg	0.13	U					
Nickel, Solid	mg/Kg	0.25	U					
Selenium, Solid	mg/Kg	0.40	U					
Silver, Solid	mg/Kg	0.31	U					
Sodium, Solid	mg/Kg	86.70	U					
Thallium, Solid	mg/Kg	0.66	U					
Zinc, Solid	mg/Kg	0.41	B					

QUALITY CONTROL RESULTS

Job Number.: 223218

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code.....: ICP4
Batch.....: 106021

Analyst...: tds

MD	Method Duplicate			223218-1			12/31/2003	0127	
Parameter/Test Description		Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Aluminum, Solid		mg/Kg	14057.98			14089.35	0.2	R 20.0	
Antimony, Solid		mg/Kg	1.06	U		1.06	U 0.32	A 2.36	
Arsenic, Solid		mg/Kg	7.15			5.49	1.67	A 1.18	
Barium, Solid		mg/Kg	122.30			104.77	15.4	R 20.0	
Beryllium, Solid		mg/Kg	1.01			0.86	0.15	A 0.47	
Cadmium, Solid		mg/Kg	0.09	U		0.09	U 0	A 0.24	
Calcium, Solid		mg/Kg	1846.98			1835.17	0.6	R 20.0	
Chromium, Solid		mg/Kg	18.89			20.81	9.7	R 20.0	
Cobalt, Solid		mg/Kg	12.65			5.13	84.6	R 20.0	*
Copper, Solid		mg/Kg	14.77			11.93	21.3	R 20.0	*
Iron, Solid		mg/Kg	20024.68			17313.38	14.5	R 20.0	
Lead, Solid		mg/Kg	11.15			7.33	41.4	R 20.0	*
Magnesium, Solid		mg/Kg	2682.62			2486.50	7.6	R 20.0	
Manganese, Solid		mg/Kg	617.67			255.86	82.8	R 20.0	*
Nickel, Solid		mg/Kg	16.38			13.85	16.8	R 20.0	
Selenium, Solid		mg/Kg	0.62	B		0.47	U 0.60	A 1.18	
Silver, Solid		mg/Kg	0.37	U		0.37	U 0	A 0.59	
Sodium, Solid		mg/Kg	209.15			221.95	12.80	A 117.92	
Thallium, Solid		mg/Kg	0.78	U		0.78	U 21.50	A 1.18	
Zinc, Solid		mg/Kg	38.08			34.39	10.2	R 20.0	

QUALITY CONTROL RESULTS

Job Number.: 223218

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.	PROJECT: GSA - SLOP	ATTN:				
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B Method Description.: Metals Analysis (ICAP Trace)	Equipment Code....: ICP4 Batch.....: 106021	Analyst...: tds
--	--	-----------------

MS	Matrix Spike	M03LSPK002	223218-1			12/31/2003	0134		
Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Aluminum, Solid	mg/Kg	21826.27		241.80	14089.35	3200	%	75-125	4
Antimony, Solid	mg/Kg	19.69		60.44	1.09	U 33	%	75-125	N
Arsenic, Solid	mg/Kg	18.84		12.09	5.49	110	%	75-125	
Barium, Solid	mg/Kg	361.83		241.80	104.77	106	%	75-125	
Beryllium, Solid	mg/Kg	6.46		6.04	0.86	93	%	75-125	
Cadmium, Solid	mg/Kg	4.53		6.04	0.10	U 75	%	75-125	
Calcium, Solid	mg/Kg	2944.89		1209.00	1835.17	92	%	75-125	
Chromium, Solid	mg/Kg	45.62		24.18	20.81	103	%	75-125	
Cobalt, Solid	mg/Kg	60.67		60.44	5.13	92	%	75-125	
Copper, Solid	mg/Kg	44.14		30.22	11.93	107	%	75-125	
Iron, Solid	mg/Kg	23149.64		120.90	17313.38	4828	%	75-125	4
Lead, Solid	mg/Kg	21.53		12.09	7.33	117	%	75-125	
Magnesium, Solid	mg/Kg	4535.76		1209.00	2486.50	170	%	75-125	N
Manganese, Solid	mg/Kg	613.26		60.44	255.86	591	%	75-125	
Nickel, Solid	mg/Kg	69.51		60.44	13.85	92	%	75-125	
Selenium, Solid	mg/Kg	9.01		12.09	0.48	U 75	%	75-125	
Silver, Solid	mg/Kg	5.07		6.04	0.37	U 84	%	75-125	
Sodium, Solid	mg/Kg	1321.83		1209.00	221.95	91	%	75-125	
Thallium, Solid	mg/Kg	10.81		12.09	0.80	U 89	%	75-125	
Zinc, Solid	mg/Kg	97.18		60.44	34.39	104	%	75-125	

QUALITY CONTROL RESULTS

Job Number.: 223218

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP		ATTN:	
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date Time

Test Method.....: 6010B Method Description.: Metals Analysis (ICAP Trace)	Equipment Code....: ICP4 Batch.....: 106021	Analyst...: tds
--	--	-----------------

MSD	Matrix Spike Duplicate	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Parameter/Test Description										
Aluminum, Solid	mg/Kg	18840.50	21826.27	235.60	14089.35	2016	45.4	%	75-125	4
Antimony, Solid	mg/Kg	22.91	19.69	58.91	1.06	U 39	16.7	R 20	% 75-125	N
Arsenic, Solid	mg/Kg	16.03	18.84	11.78	5.49	89	21.1	R 20	% 75-125	*
Barium, Solid	mg/Kg	322.91	361.83	235.60	104.77	93	13.1	R 20	% 75-125	
Beryllium, Solid	mg/Kg	6.12	6.46	5.89	0.86	89	4.4	R 20	% 75-125	
Cadmium, Solid	mg/Kg	4.41	4.53	5.89	0.09	U 75	0.0	R 20	% 75-125	
Calcium, Solid	mg/Kg	2898.27	2944.89	1178.00	1835.17	90	2.2	R 20	% 75-125	
Chromium, Solid	mg/Kg	46.71	45.62	23.56	20.81	110	6.6	R 20	% 75-125	
Cobalt, Solid	mg/Kg	54.83	60.67	58.91	5.13	84	9.1	R 20	% 75-125	
Copper, Solid	mg/Kg	39.00	44.14	29.45	11.93	92	15.1	R 20	% 75-125	
Iron, Solid	mg/Kg	19985.89	23149.64	117.80	17313.38	2268	72.2	R 20	% 75-125	4
Lead, Solid	mg/Kg	19.15	21.53	11.78	7.33	100	15.7	R 20	% 75-125	
Magnesium, Solid	mg/Kg	3858.29	4535.76	1178.00	2486.50	116	37.8	R 20	% 75-125	
Manganese, Solid	mg/Kg	397.53	613.26	58.91	255.86	240	84.5	R 20	% 75-125	4
Nickel, Solid	mg/Kg	64.78	69.51	58.91	13.85	86	6.7	R 20	% 75-125	
Selenium, Solid	mg/Kg	9.34	9.01	11.78	0.47	U 79	5.2	R 20	% 75-125	
Silver, Solid	mg/Kg	4.86	5.07	5.89	0.37	U 83	1.2	R 20	% 75-125	
Sodium, Solid	mg/Kg	1254.17	1321.83	1178.00	221.95	88	3.4	R 20	% 75-125	
Thallium, Solid	mg/Kg	10.77	10.81	11.78	0.78	U 91	2.2	R 20	% 75-125	
Zinc, Solid	mg/Kg	85.68	97.18	58.91	34.39	87	17.8	R 20	% 75-125	

QUALITY CONTROL RESULTS

Job Number.: 223218

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B

Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4

Batch.....: 106021

Analyst...: tds

SD	Serial Dilution	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
	Parameter/Test Description								
Aluminum, Solid	mg/Kg	2971.47				14089.35	5.5	D 10.0	
Antimony, Solid	mg/Kg	1.08	U			1.08	U		
Arsenic, Solid	mg/Kg	1.03	B			5.49			
Barium, Solid	mg/Kg	22.36				104.77	6.7	D 10.0	
Beryllium, Solid	mg/Kg	0.19	B			0.86			
Cadmium, Solid	mg/Kg	0.10	U			0.10	U		
Calcium, Solid	mg/Kg	396.11				1835.17	7.9	D 10.0	
Chromium, Solid	mg/Kg	4.50				20.81	8.1	D 10.0	
Cobalt, Solid	mg/Kg	1.13				5.13			
Copper, Solid	mg/Kg	2.49				11.93			
Iron, Solid	mg/Kg	3767.19				17313.38	8.8	D 10.0	
Lead, Solid	mg/Kg	1.42				7.33			
Magnesium, Solid	mg/Kg	539.33				2486.50	8.5	D 10.0	
Manganese, Solid	mg/Kg	55.52				255.86	8.5	D 10.0	
Nickel, Solid	mg/Kg	3.04				13.85			
Selenium, Solid	mg/Kg	0.48	U			0.48	U		
Silver, Solid	mg/Kg	0.37	U			0.37	U		
Sodium, Solid	mg/Kg	104.01	U			221.95			
Thallium, Solid	mg/Kg	0.79	U			0.79	U		
Zinc, Solid	mg/Kg	7.78				34.39	13.2	D 10.0	E

QUALITY CONTROL RESULTS

Job Number.: 223218

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B

Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP3

Batch.....: 106131

Analyst...: lmr

LCS	Laboratory Control Sample	M03LSPK002	105701-002			01/01/2004	0026
-----	---------------------------	------------	------------	--	--	------------	------

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Potassium, Solid	mg/Kg	816.41		1000.00	13.80	U 82	%	80-120	
Vanadium, Solid	mg/Kg	45.02		50.00	0.21	U 90	%	80-120	

LCS	Laboratory Control Sample	M03LSPK002	105703-002			01/01/2004	0519
-----	---------------------------	------------	------------	--	--	------------	------

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Cadmium, Solid	mg/Kg	4.52		5.00	0.08	U 90	%	80-120	
Potassium, Solid	mg/Kg	791.60		1000.00	13.80	U 79	%	80-120	*
Vanadium, Solid	mg/Kg	45.62		50.00	0.21	U 91	%	80-120	

QUALITY CONTROL RESULTS

Job Number.: 223218

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP3
Batch.....: 106131

Analyst...: lmr

MB	Method Blank		105701	105701-001			01/01/2004	0019	
Parameter/Test Description		Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Potassium, Solid		mg/Kg	13.80	U					

MB	Method Blank	105703	105703-001			01/01/2004	0512
Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits
Cadmium, Solid	mg/Kg	0.08	U				
Potassium, Solid	mg/Kg	13.80	U				
Vanadium, Solid	mg/Kg	0.21	U				

QUALITY CONTROL RESULTS

Job Number.: 223218

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B

Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP3

Batch.....: 106131

Analyst...: lmr

MD	Method Duplicate			223218-1			01/01/2004	0046
	Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits F
Potassium, Solid		mg/Kg	943.57			801.76	16.3	R 20.0
Vanadium, Solid		mg/Kg	37.85			32.18	16.2	R 20.0

QUALITY CONTROL RESULTS

Job Number.: 223218

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B

Equipment Code....: ICP3

Analyst...: lmr

Method Description.: Metals Analysis (ICAP Trace)

Batch.....: 106131

MS	Matrix Spike	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Potassium, Solid		mg/Kg	2900.18		1209.00	801.76	174	%	75-125	N
Vanadium, Solid		mg/Kg	100.41		60.44	32.18	113	%	75-125	

QUALITY CONTROL RESULTS								
Job Number.: 223218			Report Date.: 01/28/2004					
CUSTOMER: SCS Engineers, Inc.		PROJECT: GSA - SLOP			ATTN:			
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time		
Test Method.....: 6010B Method Description.: Metals Analysis (ICAP Trace)			Equipment Code....: ICP3 Batch.....: 106131		Analyst...: lmr			
MSD	Matrix Spike Duplicate	M03LSPK002	223218-1		01/01/2004	0100		
Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Potassium, Solid	mg/Kg	2314.47	2900.18	1178.00	801.76	128	% 75-125	N*
						30.5	R 20	
Vanadium, Solid	mg/Kg	93.37	100.41	58.91	32.18	104	% 75-125	
						8.3	R 20	

QUALITY CONTROL RESULTS

Job Number.: 223218

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 6010B

Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP3

Batch.....: 106131

Analyst...: lmr

SD	Serial Dilution	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Potassium, Solid	mg/Kg	163.57			801.76				
Vanadium, Solid	mg/Kg	6.77			32.18	5.2	D	10.0	

QUALITY CONTROL RESULTS

Job Number.: 223218

Report Date.: 01/28/2004

CUSTOMER: SCS Engineers, Inc.

PROJECT: GSA - SLOP

ATTN: David Brewer

Test Method.....: Method
 Method Description.: % Solids Determination
 Parameter.....: % Solids

Batch.....: 105971
 Equipment Code....:

Analyst...: clb
 Test Code.: %SOLID

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc. F	*	Limits	Date	Time
MB	105971-001		%	0.1000 U							12/30/2003	2040
MD	223218-1		%	79.60000			80.00000	0.5	R 5.0		12/30/2003	2040

Test Method.....: Method
 Method Description.: % Solids Determination
 Parameter.....: % Solids

Batch.....: 105972
 Equipment Code....:

Analyst...: clb
 Test Code.: %SOLID

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc. F	*	Limits	Date	Time
MB	105972-001		%	0.1000 U							12/30/2003	2040

Test Method.....: 9045C
 Method Description.: pH (Soil)
 Parameter.....: Corrosivity (pH Solid)

Batch.....: 106149
 Equipment Code....:

Analyst...: nnp
 Test Code.: CORSOL

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc. F	*	Limits	Date	Time
PHC	106149-001	I03KPH10B	pH Units	10.05000		10.00000		0.05000	A	0.20000	01/02/2004	1155
LCSP	106149-002	I03LPH7B	pH Units	6.97000		7.00000		0.03000	A	0.20000	01/02/2004	1156
LCDP	106149-003	I03LPH7B	pH Units	6.96000		7.00000		0.04000	A	0.20000	01/02/2004	1158
MDPH	223218-5		pH Units	9.04000			9.27000	0.23000	A	0.20000	01/02/2004	1210
PHC	106149-001	I03KPH10B	pH Units	9.99000		10.00000		0.01000	A	0.20000	01/02/2004	1211
PHC	106149-017	I03IPH4B	pH Units	4.01000				0.01000	A	0.20000	01/02/2004	1215

Test Method.....: 7471A
 Method Description.: Mercury (CVAA) Solids
 Parameter.....: Mercury

Batch.....: 106028
 Equipment Code....: HG3

Analyst...: daj
 Test Code.: HG

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc. F	*	Limits	Date	Time	
MB	106001-007		mg/Kg	0.00	U						12/31/2003	1402	
LCS	106001-008	M02ESTK010	mg/Kg	0.18		0.17		110	%	80-120	12/31/2003	1404	
MD	223218-1		mg/Kg	0.04			0.03	0.00	A	0.02	12/31/2003	1409	
MS	223218-1	M03JSTK030	mg/Kg	0.10		0.10	0.03	61	N	%	75-125	12/31/2003	1411
MSD	223218-1	M03JSTK030	mg/Kg	0.15	0.10	0.10	0.03	115	%	75-125	12/31/2003	1413	
								61.4	*	R 20			

QUALITY ASSURANCE METHODS

REFERENCES AND NOTES

Report Date: 01/28/2004

REPORT COMMENTS

- 1) All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.
- 2) Soil, sediment and sludge sample results are reported on a "dry weight" basis except when analyzed for landfill disposal or incineration parameters. All other solid matrix samples are reported on an "as received" basis unless noted differently.
- 3) Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.
- 4) The test results for the noted analytical method(s) meet the requirements of NELAC. Lab Cert. ID# 100201
- 5) According to 40CFR Part 136.3, pH, Chlorine Residual and Dissolved Oxygen analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field (e.g. pH Field) they were not analyzed immediately, but as soon as possible on laboratory receipt.

Glossary of flags, qualifiers and abbreviations (any number of which may appear in the report)

Inorganic Qualifiers (Q-Column)

- U Analyte was not detected at or above the stated limit.
- < Not detected at or above the reporting limit.
- J Result is less than the RL, but greater than or equal to the method detection limit.
- B Result is less than the CRDL/RL, but greater than or equal to the IDL/MDL.
- S Result was determined by the Method of Standard Additions.
- F AFCEE: Result is less than the RL, but greater than or equal to the method detection limit.

Inorganic Flags (Flag Column)

- ICV,CCV,ICB,CCB,ISA,ISB,CRI,CRA,MRL: Instrument related QC exceed the upper or lower control limits.
- * LCS, LCD, MD: Batch QC exceeds the upper or lower control limits.
- + MSA correlation coefficient is less than 0.995.
- 4 MS, MSD: The analyte present in the original sample is 4 times greater than the matrix spike concentration; therefore, control limits are not applicable.
- E SD: Serial dilution exceeds the control limits.
- H MB, EB1, EB2, EB3: Batch QC is greater than reporting limit or had a negative instrument reading lower than the absolute value of the reporting limit.
- N MS, MSD: Spike recovery exceeds the upper or lower control limits.
- W AS(GFAA) Post-digestion spike was outside 85-115% control limits.

Organic Qualifiers (Q - Column)

- U Analyte was not detected at or above the stated limit.
- ND Compound not detected.
- J Result is an estimated value below the reporting limit or a tentatively identified compound (TIC).
- Q Result was qualitatively confirmed, but not quantified.
- C Pesticide identification was confirmed by GC/MS.
- Y The chromatographic response resembles a typical fuel pattern.
- Z The chromatographic response does not resemble a typical fuel pattern.
- E Result exceeded calibration range, secondary dilution required.
- F AFCEE:Result is an estimated value below the reporting limit or a tentatively identified compound (TIC)

Organic Flags (Flags Column)

- B MB: Batch QC is greater than reporting limit.
- * LCS, LCD, ELC, ELD, CV, MS, MSD, Surrogate: Batch QC exceeds the upper or lower control limits.
- EB1, EB2, EB3, MLE: Batch QC is greater than reporting Limit
- A Concentration exceeds the instrument calibration range
- a Concentration is below the method Reporting Limit (RL)
- B Compound was found in the blank and sample.
- D Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution will be flagged with a D.
- H Alternate peak selection upon analytical review
- I Indicates the presence of an interference, recovery is not calculated.
- M Manually integrated compound.
- P The lower of the two values is reported when the % difference between the results of two GC columns is

QUALITY ASSURANCE METHODS

REFERENCES AND NOTES

Report Date: 01/28/2004

greater than 25%.

Abbreviations

AS	Post Digestion Spike (GFAA Samples - See Note 1 below)
Batch	Designation given to identify a specific extraction, digestion, preparation set, or analysis set
CAP	Capillary Column CCB Continuing Calibration Blank
CCV	Continuing Calibration Verification
CF	Confirmation analysis of original
C1	Confirmation analysis of A1 or D1
C2	Confirmation analysis of A2 or D2
C3	Confirmation analysis of A3 or D3
CRA	Low Level Standard Check - GFAA; Mercury
CRI	Low Level Standard Check - ICP
CV	Calibration Verification Standard
Dil Fac	Dilution Factor - Secondary dilution analysis
D1	Dilution 1
D2	Dilution 2
D3	Dilution 3
DLFac	Detection Limit Factor
DSH	Distilled Standard - High Level
DSL	Distilled Standard - Low Level
DSM	Distilled Standard - Medium Level
EB1	Extraction Blank 1
EB2	Extraction Blank 2
EB3	DI Blank
ELC	Method Extracted LCS
ELD	Method Extracted LCD
ICAL	Initial calibration
ICB	Initial Calibration Blank
ICV	Initial Calibration Verification
IDL	Instrument Detection Limit
ISA	Interference Check Sample A - ICAP
ISB	Interference Check Sample B - ICAP
Job No.	The first six digits of the sample ID which refers to a specific client, project and sample group Lab ID An 8 number unique laboratory identification
LCD	Laboratory Control Standard Duplicate
LCS	Laboratory Control Standard with reagent grade water or a matrix free from the analyte of interest
MB	Method Blank or (PB) Preparation Blank
MD	Method Duplicate
MDL	Method Detection Limit
MLE	Medium Level Extraction Blank
MRL	Method Reporting Limit Standard
MSA	Method of Standard Additions
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ND	Not Detected
PREPF	Preparation factor used by the Laboratory's Information Management System (LIMS)
PDS	Post Digestion Spike (ICAP)
RA	Re-analysis of original
A1	Re-analysis of D1
A2	Re-analysis of D2
A3	Re-analysis of D3
RD	Re-extraction of dilution
RE	Re-extraction of original
RC	Re-extraction Confirmation
RL	Reporting Limit
RPO	Relative Percent Difference of duplicate (unrounded) analyses
RRF	Relative Response Factor
RT	Retention Time

Q U A L I T Y A S S U R A N C E M E T H O D S

R E F E R E N C E S A N D N O T E S

Report Date: 01/28/2004

RTW Retention Time Window Sample ID A 9 digit number unique for each sample, the first six digits are referred as the job number
SCB Seeded Control Blank
SD Serial Dilution (Calculated when sample concentration exceeds 50 times the MDL)
UCB Unseeded Control Blank
SSV Second Source Verification Standard
SLCS Solid Laboratory Control Standard(LCS)
PHC pH Calibration Check LCSP pH Laboratory Control Sample
LCDP pH Laboratory Control Sample Duplicate
MDPH pH Sample Duplicate
MDFP Flashpoint Sample Duplicate
LCFP Flashpoint LCS
G1 Gelex Check Standard Range 0-1
G2 Gelex Check Standard Range 1-10
G3 Gelex Check Standard Range 10-100
G4 Gelex Check Standard Range 100-1000

Note 1: The Post Spike Designation on Batch QC for GFAA is designated with an "S" added to the current abbreviation used. EX. LCS S=LCS Post Spike (GFAA); MSS=MS Post Spike (GFAA)

Note 2: The MD calculates an absolute difference (A) when the sample concentration is less than 5 times the reporting limit. The control limit is represented as +/- the RL.