SCS ENGINEERS















ADDENDUM 1 TO PRELIMINARY SITE ASSESSMENT/SITE INSPECTION REPORT

Interim Lead Wipe Sampling and Assessment Report Buildings 102, 103E, 103F, 104 & 104F

SAINT LOUIS FEDERAL CENTER 4300 GOODFELLOW BOULEVARD SAINT LOUIS, MISSOURI

Presented to:

U.S. GENERAL SERVICES ADMINISTRATION

1500 E. Bannister Road, Room 2101 Kansas City, Missouri 64131-3088

Presented by:

SCS ENGINEERS

10975 El Monte, Suite 100 Overland Park, Kansas 66211 (913) 451-7510

> August 2008 File No. 02200070.67

Offices Nationwide www.scsengineers.com

Table of Contents

Section	n P	age
1.0	INTRODUCTION	1-1
	1.1 PURPOSE OF THE ADDITIONAL SAMPLING	.1-1
2.0	DATA COLLECTION AND SAMPLING PROTOCOLS	2-1
	Wipe Sample Collection	.2-2
3.0	RESULTS AND EVALUATION OF WIPE SAMPLE ANALYSIS	3-1
	3.1 Analytical Results from Worker Occupied Spaces	
4.0	CONCLUSIONS AND RECOMMENDATIONS	4-1
	4.1 Follow-up Air Monitoring	.4-1
Арр	e n d i c e s	
A	Figure 1 Site Location Map Figure 2 Site Map Figure 3 Building 102 Crawl Space Level Wipe Sample Locations Figure 4 Building 103E Crawl space Level Wipe Sample Locations Figure 5 Building 103F Crawl Space Level Wipe Sample Locations Figure 6 Building 104 Main Floor Wipe Sample Locations Figure 6A Building 104 Main Floor Wipe Sample Locations Figure 7 Building 104 Crawl space Level Wipe Sample Locations	
В	Summary of Laboratory Analytical Results:	
	Table 1: Summary of Lead Wipe Sample Data Building 102 Table 2: Summary of Lead Wipe Sample Data Building 103E Table 3: Summary of Lead Wipe Sample Data Building 103F Table 4: Summary of Lead Wipe Sample Data Building 104 Table 5: Summary of Lead Wipe Sample Data Building 104F	
С	Photographs	
D	Laboratory Analytical Reports	
Е	Air Monitoring Summary and Laboratory Analytical Data (provided by GSA)	

1.0 INTRODUCTION

At the request of the United States General Services Administration (GSA) under Schedule Contract Number GS-10F-037K, SCS Engineers (SCS) performed a Preliminary Assessment (PA) and Site Inspection (SI) of the Saint Louis Federal Center (Site) located at 4300 Goodfellow Boulevard, Saint Louis, Saint Louis County, Missouri. The results of the combined PA/SI were reported in the *Combined Preliminary Assessment/Site Inspection Report, Saint Louis Federal Center, 4300 Goodfellow Boulevard, St. Louis, Missouri*, prepared by SCS, March 2007 (PA/SI Report). The purpose of this addendum is to summarize the findings associated with additional wipe sampling and assessment that was completed within Buildings 102, 103E, 103F (previously designated Building 112), 104, and 104F at the request of GSA as follow up to the PA/SI Report.

The Site is located in west Saint Louis as shown in Figure 1. Figure 2 details specific Site features. The Site was investigated due to past history as the former Saint Louis Ordnance Plant (SLOP), a weapons manufacturing facility.

1.1 PURPOSE OF THE ADDITIONAL SAMPLING

The PA/SI Report concluded the following regarding lead sampling at the St. Louis Federal Center:

Lead was detected at concentrations above the Missouri Risk-Based Corrective Action (MRBCA) post-abatement clearance level for non-residential standards of 200 $\mu g/ft^2$ for floor surfaces (or approximately 0.021 mg/Wipe) in 73 of 84 wipe samples collected in Buildings 102, 102D, 102E, 103, 103D, 103E, 103F (previously designated Building 112), 104, 104F, 105, 105E, 105F, 110, 115, and the utility tunnel complex. Four wipe samples collected from Building 104E contained lead in excess of the HUD interim dust lead standard for floor surfaces of 40 $\mu g/ft^2$ (or approximately 0.004 mg/Wipe). Detected concentrations of lead in wipe samples collected from Building 104E ranged from 0.11 mg/Wipe to 130 mg/Wipe.

Although these lead concentrations were detected in areas not occupied by workers (e.g., utility tunnels and beams above ceilings), GSA requested a proposal to perform confirmation wipe sampling of these areas and additional wipe sampling in worker-occupied spaces. That proposal was submitted to GSA on July 9, 2007. The objective of the sampling was both to evaluate the presence of dust contaminated with lead in excess of target concentrations on surfaces in worker-occupied areas and to confirm high concentrations detected in non-occupied areas. For the purpose of this sampling event, the target concentration for worker-occupied areas was assumed to be 40 micrograms per square foot ($\mu g/ft^2$), which is the U.S. Environmental Protection Agency (EPA) threshold value for floor surfaces. This is the most stringent clean-up concentration identified as applicable to lead dust under State of Missouri and Federal guidelines.

2.0 DATA COLLECTION AND SAMPLING PROTOCOLS

As stated in the preceding section, the objective of the sampling was both to evaluate the presence of dust contaminated with lead in excess of target concentrations on surfaces in worker-occupied areas and to confirm high concentrations detected in non-occupied areas. Based on a review of laboratory analytical data, known remodeling efforts at the Site, and discussions with GSA personnel, wipe samples in worker-occupied spaces were collected within Buildings 104 and 104F. These buildings were selected for additional wipe sampling based on previous wipe sample analytical data that indicated elevated concentrations of lead particulates in these buildings, and the fact that interiors of these buildings had not been remodeled since the original sampling event. (Other buildings in the St. Louis Federal Center have been remodeled.)

Wipe samples collected for comparison with the previous sampling event were collected from within the crawl space level of Buildings 102, 103E, 103F, and 104. Samples were collected in these locations because they contained relatively high concentrations of lead, and because minimal disturbance (cleaning, remodeling, maintenance work, etc.) was anticipated to have occurred since the initial round of wipe sampling, which was completed in 2004.

2.1 WIPE SAMPLE COLLECTION

Twenty-one wipe samples were collected in the worker-occupied spaces within Buildings 104 and 104F. Additionally, five sets of two wipe samples were collected from within the crawl space level of Buildings 102, 103E, 103F, and 104. The duplicate wipe samples collected in the crawl space level were submitted to two laboratories to provide additional verification of analytical results. These samples were collected as close as possible to previous sample locations (without overlaying the previously wiped area), and were collected from two side-by-side templates on the surface to be sampled. Wipe samples collected from worker-occupied spaces were sent to TestAmerica Laboratories, Inc. (TestAmerica) in University Park, Illinois [formerly Severn Trent Laboratories (STL)]. Duplicate samples collected from the crawl space level were sent to TestAmerica and EMSL Analytical, Inc. (EMSL) in St. Louis, Missouri.

Wipe samples were collected using American Society for Testing & Materials (ASTM), Occupational Safety and Health Administration (OSHA), and HUD protocols. Based on the minimal amount of visible dust particulate found on surfaces in the worker occupied spaces, it was decided to increase the area sampled in an effort to ensure lead concentrations above laboratory detection limits would be identified in the wipe sample. Conversely, locations were wipe samples were collected in the crawl space level contained large quantities of visible dust particulate; therefore, a smaller area was used for wipe sample collection to ensure that all particulates were lifted from the surface being sampled.

Wipe samples collected from within the worker-occupied space were collected from an area measuring 144 square inches (in²) and wipe samples collected from within the crawl space level were collected from an area 100 square centimeters (cm²). The wipes consisted of cut gauze pads containing deionized water. Figures 3, 4, 5, 5A, 6, and 7 illustrate the locations where wipe samples were collected.

2.2 LOGGING OF SAMPLE PARAMETERS

All sample locations were documented in the field log, and pictures of the sample locations were taken. Photographs of wipe sample locations are located in Appendix C.

2.3 WIPE SAMPLE COLLECTION

Each wipe sample was collected from a predetermined location. Wipe samples collected from within worker-occupied spaces in Buildings 104 and 104F were collected from desk tops, tile floors, metal shelving, concrete floors, window sills, metal filing cabinets, and from the top of a refrigerator. Wipe samples collected from within the crawl space level of Buildings 102, 103E, 103F, and 104 were collected from structural steel beams, from a wood shelf, and from a concrete column. The wipe samples were collected by removing the pre-soaked gauze pad from the sample container and wiping an area of approximately 144 in² or 100 cm². Upon collection, wipe samples were immediately stored in the same laboratory-supplied jars for analysis. Once capped and sealed, sample containers were placed on ice in a cooler, and held until the end of the day of field investigation. At the end of the day of field investigation, the sample containers were shipped on ice under a proper chain-of-custody via overnight express delivery service to TestAmerica and EMSL.

3.0 RESULTS AND EVALUATION OF WIPE SAMPLE ANALYSIS

Twenty-one wipe samples were collected within worker-occupied spaces in Buildings 104 and 104F. The samples were collected to evaluate the presence of dust contaminated with lead in excess of the target concentration ($40 \,\mu g/ft^2$) in these areas. Five additional sets of two wipes each were collected in non-worker occupied areas. These wipe sample sets were collected to confirm high concentrations detected in non-occupied areas during the previous sampling event. Wipe samples collected as part of this additional investigation were analyzed by TestAmerica and EMSL for lead by Method 6010B utilizing flame atomic absorption spectroscopy (AAS). Standard Level II data packages were requested and were provided by both laboratories. The analytical results for the wipe samples are summarized by building in Tables 1 through 5 in Appendix B. The complete laboratory analytical reports are included in Appendix D.

3.1 ANALYTICAL RESULTS FROM WORKER OCCUPIED SPACES

Twenty-one wipe samples were collected from within worker occupied spaces in Buildings 104 and 104F (Tables 4 and 5). With the exception of one sample (WS115), all samples contained concentrations of lead above laboratory detection limits. The detected concentrations ranged from 0.73 μ g/ft² (WS116) to 27.0 μ g/ft² (WS119). All detectible concentrations of lead were below the EPA threshold value of 40 μ g/ft² for floor surfaces. Based on the analytical results, it does not appear that dust contaminated with lead is present above this target level on surfaces in worker-occupied areas in Buildings 104 and 104 F at the St. Louis Federal Center.

3.2 ANALYTICAL RESULTS FROM UNOCCUPIED SPACES

Five sets of two wipe samples were collected in close proximity to five previously sampled areas located within unoccupied spaces. The duplicate samples collected as part of this interim report were submitted to two different laboratories (TestAmerica and EMSL) in an effort to evaluate consistencies between the laboratories, as well as to confirm previous data (obtained from STL-Chicago). The results from both sampling events are presented in Tables 1, 2, 3 and 4.

There was relatively good correlation between the results from the duplicate samples submitted to the two laboratories during this sampling event, especially considering the methodology required to collect duplicate wipe samples (side-by-side, as opposed to dividing a composite sample). The maximum relative percent difference (RPD) calculated for the duplicates was 35 percent, the minimum was 15 percent, and the average was 25 percent. These are all well within the plus or minus 50 percent guideline that is typically used for field duplicates.

Analytical results of duplicate wipe samples collected from unoccupied spaces ranged in concentration from 1,200 $\mu g/ft^2$ to 1,114,800 $\mu g/ft^2$ A review of wipe sample concentrations indicated that a large amount of variance was noted between the samples collected during the 2003 and 2004 sampling events (submitted to STL-Chicago) when compared with the concentrations of the wipe samples collected during this event (submitted to TestAmerica and

EMSL). With the exception of one duplicate sample (103ECSWS2), sample concentrations reported by STL-Chicago were always substantially higher than concentrations reported by TestAmerica or EMSL. However, all detected concentrations of lead were above the EPA threshold value of 40 $\mu g/ft^2$ for floor surfaces and above the MRBCA post-abatement clearance level for non-residential standards of 200 $\mu g/ft^2$. Based on the analytical results, it does appear that dust contaminated with lead is present within the crawl space level. The areas that exceeded this target level are located in unoccupied crawl space areas in Buildings 102, 103E, 103F, and 104 at the Site.

4.0 CONCLUSIONS AND RECOMMENDATIONS

Based on the analytical results, it does not appear that dust contaminated with lead is present above the target level of $40 \,\mu\text{g/ft}^2$ on surfaces in worker-occupied areas in Buildings 104 and 104F at the St. Louis Federal Center.

Good correlation was obtained between duplicate samples collected from unoccupied spaces and submitted to two laboratories for analysis. These results were generally lower than results from the previous sampling event, but the data are not considered to be conclusive. The concentrations detected in the unoccupied areas during this event are still above the 200 µg/ft² target level.

In the event of a large remodeling or reconstruction project within any of the buildings at the Site, measures should be employed to control migration of lead containing dust from the utility and crawl space areas to worker-occupied spaces. It is also recommended that maintenance workers at the facility receive training specific to health and safety issues associated with exposure to lead-containing dust that they may encounter during routine activities. Medical monitoring of these individuals should also be considered, if it is not already being conducted.

As a precautionary measure, because of high concentrations of lead in wipe samples collected above ceilings in some locations, it is recommended that air monitoring be conducted in representative worker-occupied areas over a work day to verify that heating, ventilation, and air conditioning systems are not circulating air borne lead-contaminated dust in worker-occupied areas.

4.1 FOLLOW-UP AIR MONITORING


Pursuant to the recommendations made above by SCS, GSA subsequently conducted air monitoring for particulate lead within worker occupied spaces. The air monitoring occurred on the second floor of Building 104 on January 24, 2008. Ten air samples were collected at randomly selected locations by GSA staff. Laboratory analytical data indicated particulate lead concentrations were below laboratory detection limits in all samples collected for analysis. A summary of the air sampling event and the analytical data are located in Appendix E. Based on the results of the air monitoring analytical data, SCS recommends no additional action at this time.

APPENDICES


APPENDIX A


FIGURES

Figure I	Site Location Map
Figure 2	Site Map
Figure 3	Building 102 Crawl Space Level Wipe Sample Locations
Figure 4	Building 103E Crawl Space Level Wipe Sample Locations
Figure 5	Building 103F Crawl Space Level Wipe Sample Locations
Figure 6	Building 104 Main Floor Wipe Sample Locations
Figure 6A	Building 104 Main Floor Wipe Sample Locations
Figure 7	Building 104 Crawl Space Level Wipe Sample Locations



Copyright © 1988-2003 Microsoft Corp. and/or its suppliers. All rights reserved. http://www.microsoft.com/streets
© Copyright 2002 by Geographic Data Technology, Inc. All rights reserved. © 2002 Navigation Technologies. All rights reserved. This data includes information taken with permission from Canadian authorities © 1991-2002 Government of Canada (Statistics Canada and/or Geomatics Canada), all rights reserved.





O: \DWGS\ES\02\02200070.67-SLOP PROJ\DWG\200070.67-FIG 3

ALE

NOT TO SCALE

SCS ENGINEERS
DSN. BY ALDOMINS
DWN. BY ARPHURS
REV.

FIGURE 3 SAMPLE LOCATIONS

BASEMENT BUILDING 102, 102D AND 102E
ST. LOUIS ORDNANCE PLANT
4300 GOODFELLOW BLVD. ST. LOUIS, MISSOURI
PROJECT NO. 022000070.87 DECEMBER 2007

S C

APPENDIX B SUMMARY OF LABORATORY ANALYTICAL RESULTS

Table 1. Summary of Lead Wipe Sample Data Building 102 GSA 4300 Goodfellow Boulevard St. Louis, Missouri

Location	Sample Number	Sample Date	Results (µg/ft²)
Wipe Target Concentration			40.00
la 102 Chavel Space Lavel T Basin adjacent to	102 <i>C</i> 5		
Bldg. 102, Crawl Space Level, I-Beam adjacent to Col. 15G	Annealing	22/Jul/2003	1,114,800
Col. 13 0	Wipe		
Bldg. 102, Crawl Space Level, I-Beam adjacent to	W5122		
	Test	06/Sep/2007	380,890
Col. 15 <i>G</i>	America		
Bldg. 102, Crawl Space Level, I-Beam adjacent to	W5122	06/San/2007	320,000
<i>C</i> ol. 15 <i>G</i>	EMSL	06/Sep/2007	320,000

Table 2. Summary of Wipe Sample Data Building 103E GSA 4300 Goodfellow Boulevard St. Louis, Missouri

Location	Sample Number	Sample Date	Results (µg/ft²)
Wipe Target Concentration			40.00
Bldg. 103E, Crawl Space Level, I-Beam adjacent to Col. 21M	103ECSWS2	24/Jul/2003	75,249
Bldg. 103E, Crawl Space Level, I-Beam adjacent to Col. 21M	W5123 Test America	06/Sep/2007	232,250
Bldg. 103E, Crawl Space Level, I-Beam adjacent to Col. 21M	WS123 EMSL	06/Sep/2007	170,000

Table 3. Summary of Lead Wipe Sample Data Building 104 GSA 4300 Goodfellow Boulevard St. Louis, Missouri

Location	Sample Number	Sample Date	Results (µg/ft²)
Wipe Target Concentration			40.00
Bldg. 104, Floor 1, Column 1H, desk top	WS101	06/Sep/2007	0.89
Bldg. 104, Floor 1, Column 5E, floor	W5102	06/Sep/2007	1.50
Bldg. 104, Floor 1, Column 5G, metal shelf	W5103	06/Sep/2007	3.70
Bldg. 104, Floor 1, Column 7G, desk top	WS104	06/Sep/2007	2.10
Bldg. 104, Floor 1, Column 13F, floor	WS105	06/Sep/2007	7.20
Bldg. 104, Floor 1, Column 26F, floor	WS106	06/Sep/2007	2.80
Bldg. 104, Floor 1, Column 33H, metal shelf	WS107	06/Sep/2007	1.90
Bldg. 104, Floor 1, Column 45J, floor	WS108	06/Sep/2007	4.00
Bldg. 104, Floor 1, Column 52A, window sill	WS109	06/Sep/2007	2.00
Bldg. 104, Floor 1, Column 41A, top of appliance	WS110	06/Sep/2007	5.50
Bldg. 104, Floor 1, Column 33L, window sill	W5111	06/Sep/2007	15.00
Bldg. 104, Floor 1, Column 9A, desk top	WS118	06/Sep/2007	1.80
Bldg. 104, Floor 1, Column 9A, metal cabinet	WS119	06/Sep/2007	27.00
Bldg. 104, Floor 1, Column 6A, filing cabinet	WS120	06/Sep/2007	2.70
Bldg. 104, Floor 1, Column 7B, floor	WS121	06/Sep/2007	22.00
Bldg. 104, Crawl Space Level, electrical box adjacent to Col. 29D	104CSWS1	23/Jul/2003	23,225
Bldg. 104, Crawl Space Level, electrical box	WS126	06 /6 - /2007	1 204
adjacent to Col. 29D	Test America	06/Sep/2007	1,394
Bldg. 104, Crawl Space Level, electrical box	WS126	06/Sep/2007	1,200
adjacent to Col. 29D	EMSL	00/Jep/200/	1,200


Table 4. Summary of Lead Wipe Sample Data Building 104F GSA 4300 Goodfellow Boulevard St. Louis, Missouri

Location	Sample Number	Sample Date	Results (µg/ft²)
Wipe Target Concentration			40.00
Bldg. 104F, Floor 1, Column 33L, window sill	WS111	06/Sep/2007	15.00
Bldg. 104F, Floor 1, Column 31P, window sill	W5112	06/Sep/2007	2.60
Bldg. 104F, Floor 1, Column 35O, floor	W5113	06/Sep/2007	5.30
Bldg. 104F, Floor 2, Column 28M, desk top	W5114	06/Sep/2007	2.10
Bldg. 104F, Floor 2, Column 28M, metal shelf	WS115	06/Sep/2007	<0.50
Bldg. 104F, Floor 2, Column 30P, window sill	WS116	06/Sep/2007	0.78
Bldg. 104F, Floor 2, Column 27P, floor	WS117	06/Sep/2007	0.73

Table 5. Summary of Lead Wipe Sample Data Building 112 GSA 4300 Goodfellow Boulevard St. Louis, Missouri

Location	Sample Number	Sample Date	Results (µg/ft²)
Wipe Target Concentration			40.00
Bldg. 112, Crawl Space Level, wood shelf adjacent to Col. 9B	112 Wipe 2 Wood Shelf	06/Sep/2007	25,083
Bldg. 112, Crawl Space Level, wood shelf adjacent to Col. 9B	W5124 Test America	06/Sep/2007	1,579
Bldg. 112, Crawl Space Level, wood shelf adjacent to Col. 9B	WS124 EMSL	06/Sep/2007	1,200
Bldg. 112, Crawl Space Level, concrete pillar adjacent to Col. 3F	112 Wipe 17	06/Sep/2007	73,391
Bldg. 112, Crawl Space Level, concrete pillar adjacent to Col. 3F	WS125 Test America	06/Sep/2007	16,722
Bldg. 112, Crawl Space Level, concrete pillar adjacent to Col. 3F	WS125 EMSL	06/Sep/2007	24,000


APPENDIX C PHOTOGRAPHS




Photograph 1. Wipe sample #WS101.




Photograph 2. Wipe sample #WS102.




Photograph 3. Wipe sample #WS104.



Photograph 4. Wipe sample #WS105.



Photograph 5. Wipe sample #WS106.



Photograph 6. Wipe sample #WS107.



Photograph 7. Wipe sample #WS108.



Photograph 8. Wipe sample #WS109.



Photograph 9. Wipe sample #WS110.



Photograph 10. Wipe sample #WS111.



Photograph 11. Wipe sample #WS113.




Photograph 12. Wipe sample #WS114.




Photograph 13. Wipe sample #WS116.




Photograph 14. Wipe sample #WS117.



Photograph 15. Wipe sample #WS118.



Photograph 16. Wipe sample #WS119.



Photograph 17. Wipe sample #WS120.



Photograph 18. Wipe sample #WS121.



Photograph 19. Wipe sample #WS122.



Photograph 20. Wipe sample #WS124.

APPENDIX D LABORATORY ANALYTICAL REPORTS



ANALYTICAL REPORT

Job Number: 500-6438-1

Job Description: Army Reserve Sites

For:
SCS Engineers
10975 El Monte,
Suite 100
Overland Park, KS 66211

Attention: Deborah English



Richard C Wright
Project Manager II
richard.wright@testamericainc.com
09/24/2007

These test results meet all the requirements of NELAC for accredited parameters.

The Lab Certification ID# is 100201.

All questions regarding this test report should be directed to the TestAmerica Project Manager whose signature appears on this report. All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.

TestAmerica Chicago 2417 Bond Street, University Park, IL 60466 Tel (708) 534-5200 Fax (708) 534-5211 www.testamericainc.com



Job Narrative 500-J6438-1

Comments

No additional comments.

ReceiptAll samples were received in good condition within temperature requirements.

Metals

No analytical or quality issues were noted.

METHOD SUMMARY

Client: SCS Engineers Job Number: 500-6438-1

Description	Lab Location	Method	Preparation Method
Matrix: Wipe			
Inductively Coupled Plasma - Atomic Emission Spectrometry Acid Digestion of Sediments, Sludges, and Soils	TAL CHI TAL CHI	SW846 6010B	SW846 3050B

Lab References:

TAL CHI = TestAmerica Chicago

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

SAMPLE SUMMARY

Client: SCS Engineers Job Number: 500-6438-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
500-6438-1	WS101	Wipe	09/06/2007 1045	09/08/2007 0945
500-6438-2	WS102	Wipe	09/06/2007 1055	09/08/2007 0945
500-6438-3	WS103	Wipe	09/06/2007 1105	09/08/2007 0945
500-6438-4	WS104	Wipe	09/06/2007 1115	09/08/2007 0945
500-6438-5	WS105	Wipe	09/06/2007 1125	09/08/2007 0945
500-6438-6	WS106	Wipe	09/06/2007 1130	09/08/2007 0945
500-6438-7	WS107	Wipe	09/06/2007 1135	09/08/2007 0945
500-6438-8	WS108	Wipe	09/06/2007 1140	09/08/2007 0945
500-6438-9	WS109	Wipe	09/06/2007 1145	09/08/2007 0945
500-6438-10	WS110	Wipe	09/06/2007 1150	09/08/2007 0945
500-6438-11	WS111	Wipe	09/06/2007 1220	09/08/2007 0945
500-6438-12	WS112	Wipe	09/06/2007 1225	09/08/2007 0945
500-6438-13	WS113	Wipe	09/06/2007 1240	09/08/2007 0945
500-6438-14	WS114	Wipe	09/06/2007 1250	09/08/2007 0945
500-6438-15	WS115	Wipe	09/06/2007 1255	09/08/2007 0945
500-6438-16	WS116	Wipe	09/06/2007 1300	09/08/2007 0945
500-6438-17	WS117	Wipe	09/06/2007 1305	09/08/2007 0945
500-6438-18	WS118	Wipe	09/06/2007 1310	09/08/2007 0945
500-6438-19	WS119	Wipe	09/06/2007 1315	09/08/2007 0945
500-6438-20	WS120	Wipe	09/06/2007 1320	09/08/2007 0945
500-6438-21	WS121	Wipe	09/06/2007 1330	09/08/2007 0945
500-6438-22	WS122	Wipe	09/06/2007 1350	09/08/2007 0945
500-6438-23	WS123	Wipe	09/06/2007 1400	09/08/2007 0945
500-6438-24	WS124	Wipe	09/06/2007 1420	09/08/2007 0945
500-6438-25	WS125	Wipe	09/06/2007 1430	09/08/2007 0945
500-6438-26	WS126	Wipe	09/06/2007 1440	09/08/2007 0945

SAMPLE RESULTS

Deborah English SCS Engineers 10975 El Monte, Suite 100 Overland Park, KS 66211

Client Sample ID: WS101 Lab Sample ID: 500-6438-1 Date Sampled: 09/06/2007 1045 Date Received: 09/08/2007 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0226	
Prep Method: 3050B		Date Pre	pared: 09/14/	2007 0945	
Lead	0.00089	mg/wipe	0.00050	0.00050	1.0

Deborah English SCS Engineers 10975 El Monte, Suite 100 Overland Park, KS 66211

 Client Sample ID:
 WS102
 Date Sampled:
 09/06/2007
 1055

 Lab Sample ID:
 500-6438-2
 Date Received:
 09/08/2007
 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0240	
Prep Method: 3050B		Date Prepared: 09/14/2007 0945			
Lead	0.0015	mg/wipe	0.00050	0.00050	1.0

Deborah English

SCS Engineers

Job Number: 500-6438-1

SCS Engineers 10975 El Monte, Suite 100 Overland Park, KS 66211

 Client Sample ID:
 WS103
 Date Sampled:
 09/06/2007
 1105

 Lab Sample ID:
 500-6438-3
 Date Received:
 09/08/2007
 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B Prep Method: 3050B		Date Ana Date Prei	•	2007 0247 2007 0945	
Lead	0.0037	mg/wipe	0.00050	0.00050	1.0

Deborah English SCS Engineers 10975 El Monte, Suite 100 Overland Park, KS 66211

Client Sample ID: WS104 Lab Sample ID: 500-6438-4 Date Sampled: 09/06/2007 1115 Date Received: 09/08/2007 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0253	
Prep Method: 3050B		Date Pre	pared: 09/14/	2007 0945	
Lead	0.0021	mg/wipe	0.00050	0.00050	1.0

Deborah English SCS Engineers 10975 El Monte, Suite 100 Overland Park, KS 66211

 Client Sample ID:
 WS105
 Date Sampled:
 09/06/2007
 1125

 Lab Sample ID:
 500-6438-5
 Date Received:
 09/08/2007
 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0300	
Prep Method: 3050B		Date Pre	pared: 09/14/	2007 0945	
Lead	0.0072	mg/wipe	0.00050	0.00050	1.0

Deborah English SCS Engineers 10975 El Monte, Suite 100 Overland Park, KS 66211

Client Sample ID: WS106 Lab Sample ID: 500-6438-6 Date Sampled: 09/06/2007 1130 Date Received: 09/08/2007 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0307	
Prep Method: 3050B		Date Pre	,	2007 0945	
Lead	0.0028	mg/wipe	0.00050	0.00050	1.0

Job Number: 500-6438-1

Deborah English SCS Engineers 10975 El Monte, Suite 100

Overland Park, KS 66211

Client Sample ID: WS107 Lab Sample ID: 500-643 Date Sampled: 09/06/2007 1135 Date Received: 09/08/2007 0945 500-6438-7

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0421	
Prep Method: 3050B		Date Prepared: 09/14/2007 0945			
Lead	0.0019	mg/wipe	0.00050	0.00050	1.0

Job Number: 500-6438-1

Deborah English SCS Engineers 10975 El Monte, Suite 100

Overland Park, KS 66211

Client Sample ID: WS108 Lab Sample ID: 500-643 Date Sampled: 09/06/2007 1140 Date Received: 09/08/2007 0945 500-6438-8

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution	
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0428		
Prep Method: 3050B		Date Prepared: 09/14/2007 0945				
Lead	0.0040	mg/wipe	0.00050	0.00050	1.0	

Deborah English SCS Engineers 10975 El Monte, Suite 100 Overland Park, KS 66211

 Client Sample ID:
 WS109
 Date Sampled:
 09/06/2007
 1145

 Lab Sample ID:
 500-6438-9
 Date Received:
 09/08/2007
 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B		Date Ana	alyzed: 09/21/2	2007 0435	
Prep Method: 3050B		Date Pre	pared: 09/14/2	2007 0945	
Lead	0.0020	mg/wipe	0.00050	0.00050	1.0

Deborah English SCS Engineers 10975 El Monte, Suite 100 Overland Park, KS 66211

 Client Sample ID:
 WS110
 Date Sampled:
 09/06/2007
 1150

 Lab Sample ID:
 500-6438-10
 Date Received:
 09/08/2007
 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0442	
Prep Method: 3050B		Date Prepared: 09/14/2007 0945			
Lead	0.0055	mg/wipe	0.00050	0.00050	1.0

Job Number: 500-6438-1

Deborah English SCS Engineers 10975 El Monte, Suite 100

Overland Park, KS 66211

Client Sample ID: WS111 Lab Sample ID: 500-643 Date Sampled: 09/06/2007 1220 Date Received: 09/08/2007 0945 500-6438-11

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution	
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0449		
Prep Method: 3050B		Date Prepared: 09/14/2007 0945				
Lead	0.015	mg/wipe	0.00050	0.00050	1.0	

Deborah English SCS Engineers 10975 El Monte, Suite 100 Overland Park, KS 66211

 Client Sample ID:
 WS112
 Date Sampled:
 09/06/2007
 1225

 Lab Sample ID:
 500-6438-12
 Date Received:
 09/08/2007
 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0456	
Prep Method: 3050B		Date Pre	pared: 09/14/	2007 0945	
Lead	0.0026	mg/wipe	0.00050	0.00050	1.0

Deborah English SCS Engineers 10975 El Monte, Suite 100 Overland Park, KS 66211

 Client Sample ID:
 WS113
 Date Sampled:
 09/06/2007
 1240

 Lab Sample ID:
 500-6438-13
 Date Received:
 09/08/2007
 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B		Date Ana	alvzed: 09/21/	2007 0503	
Prep Method: 3050B		,	2007 0945		
Lead	0.0053	mg/wipe	0.00050	0.00050	1.0

Deborah English SCS Engineers 10975 El Monte, Suite 100 Overland Park, KS 66211

 Client Sample ID:
 WS114
 Date Sampled:
 09/06/2007
 1250

 Lab Sample ID:
 500-6438-14
 Date Received:
 09/08/2007
 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution		
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0510			
Prep Method: 3050B		Date Prepared: 09/14/2007 0945					
Lead	0.0021	mg/wipe	0.00050	0.00050	1.0		

Deborah English SCS Engineers 10975 El Monte, Suite 100 Overland Park, KS 66211

Client Sample ID: WS115 Lab Sample ID: 500-6438-15

Date Sampled: 09/06/2007 1255 Date Received: 09/08/2007 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution	
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0517		
Prep Method: 3050B		Date Prepared: 09/14/2007 094				
Lead	<0.00050	mg/wipe	0.00050	0.00050	1.0	

Deborah English SCS Engineers 10975 El Monte, Suite 100 Overland Park, KS 66211

Client Sample ID: WS116 Lab Sample ID: 500-6438-16

Date Sampled: 09/06/2007 1300 Date Received: 09/08/2007 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution		
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0524			
Prep Method: 3050B		Date Prepared: 09/14/2007 0945					
Lead	0.00078	mg/wipe	0.00050	0.00050	1.0		

Deborah English SCS Engineers 10975 El Monte, Suite 100 Overland Park, KS 66211

Client Sample ID: WS117 Lab Sample ID: 500-6438-17

Date Sampled: 09/06/2007 1305 Date Received: 09/08/2007 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0556	
Prep Method: 3050B		Date Pre	pared: 09/14/	2007 0945	
Lead	0.00073	mg/wipe	0.00050	0.00050	1.0

Deborah English SCS Engineers 10975 El Monte, Suite 100 Overland Park, KS 66211

 Client Sample ID:
 WS118
 Date Sampled:
 09/06/2007
 1310

 Lab Sample ID:
 500-6438-18
 Date Received:
 09/08/2007
 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution	
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0603		
Prep Method: 3050B		Date Prepared: 09/14/2007 0945				
Lead	0.0018	mg/wipe	0.00050	0.00050	1.0	

Job Number: 500-6438-1

Deborah English SCS Engineers 10975 El Monte, Suite 100

Overland Park, KS 66211

Client Sample ID: WS119 Lab Sample ID: 500-643 Date Sampled: 09/06/2007 1315 Date Received: 09/08/2007 0945 500-6438-19

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution	
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0610		
Prep Method: 3050B		Date Prepared: 09/14/2007 0945				
Lead	0.027	mg/wipe	0.00050	0.00050	1.0	

Deborah English SCS Engineers 10975 El Monte, Suite 100 Overland Park, KS 66211

 Client Sample ID:
 WS120
 Date Sampled:
 09/06/2007
 1320

 Lab Sample ID:
 500-6438-20
 Date Received:
 09/08/2007
 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0617	
Prep Method: 3050B		2007 0945			
Lead	0.0027	mg/wipe	0.00050	0.00050	1.0

Deborah English SCS Engineers 10975 El Monte, Suite 100 Overland Park, KS 66211

 Client Sample ID:
 WS121
 Date Sampled:
 09/06/2007
 1330

 Lab Sample ID:
 500-6438-21
 Date Received:
 09/08/2007
 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0046	
Prep Method: 3050B		2007 0815			
Lead	0.022	mg/wipe	0.00050	0.00050	1.0

Deborah English SCS Engineers 10975 El Monte, Suite 100

Overland Park, KS 66211

 Client Sample ID:
 WS122
 Date Sampled:
 09/06/2007
 1350

 Lab Sample ID:
 500-6438-22
 Date Received:
 09/08/2007
 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution	
Method: 6010B		Date Ana	alyzed: 09/21	/2007 1530		
Prep Method: 3050B		Date Prepared: 09/17/2007 0815				
Lead	41	mg/wipe	0.050	0.050	100	

Deborah English SCS Engineers 10975 El Monte, Suite 100

Overland Park, KS 66211

 Client Sample ID:
 WS123
 Date Sampled:
 09/06/2007
 1400

 Lab Sample ID:
 500-6438-23
 Date Received:
 09/08/2007
 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B		Date Ana	alyzed: 09/21	/2007 1537	
Prep Method: 3050B		Date Pre	pared: 09/17	7/2007 0815	
Lead	25	mg/wipe	0.050	0.050	100

Deborah English SCS Engineers 10975 El Monte, Suite 100 Overland Park, KS 66211

Client Sample ID: WS124 Lab Sample ID: 500-6438-24 Date Sampled: 09/06/2007 1420 Date Received: 09/08/2007 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0114	
Prep Method: 3050B		Date Pre	pared: 09/17/	2007 0815	
Lead	0.17	mg/wipe	0.00050	0.00050	1.0

Deborah English SCS Engineers 10975 El Monte, Suite 100 Overland Park, KS 66211

 Client Sample ID:
 WS125
 Date Sampled:
 09/06/2007
 1430

 Lab Sample ID:
 500-6438-25
 Date Received:
 09/08/2007
 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0126	
Prep Method: 3050B		Date Pre	pared: 09/17/	2007 0815	
Lead	1.8	mg/wipe	0.00050	0.00050	1.0

Job Number: 500-6438-1

Deborah English SCS Engineers 10975 El Monte, Suite 100

Overland Park, KS 66211

Client Sample ID: WS126 Lab Sample ID: 500-643 Date Sampled: 09/06/2007 1440 Date Received: 09/08/2007 0945 500-6438-26

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0133	
Prep Method: 3050B		Date Pre	pared: 09/17/	2007 0815	
Lead	0.15	mg/wipe	0.00050	0.00050	1.0

DATA REPORTING QUALIFIERS

Client: SCS Engineers Job Number: 500-6438-1

Lab Section	Qualifier	Description
Metals		
	J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

QUALITY CONTROL RESULTS

Client: SCS Engineers Job Number: 500-6438-1

QC Association Summary

		Report			
Lab Sample ID	Client Sample ID	Basis	Client Matrix	Method	Prep Batch
Metals					
Prep Batch: 500-22552					
LCS 500-22552/2-A	Lab Control Spike	Т	Wipe	3050B	
LCSD 500-22552/3-A	Lab Control Spike Duplicate	T	Wipe	3050B	
MB 500-22552/1-A	Method Blank	Т	Wipe	3050B	
500-6438-1	WS101	Т	Wipe	3050B	
500-6438-2	WS102	T	Wipe	3050B	
500-6438-3	WS103	Т	Wipe	3050B	
500-6438-4	WS104	Т	Wipe	3050B	
500-6438-5	WS105	Т	Wipe	3050B	
500-6438-6	WS106	Т	Wipe	3050B	
500-6438-7	WS107	Т	Wipe	3050B	
500-6438-8	WS108	Т	Wipe	3050B	
500-6438-9	WS109	Т	Wipe	3050B	
500-6438-10	WS110	Т	Wipe	3050B	
500-6438-11	WS111	Т	Wipe	3050B	
500-6438-12	WS112	Т	Wipe	3050B	
500-6438-13	WS113	Т	Wipe	3050B	
500-6438-14	WS114	Т	Wipe	3050B	
500-6438-15	WS115	Ť	Wipe	3050B	
500-6438-16	WS116	Т	Wipe	3050B	
500-6438-17	WS117	Ť	Wipe	3050B	
500-6438-18	WS118	Ť	Wipe	3050B	
500-6438-19	WS119	Ť	Wipe	3050B	
500-6438-20	WS120	Ť	Wipe	3050B	
Dran Datak: 500 00050					
Prep Batch: 500-22656 LCS 500-22656/2-A	Lab Control Spike	Т	Wipe	3050B	
LCSD 500-22656/3-A	Lab Control Spike Duplicate	, T	Wipe	3050B	
MB 500-22656/1-A	Method Blank	T T	Wipe	3050B 3050B	
500-6438-21	WS121	, T	Wipe	3050B	
500-6438-22	WS121 WS122	T T	Wipe	3050B 3050B	
	WS122 WS123	T T	•		
500-6438-23		T	Wipe	3050B 3050B	
500-6438-24	WS124		Wipe		
500-6438-25	WS125	T	Wipe	3050B	
500-6438-26	WS126	Т	Wipe	3050B	

Client: SCS Engineers Job Number: 500-6438-1

QC Association Summary

		Report			
Lab Sample ID C	lient Sample ID	Basis	Client Matrix	Method	Prep Batch
Metals					
Analysis Batch:500-22964					
LCS 500-22552/2-A	Lab Control Spike	T	Wipe	6010B	500-22552
LCSD 500-22552/3-A	Lab Control Spike Duplicate	T	Wipe	6010B	500-22552
MB 500-22552/1-A	Method Blank	Т	Wipe	6010B	500-22552
LCS 500-22656/2-A	Lab Control Spike	Т	Wipe	6010B	500-22656
LCSD 500-22656/3-A	Lab Control Spike Duplicate	Т	Wipe	6010B	500-22656
MB 500-22656/1-A	Method Blank	Т	Wipe	6010B	500-22656
500-6438-1	WS101	Т	Wipe	6010B	500-22552
500-6438-2	WS102	Т	Wipe	6010B	500-22552
500-6438-3	WS103	Т	Wipe	6010B	500-22552
500-6438-4	WS104	Т	Wipe	6010B	500-22552
500-6438-5	WS105	Т	Wipe	6010B	500-22552
500-6438-6	WS106	Т	Wipe	6010B	500-22552
500-6438-7	WS107	Т	Wipe	6010B	500-22552
500-6438-8	WS108	Т	Wipe	6010B	500-22552
500-6438-9	WS109	Т	Wipe	6010B	500-22552
500-6438-10	WS110	Т	Wipe	6010B	500-22552
500-6438-11	WS111	Т	Wipe	6010B	500-22552
500-6438-12	WS112	Т	Wipe	6010B	500-22552
500-6438-13	WS113	Т	Wipe	6010B	500-22552
500-6438-14	WS114	Т	Wipe	6010B	500-22552
500-6438-15	WS115	Т	Wipe	6010B	500-22552
500-6438-16	WS116	Т	Wipe	6010B	500-22552
500-6438-17	WS117	Т	Wipe	6010B	500-22552
500-6438-18	WS118	Т	Wipe	6010B	500-22552
500-6438-19	WS119	Т	Wipe	6010B	500-22552
500-6438-20	WS120	Т	Wipe	6010B	500-22552
500-6438-21	WS121	Т	Wipe	6010B	500-22656
500-6438-24	WS124	Т	Wipe	6010B	500-22656
500-6438-25	WS125	Т	Wipe	6010B	500-22656
500-6438-26	WS126	Т	Wipe	6010B	500-22656
			·		
Analysis Batch:500-23047		_			
MRL 500-23047/17	Method Reporting Limit Check	T	Wipe	6010B	
500-6438-22	WS122	T	Wipe	6010B	500-22656
500-6438-23	WS123	Т	Wipe	6010B	500-22656

Report Basis

T = Total

Quality Control Results

Instrument ID: TJA ICAP 61E Trace Analy

Job Number: 500-6438-1 Client: SCS Engineers

Method Blank - Batch: 500-22552 Method: 6010B Preparation: 3050B

Lab Sample ID: MB 500-22552/1-A

Client Matrix: Wipe Prep Batch: 500-22552 Lab File ID: P40920B

Units: mg/wipe Initial Weight/Volume: 1.0000 Wipe Dilution: 1.0

Date Analyzed: 09/21/2007 0205 Final Weight/Volume: 100 mL

Analysis Batch: 500-22964

Date Prepared: 09/14/2007 0945

Result Qual MDL RLAnalyte Lead < 0.00050 0.00050 0.00050

Lab Control Spike/ Method: 6010B Lab Control Spike Duplicate Recovery Report - Batch: 500-22552 Preparation: 3050B

LCS Lab Sample ID: LCS 500-22552/2-A Analysis Batch: 500-22964 Instrument ID: TJA ICAP 61E Trace Analy

Client Matrix: Wipe Prep Batch: 500-22552 Lab File ID: P40920B

Dilution: 1.0 Units: mg/wipe Initial Weight/Volume: 1.0000 Wipe

Date Analyzed: 09/21/2007 0212 Final Weight/Volume: 100 mL

Date Prepared: 09/14/2007 0945

LCSD Lab Sample ID: LCSD 500-22552/3-A Analysis Batch: 500-22964 Instrument ID: TJA ICAP 61E Trace Ana

Prep Batch: 500-22552 P40920B Client Matrix: Wipe Lab File ID: Dilution: 1.0 Units: mg/wipe Initial Weight/Volume: 1.0000 Wipe

09/21/2007 0219 Final Weight/Volume: 100 mL Date Analyzed: Date Prepared: 09/14/2007 0945

% Rec. Analyte LCS **LCSD** Limit **RPD** RPD Limit LCS Qual LCSD Qual

Lead 96 96 80 - 120 0 20

Quality Control Results

Instrument ID: TJA ICAP 61E Trace Analy

0.00050

0.00050

Job Number: 500-6438-1 Client: SCS Engineers

Method Blank - Batch: 500-22656 Method: 6010B Preparation: 3050B

Client Matrix: Wipe Prep Batch: 500-22656 Lab File ID: P40920B

Lab Sample ID: MB 500-22656/1-A

Date Prepared: 09/17/2007 0815

Lead

Units: mg/wipe Dilution: 1.0

Initial Weight/Volume: 1.0000 Wipe Date Analyzed: 09/21/2007 0025 Final Weight/Volume: 100 mL

Analysis Batch: 500-22964

Result Qual MDL RLAnalyte < 0.00050

Lab Control Spike/ Method: 6010B

Lab Control Spike Duplicate Recovery Report - Batch: 500-22656 Preparation: 3050B

LCS Lab Sample ID: LCS 500-22656/2-A Analysis Batch: 500-22964 Instrument ID: TJA ICAP 61E Trace Analy

Client Matrix: Wipe Prep Batch: 500-22656 Lab File ID: P40920B

Dilution: 1.0 Units: mg/wipe Initial Weight/Volume: 1.0000 Wipe

Date Analyzed: 09/21/2007 0032 Final Weight/Volume: 100 mL Date Prepared: 09/17/2007 0815

LCSD Lab Sample ID: LCSD 500-22656/3-A Analysis Batch: 500-22964 Instrument ID: TJA ICAP 61E Trace Ana

Prep Batch: 500-22656 P40920B Client Matrix: Wipe Lab File ID:

Dilution: 1.0 Units: mg/wipe Initial Weight/Volume: 1.0000 Wipe 09/21/2007 0039 Final Weight/Volume: 100 mL Date Analyzed: Date Prepared: 09/17/2007 0815

% Rec. Analyte LCS **LCSD** Limit **RPD** RPD Limit LCS Qual LCSD Qual

Lead 97 96 80 - 120 20

Quality Control Results

Client: SCS Engineers Job Number: 500-6438-1

Method Reporting Limit Check - Batch: 500-23047

Method: 6010B Preparation: N/A

Lab Sample ID: MRL 500-23047/17

Client Matrix: Wipe Dilution: 1.0

Date Analyzed: 09/21/2007 1316

Date Prepared: N/A

Analysis Batch: 500-23047

Prep Batch: N/A Units: mg/L

Instrument ID: TJA ICAP 61E Trace Analy

Lab File ID: P40921A Initial Weight/Volume: mL Final Weight/Volume: 1 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Lead	0.00500	0.00463	93	70 - 130	J

Custody Record Chain of

SEVERN TRENT

Severn Trent Laboratories, Inc.

Custody Record			S	Severn Trent	ern Trent Laboratories, Inc.	ries, Inc.	500-6430	2007
STL-4124 (0901)			,				Constant of the constant of th	
Sient Sich Envineers	Project Manager	Jerre# L	Donting	Ē.	4-6	40-	36006 Number	
5 El Monte	Telephone Numb	Telephone Number (Area Code):Fax Number	× Number	c	Lab Number	òer,	Page /	8 Z
State	Site Contact	ر چو	Lab Contact	:	Analysis (Attach list if more space is needed)	ach list if needed)		
cation (State)	Carrier/Waybill Number		\$,	- - -
Contract/Purchase Order/Journe No.		Matrix	Containers &				Condition	Conditions of Receipt
8	<u> </u> 		Preservatives	200	-			
Sample I.D. No. and Description (Containers for each sample may be combined on one line) Date	Time Air Aqueous	Sed Soil Unpres	H2SO4 HNO3 HCI NaOH ZnAc/	ZnAc/ NaOH				
W5/01 9-6-07	10:45	X		X				
	15.50							
3 6/5/03	11:9							2
	1250				4			4
5 W5105	11:25							9 0
6 WSIOG	11:30	-						e 3:
7 7 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	11:35							Pag
	11:40							
	11:45							
	11:50							
1 205 1/1	12:20							
1 WS1/2 W	12:25	-4		-				
matrix in completions in Domina	Sampi	Sample Disposal	N Dispassi Bu Lak	dronting for	r do a tra		(A fee may be assessed if samples are former than 1 months	are retained
	- 1		OC Requirements (Specify)	Specify:	۱	1		
☐ 24 Hours ☐ 48 Hours ☐ 7 Days ☐ 14 Days ☐ 21 Days	١,	4000	4000	17 Dist	- Predays	7		!
b) 6)	40-6-15	9. sp	1. Received By	b) 6)			2 6 67	9945
Z. newnquisned by	Date	Time	2. Received By	(Date	Time
3. Reimquished By	are	Time	3. Received By				ate	Time
Comments								

Chain of

SEVERN CTT

Severn	TRENT
Trent L	NH
Laboratories,	IC
)ries, lı	ζ,

Custody Record			Sev	Severn Trent Laboratories, Inc.	l ahorato	ries Inc	١	
STL4:24 (0501)							500-6438	136
Client SCS FAGINGES	Project Manager	(rest)	Down! ng		Dale	40-1	36006 Chain of Gustody Number	
ElMorte, S.	Telephone Number ()	er (Area Code)/Fax Number - 451 - 751 o	Ty o		Lat Number	noer	Page 2	of S
Siales .	Site Contact		Lab Contact		Analysis (Attach list if more space is needed)	ach list if s needed)		:
Project Name and Location (State)	Carrier/Waybill Number		1.6 x 60 6,5 2					
USA SLOP States, MO	, d						Special	Special Instructions/
richase Order/Duote No.	Ą	Matrix	Containers & Preservatives	ud			Condition	Conditions of Receipt
Sample I.D. No. and Description (Containers for each sample may be combined on one line) Date	Time Air Aqueous	Sed Soll Lingue Unpres.	H2SO4 HNO3 HCI N±OH ZnAc/ NBOH	Ze		-		
13 WS113 9-4-07	12:40	***		×				
	12:50							
15 63/15	12:53							12
16 WS116) ge							of 4
111511	1:05							₽D c
18 WS 118)ijo							Je 4
19 WS119	1:15							Pag
p W5120	1:20							
W W3121	1:30							
22150 12	05.5							
23 WS123	200							
24	2:10	VV		< <u></u>				
Fossione Hazard I Dennincation Non-Hazard □ Planmable □ Skin tritant □ Poison B □	Unkoown ☐ Re	Betum To Client	Disposal By Lab	Archive For .	Months		(A fee may be assessed if samples are retained longer than 1 month)	retained
e Required □ 48 Hours □ 7 Davs □ 14 Davs □ 21 Da	DX Other	لمسل	.00	becity)				
	19-4-07	7. 00 100 100 100 100 100 100 100 100 100	1. Received By) (6)			Date 97	7.me
	Date	Time	2. Received By	(b			Dare	Time
3. Relinquished By	Date	Time	3. Песеімей Ву				Date	Time
Comments								

Custody Record Chain of

SEVERN TRENT

Custody Record			δ	evern Tren	Severn Trent Laboratories, Inc.	ries, Inc.		X20-1	500-6438 2007
Chient See The See The	Project Manager				6.6 Daie	۲۵۲	- Ci ²⁸	Chain of Custody Number	か り ル 9/24/
Address 2460/20	Telephone Mumber 9 3 - 5	Area Code	I/Fax Number		Lag Number	neer	Page	S S	W
City State Zip Code	Site Contact	() (a)	ab Contact	•	Analysis (Attach list if more space is needed)	ach list if s needed)			
54.601	Carner/Waybill Number		7	<u>, </u>				Special Instructions/	tructions/
Contract/Purchase Ovoler/Duote No.	Ψ.	Matrix	Containers & Preservatives	<u>, , , ,)</u>				Conditions of Receipt	of Receipt
Sample I.D. No. and Description (Containers for each sample may be combined on one line)	Time as a	Sed Soil Unpres.	H2SO4 HNO3 HCI NaOH ŽnAc/ NaOH	NaOH					
to 26 25/5M sz	2:30	· · · ·		X					,
126	2:40	₩ ₩		¢					
		-					-		42
									οĒ
		PAGE LAGA							e 41
									Pag
							‡		
Possible Hazard Identification	Sampk	Sample Disposal	-			id fee meet ba	- Lassassas	if samples are reta	ained
nmable Skin Imitant Poison B	🗌 Илкпсит 🔲 Ае	☐ Return To Client [Disposal By Lab	Archive For	Months	Į.	ionth)	longer (han 1 month)	
Turn Around Time Required ☐ 24 Hours	No Come Service	the d	OC Requirements (Specify)	βρεσίζε					
		, Po	1. Received By) (6)				n e e	Time •445
(b)	Date	Time	2. Received By	(b				Date 1	Time
3. Revinquished By	Date	Time	3. Received By					Date T	Time
Comments	_								

Login Sample Receipt Check List

Client: SCS Engineers Job Number: 500-6438-1

Login Number: 6438 List Source: TestAmerica Chicago

Creator: Lunt, Jeff T List Number: 1

Question	T / F/ NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	3.2
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	

From: 8568583309

To: Jerrett Domling

Page: 1/2

Date: 9/18/2007 12:14:32 PM

Asbestos • Lead • Environmental • Materials & Indoor Air Analysis

EMSL Analytical, Inc.

11040A Lin-Valle Drive Saint Louis, MO 63123

Phone: (856) 858-4800

Fax: (314) 84-56459

Web:

Email: saintlouislab@emsl.com

FACSIMILE TRANSMITTAL SHEET

To: Jerrett Domling

From:

EMSL Analytical, Inc.

Company:

SCS Engineers

Date: September 18, 2007

Fax Number:

(913) 451-7513

PAGES INCLUDING COVER:

2

Phone Number:

(913) 451-7510

RE: Analysis Results for Order(s)

390704319

The following report covers the analysis performed on samples submitted to EMSL Analytical, Inc. on the following date(s):

9/11/2007 9:20:00AM

Notice:

If you are not the stated recipient of this fax and have received this in error, please discard

immediately and contact EMSL Analytical at the phone number listed above.

EMSL Analytical, Inc. News

EMSL PRODUCTS
MONTHLY SPECIALS

Air-o-Cell (50pk) \$199.00

PCM Cassettes \$24(10+bx) TEM Cassettes \$39(10+bx)

PUMP BLOWOUT SALE

EMSL E-Lite Pump \$159 EMSL H/D Diaphragm Pump \$169 Rotary Vane Sampling Pump \$189

IAQ INSTRUMENT DEALS

36"L Borescope \$275
Fluke 975V IAQ Meter \$1995
Protimeter Surveymaster \$485
Atrix Portable HEPA Vacuum \$225

1-888-958-8170 East Coast 1-888-455-3657 West Coast

Training - \$199 Per Person

Indoor Air Quality and Industrial Hygiene Sampling Workshop

Ann Arbor, MISeptember 20, 2007 Greensboro, NC......October 4, 2007 Houston, TX.....November 1, 2007 Baton Rouge, LA.....November 29, 2007 Charlestone, SC.....December 6, 2007

Minneapolis, MN.....TBA
Tampa, FL....TBA

Allergens, Asthma Triggers & ERMI / ARMI Mold Sampling

Irvine, CAOctober 24, 2007

Other Locations Coming Soon

Register Now!

1-800 220-3675

New Lab Services at EMSL

Radon Testing Now Available!

MRSA (Environmental only)

Legionella -FREE Sampling Bottles

Food Microbiology

Hexavalent Chromium

Asbestos in Soils / Vermiculite

PLM Gravimetric Reduction

Gravimetric reduction is a cost effective add-on to a bulk asbestos sample. This addition helps remove many of the matrices present in building materials that can mask or interfere with the ability to identify and quantify asbestos content. This is a key addition to overcome false negatives, especially in floor tiles, mastics, caulking, plaster, or roofing materials. There are several options available to add gravimetric reduction to: PLM, PLM Point Count, or TEM.

1-800-220-3675 East Coast **1-888-455-3675** West Coast

If you have any questions, please do not hesitate to contact us at (856) 858-4800.

VISIT OUR WEBSITE AT
YOU CAN DOWNLOAD AND PRINT
CERTIFICATIONS OF ACCREDITATIONS AND CHAIN OF CUSTODY FORMS

From: 8568583309

To: Jerrett Domling

Page: 2/2

Date: 9/18/2007 12:14:32 PM



EMSL Analytical, Inc.

11040A Lin-Valle Drive, Saint Louis, MO 63123

Phone: (856) 858-4800 Fax: (14) 845-6459 Email: saintlouislab@emsl.com

Attn: Jerrett Domling **SCS Engineers** 10975 El Monte Suite 100

Overland Park, KS 66211

Fax:

(913) 451-7513

Project: GSA SLOP 002200070.67

Phone: (913) 451-7510

EMSL Proj:

Customer ID:

Customer PO:

EMSL Order:

Received:

Report Date:

9/18/2007

SCSE78

08-10638

390704319

09/11/07 9:20 AM

Lead in Wipes by Flame AAS (SW 846 3050B and 7420*)

Lab ID.	A nalyzed	Area Sampled	RDL	Lead Concentration	Notes	
0001	0:57:45 AM	15.5 in²	19000	320000 µg/ft²		
Client	Sample WS122	2			Collected:	9/7/2007
0002	0:58:28 AM	15.5 in²	9300	170000 µg/ft²		
Client	Sample WS12	3		•	Collected:	9/7/2007
0003	D:31:33 AM	15.5 in²	93	1200 µg/ft²		
Client	Sample WS12	!			Collected:	9/7/2007
0004	0:59:11 AM	15.5 in²	930	24000 μg/ft²		
Client	Sample WS12	3			Collected:	9/7/2007
0005	D:32:58 AM	15.5 in²	93	1200 µg/ft²		-
Client	Sample WS126	3			Collected:	9/7/2007

Jeff Siria, Laboratory Manager or other approved signatory

Reporting limit is 10 ug/wipe. The QC data associated with these sample results included in this report meet the method quality control requirements, unless specifically indicated otherwise. Unless noted, results in this report are not blank corrected. This report relates only to the samples reported above and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities.

* slight modifications to methods applied Samples received in good condition unless otherwise noted. Quality Control Data associated with this sample set is within acceptable limits; unless otherwise noted

ACCREDITATIONS: AIHA ELLAP Lab # 102636 Date Printed: 9/18/2007 11:12:28 AM

Appendices SCS ENGINEERS

APPENDIX E

AIR MONITORING SUMMARY AND LABORATORY ANALYTICAL DATA (PROVIDED BY GSA)



ANALYTICAL REPORT

Job Number: 500-6438-1

Job Description: Army Reserve Sites

For:
SCS Engineers
10975 El Monte,
Suite 100
Overland Park, KS 66211

Attention: Deborah English




Richard C Wright
Project Manager II
richard.wright@testamericainc.com
09/24/2007


These test results meet all the requirements of NELAC for accredited parameters.

The Lab Certification ID# is 100201.

All questions regarding this test report should be directed to the TestAmerica Project Manager whose signature appears on this report. All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.







Job Narrative 500-J6438-1

Comments

No additional comments.

ReceiptAll samples were received in good condition within temperature requirements.

Metals

No analytical or quality issues were noted.

METHOD SUMMARY

Client: SCS Engineers Job Number: 500-6438-1

Description	Lab Location	Method	Preparation Method
Matrix: Wipe			
Inductively Coupled Plasma - Atomic Emission Spectrometry Acid Digestion of Sediments, Sludges, and Soils	TAL CHI TAL CHI	SW846 6010B	SW846 3050B

Lab References:

TAL CHI = TestAmerica Chicago

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

SAMPLE SUMMARY

Client: SCS Engineers Job Number: 500-6438-1

Lab Camala ID	Olland Oanala ID	Olland Madela	Date/Time	Date/Time
Lab Sample ID	Client Sample ID	Client Matrix	Sampled	Received
500-6438-1	WS101	Wipe	09/06/2007 1045	09/08/2007 0945
500-6438-2	WS102	Wipe	09/06/2007 1055	09/08/2007 0945
500-6438-3	WS103	Wipe	09/06/2007 1105	09/08/2007 0945
500-6438-4	WS104	Wipe	09/06/2007 1115	09/08/2007 0945
500-6438-5	WS105	Wipe	09/06/2007 1125	09/08/2007 0945
500-6438-6	WS106	Wipe	09/06/2007 1130	09/08/2007 0945
500-6438-7	WS107	Wipe	09/06/2007 1135	09/08/2007 0945
500-6438-8	WS108	Wipe	09/06/2007 1140	09/08/2007 0945
500-6438-9	WS109	Wipe	09/06/2007 1145	09/08/2007 0945
500-6438-10	WS110	Wipe	09/06/2007 1150	09/08/2007 0945
500-6438-11	WS111	Wipe	09/06/2007 1220	09/08/2007 0945
500-6438-12	WS112	Wipe	09/06/2007 1225	09/08/2007 0945
500-6438-13	WS113	Wipe	09/06/2007 1240	09/08/2007 0945
500-6438-14	WS114	Wipe	09/06/2007 1250	09/08/2007 0945
500-6438-15	WS115	Wipe	09/06/2007 1255	09/08/2007 0945
500-6438-16	WS116	Wipe	09/06/2007 1300	09/08/2007 0945
500-6438-17	WS117	Wipe	09/06/2007 1305	09/08/2007 0945
500-6438-18	WS118	Wipe	09/06/2007 1310	09/08/2007 0945
500-6438-19	WS119	Wipe	09/06/2007 1315	09/08/2007 0945
500-6438-20	WS120	Wipe	09/06/2007 1320	09/08/2007 0945
500-6438-21	WS121	Wipe	09/06/2007 1330	09/08/2007 0945
500-6438-22	WS122	Wipe	09/06/2007 1350	09/08/2007 0945
500-6438-23	WS123	Wipe	09/06/2007 1400	09/08/2007 0945
500-6438-24	WS124	Wipe	09/06/2007 1420	09/08/2007 0945
500-6438-25	WS125	Wipe	09/06/2007 1430	09/08/2007 0945
500-6438-26	WS126	Wipe	09/06/2007 1440	09/08/2007 0945

SAMPLE RESULTS

Deborah English SCS Engineers 10975 El Monte, Suite 100 Overland Park, KS 66211

Client Sample ID: WS101 Lab Sample ID: 500-6438-1 Date Sampled: 09/06/2007 1045 Date Received: 09/08/2007 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0226	
Prep Method: 3050B		Date Pre	pared: 09/14/	2007 0945	
Lead	0.00089	mg/wipe	0.00050	0.00050	1.0

Deborah English SCS Engineers 10975 El Monte, Suite 100 Overland Park, KS 66211

 Client Sample ID:
 WS102
 Date Sampled:
 09/06/2007
 1055

 Lab Sample ID:
 500-6438-2
 Date Received:
 09/08/2007
 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0240	
Prep Method: 3050B		Date Pre	pared: 09/14/	2007 0945	
Lead	0.0015	mg/wipe	0.00050	0.00050	1.0

Deborah English

SCS Engineers

Job Number: 500-6438-1

SCS Engineers 10975 El Monte, Suite 100 Overland Park, KS 66211

 Client Sample ID:
 WS103
 Date Sampled:
 09/06/2007
 1105

 Lab Sample ID:
 500-6438-3
 Date Received:
 09/08/2007
 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B Prep Method: 3050B		Date Ana Date Prei	•	2007 0247 2007 0945	
Lead	0.0037	mg/wipe	0.00050	0.00050	1.0

Deborah English SCS Engineers 10975 El Monte, Suite 100 Overland Park, KS 66211

Client Sample ID: WS104 Lab Sample ID: 500-6438-4 Date Sampled: 09/06/2007 1115 Date Received: 09/08/2007 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0253	
Prep Method: 3050B		Date Prepared: 09/14/2007		2007 0945	
Lead	0.0021	mg/wipe	0.00050	0.00050	1.0

Deborah English SCS Engineers 10975 El Monte, Suite 100 Overland Park, KS 66211

 Client Sample ID:
 WS105
 Date Sampled:
 09/06/2007
 1125

 Lab Sample ID:
 500-6438-5
 Date Received:
 09/08/2007
 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B		Date Ana	alvzed: 09/21/	2007 0300	
Prep Method: 3050B		Date Prepared: 09/14/2007 0			
Lead	0.0072	mg/wipe	0.00050	0.00050	1.0

Deborah English SCS Engineers 10975 El Monte, Suite 100 Overland Park, KS 66211

Client Sample ID: WS106 Lab Sample ID: 500-6438-6 Date Sampled: 09/06/2007 1130 Date Received: 09/08/2007 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0307	
Prep Method: 3050B		2007 0945			
Lead	0.0028	mg/wipe	0.00050	0.00050	1.0

Job Number: 500-6438-1

Deborah English SCS Engineers 10975 El Monte, Suite 100

Overland Park, KS 66211

Client Sample ID: WS107 Lab Sample ID: 500-643 Date Sampled: 09/06/2007 1135 Date Received: 09/08/2007 0945 500-6438-7

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution	
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0421		
Prep Method: 3050B		Date Prepared: 09/14/2007 0945				
Lead	0.0019	mg/wipe	0.00050	0.00050	1.0	

Job Number: 500-6438-1

Deborah English SCS Engineers 10975 El Monte, Suite 100

Overland Park, KS 66211

Client Sample ID: WS108 Lab Sample ID: 500-643 Date Sampled: 09/06/2007 1140 Date Received: 09/08/2007 0945 500-6438-8

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution	
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0428		
Prep Method: 3050B		Date Prepared: 09/14/2007 0945				
Lead	0.0040	mg/wipe	0.00050	0.00050	1.0	

Deborah English SCS Engineers 10975 El Monte, Suite 100 Overland Park, KS 66211

 Client Sample ID:
 WS109
 Date Sampled:
 09/06/2007
 1145

 Lab Sample ID:
 500-6438-9
 Date Received:
 09/08/2007
 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B		Date Ana	alyzed: 09/21/2	2007 0435	
Prep Method: 3050B		Date Pre	pared: 09/14/2	2007 0945	
Lead	0.0020	mg/wipe	0.00050	0.00050	1.0

Deborah English SCS Engineers 10975 El Monte, Suite 100 Overland Park, KS 66211

 Client Sample ID:
 WS110
 Date Sampled:
 09/06/2007
 1150

 Lab Sample ID:
 500-6438-10
 Date Received:
 09/08/2007
 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0442	
Prep Method: 3050B		Date Prepared: 09/14/2007 0945			
Lead	0.0055	mg/wipe	0.00050	0.00050	1.0

Job Number: 500-6438-1

Deborah English SCS Engineers 10975 El Monte, Suite 100

Overland Park, KS 66211

Client Sample ID: WS111 Lab Sample ID: 500-643 Date Sampled: 09/06/2007 1220 Date Received: 09/08/2007 0945 500-6438-11

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution	
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0449		
Prep Method: 3050B		Date Prepared: 09/14/2007 0945				
Lead	0.015	mg/wipe	0.00050	0.00050	1.0	

Deborah English SCS Engineers 10975 El Monte, Suite 100 Overland Park, KS 66211

 Client Sample ID:
 WS112
 Date Sampled:
 09/06/2007
 1225

 Lab Sample ID:
 500-6438-12
 Date Received:
 09/08/2007
 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0456	
Prep Method: 3050B		Date Pre	pared: 09/14/	2007 0945	
Lead	0.0026	mg/wipe	0.00050	0.00050	1.0

Deborah English SCS Engineers 10975 El Monte, Suite 100 Overland Park, KS 66211

 Client Sample ID:
 WS113
 Date Sampled:
 09/06/2007
 1240

 Lab Sample ID:
 500-6438-13
 Date Received:
 09/08/2007
 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B		Date Ana	alvzed: 09/21/	2007 0503	
Prep Method: 3050B		Date Pre	,	2007 0945	
Lead	0.0053	mg/wipe	0.00050	0.00050	1.0

Deborah English SCS Engineers 10975 El Monte, Suite 100 Overland Park, KS 66211

 Client Sample ID:
 WS114
 Date Sampled:
 09/06/2007
 1250

 Lab Sample ID:
 500-6438-14
 Date Received:
 09/08/2007
 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution	
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0510		
Prep Method: 3050B		Date Prepared: 09/14/2007 0945				
Lead	0.0021	mg/wipe	0.00050	0.00050	1.0	

Deborah English SCS Engineers 10975 El Monte, Suite 100 Overland Park, KS 66211

Client Sample ID: WS115 Lab Sample ID: 500-6438-15

Date Sampled: 09/06/2007 1255 Date Received: 09/08/2007 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0517	
Prep Method: 3050B		Date Prepared: 09/14/2007 0945			
Lead	<0.00050	mg/wipe	0.00050	0.00050	1.0

Deborah English SCS Engineers 10975 El Monte, Suite 100 Overland Park, KS 66211

Client Sample ID: WS116 Lab Sample ID: 500-6438-16

Date Sampled: 09/06/2007 1300 Date Received: 09/08/2007 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0524	
Prep Method: 3050B		Date Pre	pared: 09/14/	2007 0945	
Lead	0.00078	mg/wipe	0.00050	0.00050	1.0

Deborah English SCS Engineers 10975 El Monte, Suite 100 Overland Park, KS 66211

Client Sample ID: WS117 Lab Sample ID: 500-6438-17

Date Sampled: 09/06/2007 1305 Date Received: 09/08/2007 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0556	
Prep Method: 3050B		Date Pre	pared: 09/14/	2007 0945	
Lead	0.00073	mg/wipe	0.00050	0.00050	1.0

Deborah English SCS Engineers 10975 El Monte, Suite 100 Overland Park, KS 66211

 Client Sample ID:
 WS118
 Date Sampled:
 09/06/2007
 1310

 Lab Sample ID:
 500-6438-18
 Date Received:
 09/08/2007
 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0603	
Prep Method: 3050B		Date Pre	pared: 09/14/	2007 0945	
Lead	0.0018	mg/wipe	0.00050	0.00050	1.0

Job Number: 500-6438-1

Deborah English SCS Engineers 10975 El Monte, Suite 100

Overland Park, KS 66211

Client Sample ID: WS119 Lab Sample ID: 500-643 Date Sampled: 09/06/2007 1315 Date Received: 09/08/2007 0945 500-6438-19

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0610	
Prep Method: 3050B		Date Pre	pared: 09/14/	2007 0945	
Lead	0.027	mg/wipe	0.00050	0.00050	1.0

Deborah English SCS Engineers 10975 El Monte, Suite 100 Overland Park, KS 66211

 Client Sample ID:
 WS120
 Date Sampled:
 09/06/2007
 1320

 Lab Sample ID:
 500-6438-20
 Date Received:
 09/08/2007
 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0617	
Prep Method: 3050B		Date Pre	pared: 09/14/	2007 0945	
Lead	0.0027	mg/wipe	0.00050	0.00050	1.0

Deborah English SCS Engineers 10975 El Monte, Suite 100 Overland Park, KS 66211

 Client Sample ID:
 WS121
 Date Sampled:
 09/06/2007
 1330

 Lab Sample ID:
 500-6438-21
 Date Received:
 09/08/2007
 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0046	
Prep Method: 3050B		Date Pre	pared: 09/17/	2007 0815	
Lead	0.022	mg/wipe	0.00050	0.00050	1.0

Deborah English SCS Engineers 10975 El Monte, Suite 100

Overland Park, KS 66211

 Client Sample ID:
 WS122
 Date Sampled:
 09/06/2007
 1350

 Lab Sample ID:
 500-6438-22
 Date Received:
 09/08/2007
 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B		Date Ana	alyzed: 09/21	/2007 1530	
Prep Method: 3050B		Date Pre	pared: 09/17	/2007 0815	
Lead	41	mg/wipe	0.050	0.050	100

Deborah English Job Number: 500-6438-1

Deborah English SCS Engineers 10975 El Monte, Suite 100

Overland Park, KS 66211

 Client Sample ID:
 WS123
 Date Sampled:
 09/06/2007
 1400

 Lab Sample ID:
 500-6438-23
 Date Received:
 09/08/2007
 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B		Date Ana	alyzed: 09/21	/2007 1537	
Prep Method: 3050B		Date Pre	pared: 09/17	/2007 0815	
Lead	25	mg/wipe	0.050	0.050	100

Deborah English Job Number: 500-6438-1

Deborah English SCS Engineers 10975 El Monte, Suite 100 Overland Park, KS 66211

Client Sample ID: WS124 Lab Sample ID: 500-6438-24 Date Sampled: 09/06/2007 1420 Date Received: 09/08/2007 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0114	
Prep Method: 3050B		Date Pre	pared: 09/17/	2007 0815	
Lead	0.17	mg/wipe	0.00050	0.00050	1.0

Deborah English Job Number: 500-6438-1

Deborah English SCS Engineers 10975 El Monte, Suite 100 Overland Park, KS 66211

 Client Sample ID:
 WS125
 Date Sampled:
 09/06/2007
 1430

 Lab Sample ID:
 500-6438-25
 Date Received:
 09/08/2007
 0945

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B		Date Ana	alyzed: 09/21/2	2007 0126	
Prep Method: 3050B		Date Pre	pared: 09/17/2	2007 0815	
Lead	1.8	mg/wipe	0.00050	0.00050	1.0

Job Number: 500-6438-1

Deborah English SCS Engineers 10975 El Monte, Suite 100

Overland Park, KS 66211

Client Sample ID: WS126 Lab Sample ID: 500-643 Date Sampled: 09/06/2007 1440 Date Received: 09/08/2007 0945 500-6438-26

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 6010B		Date Ana	alyzed: 09/21/	2007 0133	
Prep Method: 3050B		Date Pre	pared: 09/17/	2007 0815	
Lead	0.15	mg/wipe	0.00050	0.00050	1.0

DATA REPORTING QUALIFIERS

Client: SCS Engineers Job Number: 500-6438-1

Lab Section	Qualifier	Description
Metals		
	J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

QUALITY CONTROL RESULTS

Client: SCS Engineers Job Number: 500-6438-1

QC Association Summary

		Report			
Lab Sample ID	Client Sample ID	Basis	Client Matrix	Method	Prep Batch
Metals					
Prep Batch: 500-22552					
LCS 500-22552/2-A	Lab Control Spike	T	Wipe	3050B	
LCSD 500-22552/3-A	Lab Control Spike Duplicate	T	Wipe	3050B	
MB 500-22552/1-A	Method Blank	Т	Wipe	3050B	
500-6438-1	WS101	Т	Wipe	3050B	
500-6438-2	WS102	T	Wipe	3050B	
500-6438-3	WS103	Т	Wipe	3050B	
500-6438-4	WS104	Т	Wipe	3050B	
500-6438-5	WS105	Т	Wipe	3050B	
500-6438-6	WS106	Т	Wipe	3050B	
500-6438-7	WS107	Т	Wipe	3050B	
500-6438-8	WS108	Т	Wipe	3050B	
500-6438-9	WS109	Т	Wipe	3050B	
500-6438-10	WS110	Т	Wipe	3050B	
500-6438-11	WS111	Т	Wipe	3050B	
500-6438-12	WS112	Т	Wipe	3050B	
500-6438-13	WS113	Т	Wipe	3050B	
500-6438-14	WS114	Т	Wipe	3050B	
500-6438-15	WS115	Т	Wipe	3050B	
500-6438-16	WS116	Т	Wipe	3050B	
500-6438-17	WS117	Т	Wipe	3050B	
500-6438-18	WS118	Т	Wipe	3050B	
500-6438-19	WS119	Ť	Wipe	3050B	
500-6438-20	WS120	Т	Wipe	3050B	
Prep Batch: 500-22656					
LCS 500-22656/2-A	Lab Control Spike	Т	Wipe	3050B	
LCSD 500-22656/3-A	Lab Control Spike Duplicate	Ť	Wipe	3050B	
MB 500-22656/1-A	Method Blank	Ť	Wipe	3050B	
500-6438-21	WS121	Ť	Wipe	3050B	
500-6438-22	WS122	T	Wipe	3050B	
500-6438-23	WS123	T	Wipe	3050B	
500-6438-24	WS124	Ť	Wipe	3050B	
500-6438-25	WS125	T	Wipe	3050B	
500-6438-26	WS126	T	Wipe	3050B	

Client: SCS Engineers Job Number: 500-6438-1

QC Association Summary

		Report			
Lab Sample ID C	lient Sample ID	Basis	Client Matrix	Method	Prep Batch
Metals					
Analysis Batch:500-22964					
LCS 500-22552/2-A	Lab Control Spike	T	Wipe	6010B	500-22552
LCSD 500-22552/3-A	Lab Control Spike Duplicate	T	Wipe	6010B	500-22552
MB 500-22552/1-A	Method Blank	T	Wipe	6010B	500-22552
LCS 500-22656/2-A	Lab Control Spike	T	Wipe	6010B	500-22656
LCSD 500-22656/3-A	Lab Control Spike Duplicate	T	Wipe	6010B	500-22656
MB 500-22656/1-A	Method Blank	T	Wipe	6010B	500-22656
500-6438-1	WS101	T	Wipe	6010B	500-22552
500-6438-2	WS102	T	Wipe	6010B	500-22552
500-6438-3	WS103	T	Wipe	6010B	500-22552
500-6438-4	WS104	T	Wipe	6010B	500-22552
500-6438-5	WS105	T	Wipe	6010B	500-22552
500-6438-6	WS106	T	Wipe	6010B	500-22552
500-6438-7	WS107	Т	Wipe	6010B	500-22552
500-6438-8	WS108	Т	Wipe	6010B	500-22552
500-6438-9	WS109	Т	Wipe	6010B	500-22552
500-6438-10	WS110	Т	Wipe	6010B	500-22552
500-6438-11	WS111	Т	Wipe	6010B	500-22552
500-6438-12	WS112	Т	Wipe	6010B	500-22552
500-6438-13	WS113	Т	Wipe	6010B	500-22552
500-6438-14	WS114	Т	Wipe	6010B	500-22552
500-6438-15	WS115	Т	Wipe	6010B	500-22552
500-6438-16	WS116	Т	Wipe	6010B	500-22552
500-6438-17	WS117	Т	Wipe	6010B	500-22552
500-6438-18	WS118	Т	Wipe	6010B	500-22552
500-6438-19	WS119	Т	Wipe	6010B	500-22552
500-6438-20	WS120	Т	Wipe	6010B	500-22552
500-6438-21	WS121	Т	Wipe	6010B	500-22656
500-6438-24	WS124	Т	Wipe	6010B	500-22656
500-6438-25	WS125	T	Wipe	6010B	500-22656
500-6438-26	WS126	Т	Wipe	6010B	500-22656
		-	p -		
Analysis Batch:500-23047					
MRL 500-23047/17	Method Reporting Limit Check	T	Wipe	6010B	
500-6438-22	WS122	T	Wipe	6010B	500-22656
500-6438-23	WS123	Т	Wipe	6010B	500-22656

Report Basis

T = Total

Quality Control Results

Instrument ID: TJA ICAP 61E Trace Analy

Job Number: 500-6438-1 Client: SCS Engineers

Method Blank - Batch: 500-22552 Method: 6010B Preparation: 3050B

Lab Sample ID: MB 500-22552/1-A

Client Matrix: Wipe Prep Batch: 500-22552 Lab File ID: P40920B

Dilution:

Units: mg/wipe Initial Weight/Volume: 1.0000 Wipe 1.0 Date Analyzed: 09/21/2007 0205 Final Weight/Volume: 100 mL

Date Prepared: 09/14/2007 0945

Analysis Batch: 500-22964

Result Qual MDL RLAnalyte Lead < 0.00050 0.00050 0.00050

Lab Control Spike/ Method: 6010B Lab Control Spike Duplicate Recovery Report - Batch: 500-22552 Preparation: 3050B

LCS Lab Sample ID: LCS 500-22552/2-A Analysis Batch: 500-22964 Instrument ID: TJA ICAP 61E Trace Analy

Client Matrix: Wipe Prep Batch: 500-22552 Lab File ID: P40920B

Dilution: 1.0 Units: mg/wipe Initial Weight/Volume: 1.0000 Wipe

Date Analyzed: 09/21/2007 0212 Final Weight/Volume: 100 mL

Date Prepared: 09/14/2007 0945

LCSD Lab Sample ID: LCSD 500-22552/3-A Analysis Batch: 500-22964 Instrument ID: TJA ICAP 61E Trace Ana

Prep Batch: 500-22552 P40920B Client Matrix: Wipe Lab File ID: Dilution: 1.0 Units: mg/wipe Initial Weight/Volume: 1.0000 Wipe

09/21/2007 0219 Final Weight/Volume: 100 mL Date Analyzed: Date Prepared: 09/14/2007 0945

% Rec. Analyte LCS **LCSD** Limit **RPD** RPD Limit LCS Qual LCSD Qual Lead 96 96 80 - 120 0 20

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Instrument ID: TJA ICAP 61E Trace Analy

0.00050

0.00050

Job Number: 500-6438-1 Client: SCS Engineers

Method Blank - Batch: 500-22656 Method: 6010B Preparation: 3050B

Client Matrix: Wipe Prep Batch: 500-22656 Lab File ID: P40920B

Lab Sample ID: MB 500-22656/1-A

Date Prepared: 09/17/2007 0815

Lead

Units: mg/wipe Dilution: 1.0

Initial Weight/Volume: 1.0000 Wipe Date Analyzed: 09/21/2007 0025 Final Weight/Volume: 100 mL

Analysis Batch: 500-22964

Result Qual MDL RLAnalyte < 0.00050

Lab Control Spike/ Method: 6010B

Lab Control Spike Duplicate Recovery Report - Batch: 500-22656 Preparation: 3050B

LCS Lab Sample ID: LCS 500-22656/2-A Analysis Batch: 500-22964 Instrument ID: TJA ICAP 61E Trace Analy

Client Matrix: Wipe Prep Batch: 500-22656 Lab File ID: P40920B

Dilution: 1.0 Units: mg/wipe Initial Weight/Volume: 1.0000 Wipe

Date Analyzed: 09/21/2007 0032 Final Weight/Volume: 100 mL Date Prepared: 09/17/2007 0815

LCSD Lab Sample ID: LCSD 500-22656/3-A Analysis Batch: 500-22964 Instrument ID: TJA ICAP 61E Trace Ana

Prep Batch: 500-22656 P40920B Client Matrix: Wipe Lab File ID:

Dilution: 1.0 Units: mg/wipe Initial Weight/Volume: 1.0000 Wipe 09/21/2007 0039 Final Weight/Volume: 100 mL Date Analyzed: Date Prepared: 09/17/2007 0815

% Rec. Analyte LCS **LCSD** Limit **RPD** RPD Limit LCS Qual LCSD Qual

Lead 97 96 80 - 120 20

Quality Control Results

Client: SCS Engineers Job Number: 500-6438-1

Method Reporting Limit Check - Batch: 500-23047

Method: 6010B Preparation: N/A

Lab Sample ID: MRL 500-23047/17

Client Matrix: Wipe Dilution: 1.0

Date Analyzed: 09/21/2007 1316

Date Prepared: N/A

Analysis Batch: 500-23047

Prep Batch: N/A Units: mg/L

Instrument ID: TJA ICAP 61E Trace Analy

Lab File ID: P40921A Initial Weight/Volume: mL Final Weight/Volume: 1 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Lead	0.00500	0.00463	93	70 - 130	J

Custody Record Chain of

SEVERN TRENT

Severn Trent Laboratories, Inc.

(b) (6) \$TL-4124 (0901) Reimquished By Contract/Purchase Order/Javoie No. Slüewings Turn Around Time Required Non-Hazard ☐ Fiammable Possible Hazard Identification (Containers for each sample may be combined on one line) W5102 W5103 WS/01 WSIOY 2015 WS 107 WSIOL 105 75 ElMonte 0511 WS112 W5110 145108 13109 Sample I.D. No. and Description Sion britant ☐ 14 Days 5/2/00 66211 Paison B 40-9-6 Date 21 Days Domer Standard ☐ Unknown ☐ Return To Client 10:45 12:25 11:45 <u>ک</u>زی 155.00 11:25 11:5 11:40 1150 135 11:30 Time 40-6-6 Date Carrier/Waybill Number 913-451-7510 Maci Lab Contact Matrix Jercett Domling 9: 20 Time Dick Walsh Disposal By Lab Received By QC Requirements (Specif L. Received By Received By Containers & Preservatives HCI ZnAc/ NaOH ☐ Archive For (b) (6) <u> 1</u>e, Analysis (Attach list if more space is needed) 40-4-6 Date (A fee may be assessed if samples are retained Months—longer than 1 month) Page ateC | 9 B M 500-6438 Special Instructions/ Conditions of Receipt N e fime 39 q9/24/2007

οŧ

Chain of

				N L V L	1			
Custody Record			Seve	Severn Trent Laboratories, Inc.	ocratories		500-6438	₩ Ø 2007
Client SUS FALL NEOLS	Project Manager	rest)	Donling		Date 9-7-0	2	Chain of Gustody Number 3 6 0 0 6 2	
10975 EMPorte, Ste 100	releptione Number (Ar	(Area Code)/Fax Number	Number ,		Lao Number	700	Page 2	ς ζ
State	Site Contact		Lab Contact		Analysis (Attach list if more space is needed)			
Project Name and Location (State)	Carrier/Waybill Number		Dick 600,50				, 1	
6SA SLOP Stilows, MO							Special to	Special Instructions/
исле Ма.	Matrix	trix	Containers & Preservatives	ad			Condition	Canditions of Receipt
Sample I.D. No. and Description (Containers for each sample may be combined on one line) Date	Time Air Agusous Sed	Soil Loc Unpres	H2SO4 ⁻ HNO3 HCI N≅OH ZnAc/ NgOH	Ze				
13 WS113 9-6-07	12:40	X						
	12:50							
15 63/15	/2:53							12
16 WS116	1:20							oÆ 4
1115M U	1:05							₽D c
18 WS118	1:10	-						je 4
19 WS119	1:15							Pag
p W5120	1:20						1	
W W3121	1:30							
22150 12	1:50					_		
23 WS123	2:00							
24 WS124 42	2:10	4 V		<				
Fossiove Hazard	☐ Unknown ☐ Return To Cit	97	Disposal By Lab	Archive For	Months long	ee may be assess er (han 1 month)	(A fee may be assessed if samples are retained longer than 1 month)	retained
re Required Bys 14 Days 21 Day	Typher.	١.	PQ.	Я				
b) (6)	120-4-6	9:00	1. Received By) (6)			Pare 9 8 97	7.00e 7.00e
(t	Date	Time	2. Received By	(b			Date	Time
3. Relinquished By	Date	Time	3. Received By	:) Date	Time
Comments	-							

Custody Record Chain of



Severn Trent Laboratories, Inc.

√(b) (6) STL-4124 (0901) ☐ Non-Hazard ☐ Flammable Sample I.D. No. and Description (Containers for each sample may be combined on one line) Felinquished By Possible Hazard Identification Contract/Purchase Order/Quote No. Turn Around Time Required 565 Engineers 7450 re and Location (State) Monte St. LOVS, MO Skin britant □ 14 Days 210 Code ☐ Poison B 40-9-6 Date 21 Days KomesStandard ☐ Unknown ☐ Return To Client Time Date Camer/Waybill Number Project Manager Property of Sec. 15.1 Sample Disposal Aqueous Matrix ime a Cooliffax Number なる Dick Was ab Contact Disposal By Lab Archive For _ Received By 2. Песвілед Ву 1. Песвілед Ву OC Requirements (Specify) Containers & Preservatives HCI NaOH ŽnAc/ NaOH (b) (6) **₹** Analysis (Attach list if more space is needed) 4 02-4-6 Lao Number (A fee may be assessed if samples are retained Months longer than 1 month; Date 9 9 7 Page_ Date 500-6438 Conditions of Receipt Special Instructions/ ime Time ami ٩ \$4. ** **0**9/2**4**/2007

41 οŧ

Соптептя

Login Sample Receipt Check List

Client: SCS Engineers Job Number: 500-6438-1

Login Number: 6438 List Source: TestAmerica Chicago

Creator: Lunt, Jeff T List Number: 1

Question	T / F/ NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	3.2
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	

4300 Goodfellow

Start Ston Flowsum Ava flow Run time Wollume variance Wariance Location	0.14 Column D2	0.10 Column G7	1.06 Column C14	1.08 Column D21	1.37 Column H28	1.12 Column C33	1.42 Column E39	2.64 Column G41	4.86 Column F49	0.34 Column D52					
variance //	0.003	0.002	0.022	0.022	0.028	0.023	0.029	0.055	0.102	0.007					
Volume	1049.6	987.4	1006.2	984.8	984.8	985.9	0.886	1003.8	1009.1	992.7					
Run time	484	484	484	483	483	482	483	482	481	486					
Ava flow	2.169	2.040	2.079	2.039	2.039	2.046	2.046	2.083	2.098	2.043					
Flowsum	4.337	4.08	4.158	4.078	4.078	4.091	4.091	4.165	4.196	4.085					
Stop	3:50	3:53	3:55	3:58	4:00	4:02	4:06	4:09	4:11	4:19					
Start	7:46	7:49	7:51	7:55	7:57	8:00	8:03	8:07	8:10	8:13					
Post-flow	2.167	2.041	2.068	2.042	2.025	2.116	2.06	2.055	2.047	2.039					
Pre-flow	2.17	2.039	2.09	2.02	2.053	2.139	2.031	2.11	2.149	2.046					
#umid	625242	566811	625362	16167	16168	3435	6355	787495	787796	0999	Blank	Blank			
Sample#	1-012408	2-012408	3-012408	4-012408	5-012408	6-012408	7-012408	8-012408	9-012408	10-012408	11-012408	12-012408			



January 31, 2008

Gary Adams
GENERAL SERVICES ADMINISTRATION
1500 E. Bannister
Kansas, MO 64131-

Bureau Veritas Work Order No. 08010858

Reference: Industrial Hygiene

Dear Gary Adams:

Bureau Veritas North America, Inc. received 12 samples on 1/29/2008 for the analyses presented in the following report.

Enclosed is a copy of the Chain-of-Custody record, acknowledging receipt of these samples. Please note that any unused portion of the samples will be discarded 30 days after the date of this report, unless you have requested otherwise.

This material is confidential and is intended solely for the person to whom it is addressed. If this is received in error, please contact the number provided below.

We appreciate the opportunity to assist you. If you have any questions concerning this report, please contact a Client Services Representative at (800) 806-5887.

Sincerely,
(b) (6)

Ellen Corrman

Client Services Representative

cc:

CASE NARRATIVE

Date: 31-Jan-08

Client:

GENERAL SERVICES ADMINISTRATION

Project:

Industrial Hygiene

Work Order No 08010858

Unless otherwise noted below, all quality control results associated with this sample set were within acceptable limits and/or do not adversely affect the reported results.

Unless otherwise indicated below, the industrial hygiene results have not been blank corrected.

ANALYTICAL RESULTS

ANAL	YTICAL RESU	LTS			· · · · · · · · · · · · · · · · · · ·	Date: 31-Jan-08
Client:	GENERAL SERVICES	ADMINISTR	ATION			
Project:	Industrial Hygiene				Work	Order No: 08010858
Client ID:	1-012408				Dat	e Sampled: 1/24/2008
Lab ID:	001A				D	ateReceived: 1/29/2008
Matrix:	MCE Filter, .8um				A	Air Vol.(L): 1049.6
	Analyte	Con (μg)	centration (mg/m³)	Reporting Limit (µg)	Test Method	Date Analyzed / Analyst
Lead		<1	<0.00095	1	NIOSH 73	00 01/30/2008 DH
Client ID:	2-012408				Dat	e Sampled: 1/24/2008
Lab ID:	002A				D	ateReceived: 1/29/2008
Matrix:	MCE Filter, .8um				A	Air Vol.(L): 987.4
	Analyte	Con (µg)	centration (mg/m³)	Reporting Limit (µg)	Test Method	Date Analyzed / Analyst
Lead		<1	<0.0010	1	NIOSH 73	00 01/30/2008 DH
Client ID:	3-012408				Dat	e Sampled: 1/24/2008
Lab ID:	003A				D	ateReceived: 1/29/2008
Matrix:	MCE Filter, .8um					Air Vol.(L): 1006.2
	Analyte	Con (μg)	centration (mg/m³)	Reporting Limit (µg)	Test Method	Date Analyzed / Analyst
Lead		<1	<0.00099	1	NIOSH 73	00 01/30/2008 DH
Client ID:	4-012408				Dat	e Sampled: 1/24/2008
Lab ID:	004A				D	ateReceived: 1/29/2008
Matrix:	MCE Filter, .8um				A	Air Vol.(L): 984.8
	Analyte	Con (μg)	centration (mg/m³)	Reporting Limit (µg)	Test Method	Date Analyzed / Analyst
Lead		<1	<0.0010	1	NIOSH 73	00 01/30/2008 DH

ANALYTICAL RESULTS

ANAL	YTICAL RESUI	LTS				Date: 31-Jan-08
Client:	GENERAL SERVICES A	DMINISTRA	TION			
Project:	Industrial Hygiene	· · · · · · · · · · · · · · · · · · ·			Work	Order No: 08010858
Client ID:	5-012408				Dat	re Sampled: 1/24/2008
Lab ID:	005A				. D	ateReceived: 1/29/2008
Matrix:	MCE Filter, .8um				·	Air Vol.(L): 984.8
	Analyte	Conc (µg)	centration (mg/m³)	Reporting Limit (µg)	Test Method	Date Analyzed / Analyst
Lead		<1	<0.0010	1	NIOSH 73	300 01/30/2008 DH
Client ID:	6-012408				Dat	e Sampled: 1/24/2008
Lab ID:	006A				D	ateReceived: 1/29/2008
Matrix:	MCE Filter, .8um				A	Air Vol.(L): 985.9
	Analyte	Cone (µg)	centration (mg/m³)	Reporting Limit (µg)	Test Method	Date Analyzed / Analyst
Lead		<1	<0.0010	1	NIOSH 73	01/30/2008 DH
Client ID:	7-012408				Dat	e Sampled: 1/24/2008
Lab ID:	007A				Da	ateReceived: 1/29/2008
Matrix:	MCE Filter, .8um				A	Air Vol.(L): 988
	Analyte	Conc (µg)	centration (mg/m³)	Reporting Limit (μg)	Test Method	Date Analyzed / Analyst
Lead		<1	<0.0010	1	NIOSH 73	00 01/30/2008 DH
Client ID:	8-012408				Dat	e Sampled: 1/24/2008
Lab ID:	008A				Da	ateReceived: 1/29/2008
Matrix:	MCE Filter, .8um				A	Air Vol.(L): 1003.8
	Analyte	Cond (µg)	entration (mg/m³)	Reporting Limit (µg)	Test Method	Date Analyzed / Analyst
Lead		<1	<0.0010	I	NIOSH 73	00 01/30/2008 DH

<u>ANAL</u>	YTICAL RESUI	LTS				Date: 31-Jan-08
Client:	GENERAL SERVICES A	ADMINISTRA	ATION			
Project:	Industrial Hygiene				Work	Order No: 08010858
Client ID:	9-012408	•			Dat	te Sampled: 1/24/2008
Lab ID:	009A				D	ateReceived: 1/29/2008
Matrix:	MCE Filter, .8um				£	Air Vol.(L): 1009.1
	Analyte	Con (μg)	centration (mg/m³)	Reporting Limit (µg)	Test Method	Date Analyzed / Analyst
Lead		<1	<0.00099	1	NIOSH 73	300 01/30/2008 DH
Client ID:	10-012408				Dat	te Sampled: 1/24/2008
Lab ID:	010A				D	ateReceived: 1/29/2008
Matrix:	MCE Filter, .8um				É	Air Vol.(L): 992.7
	Analyte	Cone (µg)	centration (mg/m³)	Reporting Limit (µg)	Test Method	Date Analyzed / Analyst
Lead		<1	<0.0010	1	NIOSH 73	300 01/30/2008 DH
Client ID:	11-012408				Dat	te Sampled: 1/24/2008
Lab ID:	011A				D	ateReceived: 1/29/2008
Matrix:	MCE Filter, .8um				A	Air Vol.(L): NA
	Analyte	Cone (µg)	centration (mg/m³)	Reporting Limit (µg)	Test Method	Date Analyzed / Analyst
Lead		<1		1	NIOSH 73	300 01/30/2008 DH
Client ID:	12-012408				Dat	re Sampled: 1/24/2008
Lab ID:	012A				D	ateReceived: 1/29/2008
Matrix:	MCE Filter, .8um				, A	Air Vol.(L): NA
	Analyte	Con- (μg)	centration (mg/m³)	Reporting Limit (µg)	Test Method	Date Analyzed / Analyst
Lead		<1		1	NIOSH 73	300 01/30/2008 DH

General Notes:

<: Less than the indicated reporting limit (RL).--: Information not available or not applicable.



Request for Laboratory Analytical Services

IMPO Rush charges authorized? Yes

OKTANI	
Date results r	i
] required:	
	٠.
1	
J	- 1

For Lab Use Only Lab Project No. Page:

Fax: 770.499.7511		Phone: 248.344.2652, 10II-free 800.806.5887 Fax: 248-344-2655	•
Draw 770 400 7500 Toll two 900 353 0040		recei, imonigary receive	Š
Kennesaw, Georgia, 30144	http://labonline.claytongrp.com	Movi Michigan 48375	†
3380 Chastain Meadows Pkwy., Suite 300	Visit our Website:	22345 Roethel Drive	Ship
Atlanta (Asbestos & Electron Microscopy)		Detroit (IH, Environmental, & Asbestos)	
(Explain)	Signature MUST accompany request!)		Date/Time
Other:	,Acceptable	zed by:	Authorized by:
	Sample Condition o	Method of Shipment:	Method o
Date/Time (129/108/1015)	Received by:		Relinquished by:
+	1/25 1/68 Received by:		Relinquished by:
Date/Time 1/24/08	1/24 08 Collector's Signatur	d by:	lect
	√ 992.7	012408	10 - 0
	1,600	80210	10 - 67
	8,500	012408	10 - 8
	788.0	801210	7-01:
	5.585	804210	16-012
	8.486	807210	210-2
	8.48	-012408	210-4
	1006.2	801210	3-012
	MCE / 787.4	012408	2-0121
Po (Lead)	37 mm 0.8 m 1049.6	H2/1 80h	1- 012408
ers analytes per line)	Matrix/Media (Liters) Containers	Client Sample Identification Sampled Sampled	Client San
(List each analyte on the lines below, multiple	Air Volume # of	Date Time	
ANALYSIS REQUESTED			
	Wastewater		,
	Coundwister	(method, limit of detection, etc.)	(method, II
nreservative added	Vvater samples are:	Special instructions and/or specific regulatory requirements:	Special instru
Which state are these from?	Soil samples only:	,	
		10/1:528 (718)	Telephone No.
ista Zin Kancas C. th. MO (413)		idress 1	Mailing Address
(35 A	Company	GSA	Company
Name KEVIN SANTEE		esults to: Client Project (TARY ADAMS Number:	Report results to:
		North America, Inc.	Bureau
X0X010X0	E-mail Address:		
] E-mail results 🔲 L	Fax or		THE TAX
d? Yes ☐ No ☐ For Lab Use Only	Rush charges	Analytical Services	eci -
Date leading i edunien	IMP ON IMM.	Todacation rapolator	



Request for Laboratory Analytical Services

7.	Rush charges	IMPORTANT:	
	authorized?	Date resu	
F-mail resul	Yes □	ults required:	
P I I	N O	1	
]			1

For Lab Use Only
Lab Project No.

UNULUSS Page: Ø

E-mail Address:_

Bureau Veritas Report results to:	Bureau Veritas North America, Inc. Report results to:	erica, Inc.	Client Project	tot		Send invoice to:	ce to:	P.O. No.	
Company _			Main Boil.			Company			
Mailing Address	ess					Address			
City, State, Zip	Zip					City, State, Zip	Zip		
Telephone No.	lo.		Fax No.			,			
					Soil sampl	es only: Wi	Soil samples only: Which state are these	from?	
Special instructi	Special instructions and/or specific regulatory requirements:	tory requiremen	īs:		Water samples are:	oles are:			Enter a "P" here if
(method, lim	(method, limit of detection, etc.)				Drinking water	ter			preservative added
		:			Groundwater	4			
					Wastewater				4
				7			ANAL	YSIS REQUESTED	
			Time		ō		(List each analyte on	(List each analyte on the lines below, multiple	iple
80421011V	304210-11								
80h210-21	801								
Collected by:	у:		Date/Time		Collector's	Collector's Signature:		Date/Time	
Relinquished by:	ed by:		Date/Time		Received by:	у.: '		_Date/Time	11-71-00
Relinquished by:	ed by:		Date/Time		Received by:	ÿ.	b) 6)	Date/Time	129101015
Method of Shipment:	Shipment:				Sample Condition on Necept.	ndition on	(-
Aumonzea by:	by:				[_	Acceptable	Outer.		
Date/Time:			(Signature	Signature MUST accompany requestly	oany requés	#/	(Explain)	n)	attinuo pos
	Detroit (IH, Environ	(IH, Environmental, & Asbestos)	estos)				Atlanta (Asbestos &	Electron Microscopy)	- 1 %
Ship 2	22345 Roethel Drive			Visit our Website:	bsite:		3380 Chastain Meadows Pkwy., Suite 300	vs Pkwy., Suite 300	
	Novi, Michigan, 48375	٠		http://labonline.claytongrp.com	claytongrp.c	Om	Kennesaw, Georgia, 30	0144	
מל מ	Phone: 248.344.2652, Toll-free 800.806.5887	oll-free 800.8	06.5887				Phone: 770.499.7500,	Toll-free 800.252.9919	
							111		

