

2604 NE Industrial Drive, Suite 230 North Kansas City, Missouri 64117 Telephone: 816.231.5580

Fax: 816.231.5641 www.occutec.com

June 11, 2019

Diane Czarnecki Industrial Hygienist Facilities Management Division GSA Public Buildings Service - Heartland Region U.S. General Services Administration 2300 Main Street, Kansas City, MO 64108

RE: Goodfellow Federal Center
Metals in Settled Dust Sampling – Building 103
4300 Goodfellow Boulevard
St. Louis, Missouri 63120
OCCU-TEC Project No. 919083

Dear Ms. Czarnecki:

Thank you for the opportunity to assist the General Services Administration (GSA) with the metals in settled dust sampling investigation of Building 103 located at the Goodfellow Federal Center (GFC), in St. Louis, Missouri. OCCU-TEC, Inc. (OCCU-TEC) understands that the purpose of the investigation was to provide additional sampling data of existing environmental conditions that are present at GFC that could adversely impact the health and safety of building occupants as well as workers at the facility. The following report summarizes the sample collection activities and the laboratory analytical results of samples submitted.

On May 16, 2019, a team of OCCU-TEC personnel including a Missouri licensed lead risk assessor conducted settled dust sampling for the presence of seven of the Resource Conservation and Recovery Act (RCRA) target metals (lead, arsenic, barium, cadmium, total chromium, selenium, and silver) from various surfaces within tenant-occupied areas within the building. The purpose of this testing was to further characterize the presence and concentration of target metals in common tenant-occupied areas of the building.

The proposed sampling scheme, the number of samples, the sample distribution and general methodology was developed by GSA and OCCU-TEC. Specific sample locations were determined by OCCU-TEC personnel while on-site.

Metals in Settled Dust Sampling

Metals in settled dust sampling was conducted within only within tenant-occupied areas.

Dust wipe sampling was conducted in accordance with ASTM Standard E1728-16: Standard Practice for Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Lead Determination. ASTM Standard E1728-16 is consistent with the methodology described in the Housing and Urban Development Guidelines and 40 CRF 745.63. The Brookhaven National Laboratory's Surface Wipe Sampling Procedure (IH75190) was also used as a guideline.

Dust wipe sampling for the target metals was conducted on a variety of representative surfaces that have the potential of being disturbed by building occupants. A representative surface area of approximately one square foot (1 SF) was measured and delineated with pre-fabricated, disposable templates. The dust wipe samples were collected using dedicated dust wipe cloths meeting ASTM standards. Each dust wipe cloth was pre-moistened and individually wrapped. Each sample was collected by wiping in a back and forth "S" pattern over a measured sampling area. Then, the wipe was folded over itself and the area was wiped again in a direction perpendicular to the fine were then placed into labeled, clean laboratory-sup on caps. Dust wipe samples were submitted to Science Amary and Astronomy, Inc. (SAI) in Greensboro, North Carolina for Inductively Coupled Plasma (ICP) analysis of metals analysis using Environmental Protection Agency (EPA) method SW846 350B/7420.

Results of the dust wipe samples collected from the building indicate that all but two the 22 samples contained concentrations of target metals above laboratory detection limits. The following table identifies the range of results for each of the seven metals that were analyzed. Samples with a "<" sign indicate that the results were below the reportable limit.

Analysis	Lowest	Highest
	Concentration	Concentration
	(μg/sq. ft.)	(µg/sq, ft.)
Silver	< 0.5	< 0.51
Arsenic	<2.0	<2.1
Barium	< 0.75	12
Cadmium	< 0.05	15
Total Chromium	< 0.5	2.8
Lead	< 0.25	17
Selenium	<1.3	<1.3

All of the samples collected contained target metals below the Brookhaven recommended levels.

OCCU-TEC appreciates the opportunity to work with GSA on this project. If you have any questions concerning this report, or if we may be of any additional service, please feel free to contact us.

Sincerely,

(b) (6)

Justin Arnold, CIEC Environmental Scientist



(b) (6)

Kevin Heriford
Environmental Operations Manager (QA/QC)

Appendices:

- A Sample Summary Table
- B Laboratory Analysis Reports
- C Licenses



Figure 1: Wipe Sample Location Maps—Bldg. 103—First Floor

Goodfellow Federal Center

4300 Goodfellow Boulevard

St. Louis, Missouri

Project Number: 919083



Figure 1: Wipe Sample Location Maps—Bldg. 103—Second Floor

Goodfellow Federal Center

4300 Goodfellow Boulevard

St. Louis, Missouri

Project Number: 919083

Appendix A Sample Summary Table

Sample Number	Location	Area Description	Analyte	Result	Units	Recommended Limits
			Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	< 2.00	μg/ft²	** 62
			Barium	0.99	μg/ft²	
103-W-01	2nd Floor Column F 33	Floor	Cadmium	0.079	μg/ft²	** 31
			Chromium	< 0.50	μg/ft²	
			Lead	0.90	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft²	
			Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	< 2.00	μg/ft²	** 62
			Barium	1.70	μg/ft²	
103-W-02	2nd Floor Column G 35	Desk Top	Cadmium	0.10	μg/ft²	** 31
			Chromium	0.52	μg/ft²	
			Lead	0.75	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft²	
			Silver	< 0.50	μg/ft ²	* 139/9.3
103-W-03			Arsenic	< 2.00	μg/ft²	** 62
			Barium	< 0.75	μg/ft ²	
	2nd Floor Column H 32	Table Top	Cadmium	< 0.05	μg/ft ²	** 31
	2114 11661 6614111111132		Chromium	< 0.50	μg/ft ²	31
			Lead	+		** 200/40
				+	μg/ft²	200/40
			Selenium	< 1.30	μg/ft ²	* 420 /0.2
			Silver	< 0.50	μg/ft²	* 139/9.3
		Window Sill	Arsenic	< 2.00	μg/ft²	** 62
			Barium	< 0.75	μg/ft²	
103-W-04	2nd Floor Column B 32		Cadmium	0.11	μg/ft²	** 31
			Chromium	< 0.50	μg/ft²	
			Lead	< 0.25	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft²	
			Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	< 2.00	μg/ft²	** 62
			Barium	< 0.75	μg/ft²	
103-W-05	2nd Floor - at Column B 32	Stairwell Floor	Cadmium	< 0.05	μg/ft²	** 31
			Chromium	< 0.50	μg/ft²	
			Lead	0.72	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft²	
			Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	< 2.00	μg/ft²	** 62
			Barium	0.85	μg/ft ²	
103-W-06	1st Floor Column J 32	Floor	Cadmium	< 0.05	μg/ft ²	** 31
			Chromium	< 0.50	μg/ft ²	
			ļ	+		** 200/40
			Lead	< 0.25	μg/ft² μg/ft²	200/40

Sample Number	Location	Area Description	Analyte	Result	Units	Recommended Limits
			Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	< 2.00	μg/ft²	** 62
			Barium	1.80	μg/ft²	
103-W-07	1st Floor Column J 36	Window Sill	Cadmium	0.079	μg/ft²	** 31
			Chromium	< 0.50	μg/ft²	
			Lead	< 0.25	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft²	
			Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	< 2.00	μg/ft²	** 62
			Barium	1.10	μg/ft²	
103-W-08	1st Floor Column G 34	Floor	Cadmium	0.061	μg/ft²	** 31
			Chromium	< 0.50	μg/ft²	
			Lead	0.53	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft²	
			Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	< 2.00	μg/ft²	** 62
			Barium	1.30	μg/ft²	
103-W-09	1st Floor Column B 38	Floor	Cadmium	0.061	μg/ft²	** 31
			Chromium	< 0.50	μg/ft²	
			Lead	0.66	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft²	
		Desk Top	Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	< 2.00	μg/ft²	** 62
			Barium	2.20	μg/ft²	
103-W-10	1st Floor Column B 38		Cadmium	0.20	μg/ft²	** 31
			Chromium	< 0.50	μg/ft²	
			Lead	2.70	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft²	
			Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	< 2.00	μg/ft ²	** 62
			Barium	12.00	μg/ft²	
103-W-11	1st Floor Column B 21	Stair Tread	Cadmium	0.35	μg/ft²	** 31
			Chromium	2.80	μg/ft²	
			Lead	17.00	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft²	
			Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	< 2.00	μg/ft²	** 62
			Barium	< 0.75	μg/ft ²	·
103-W-12	1st Floor Column H 2	Desk Top	Cadmium	0.12	μg/ft ²	** 31
			Chromium	< 0.50	μg/ft ²	·
			Lead	< 0.25	μg/ft ²	** 200/40
			Selenium	< 1.30	μg/ft²	·

Sample Number	Location	Area Description	Analyte	Result	Units	Recommended Limits
			Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	< 2.00	μg/ft ²	** 62
			Barium	1.90	μg/ft²	
103-W-13	1st Floor Column C 6	Desk Top	Cadmium	0.39	μg/ft²	** 31
			Chromium	0.72	μg/ft²	
			Lead	3.30	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft²	
			Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	< 2.00	μg/ft²	** 62
			Barium	3.60	μg/ft²	
103-W-14	1st Floor Column B 12	Stair Tread	Cadmium	0.26	μg/ft²	** 31
			Chromium	0.87	μg/ft²	
			Lead	3.70	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft²	
			Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	< 2.00	μg/ft²	** 62
			Barium	6.60	μg/ft²	
103-W-15	1st Floor Column D 14	Server Equipment	Cadmium	15.00	μg/ft²	** 31
			Chromium	2.50	μg/ft²	
			Lead	9.70	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft²	
			Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	< 2.00	μg/ft²	** 62
			Barium	< 0.75	μg/ft²	
103-W-16	Freight Elevator	Floor	Cadmium	0.11	μg/ft²	** 31
			Chromium	< 0.50	μg/ft²	
			Lead	0.74	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft²	
			Silver	< 0.51	μg/ft²	* 139/9.3
			Arsenic	< 2.10	μg/ft²	** 62
			Barium	< 0.77	μg/ft²	
103-W-17	2nd Floor Column B 6	Window Sill	Cadmium	0.21	μg/ft²	** 31
			Chromium	< 0.51	μg/ft²	
			Lead	0.66	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft²	
			Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	< 2.00	μg/ft²	** 62
			Barium	< 0.75	μg/ft²	
103-W-18	2nd Floor Column G5	Desk Top	Cadmium	0.13	μg/ft²	** 31
			Chromium	< 0.50	μg/ft²	
			Lead	< 0.25	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft²	

Sample Number	Location	Area Description	Analyte	Result	Units	Recommended Limits
			Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	< 2.00	μg/ft²	** 62
			Barium	< 0.75	μg/ft²	
103-W-19	2nd Floor Column G 6	Floor	Cadmium	< 0.05	μg/ft²	** 31
			Chromium	< 0.50	μg/ft²	
			Lead	< 0.25	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft²	
			Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	< 2.00	μg/ft²	** 62
			Barium	< 0.75	μg/ft²	
103-W-20	2nd Floor Column E 14	Floor	Cadmium	< 0.05	μg/ft²	** 31
			Chromium	< 0.50	μg/ft²	
			Lead	< 0.25	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft²	
			Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	< 2.00	μg/ft²	** 62
			Barium	< 0.75	μg/ft²	
103-W-21	Field Blank		Cadmium	< 0.05	μg/ft²	** 31
			Chromium	< 0.50	μg/ft²	
			Lead	< 0.25	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft²	
			Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	< 2.00	μg/ft²	** 62
			Barium	< 0.75	μg/ft²	
103-W-22	Field Blank		Cadmium	< 0.05	μg/ft²	** 31
			Chromium	< 0.50	μg/ft²	
			Lead	< 0.25	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft²	

^{*} Recommended Limits based on Table 3 (BNL Surface Wipe Criteria for Metals) of the Brookhaven Surface Wipe Sampling Procedure (IH75190), Rev 19: 3/4/14

^{**} Recommended Limits based on Attachment 9.3 (Required & Recommended Surface Wipe Criteria) - Brookhaven Surface Wipe Sampling Procedure (IH75190), Rev 23: 6/23/17 Indicates results at or above REL

Appendix B

Laboratory Analytical Reports





NIOSH 7300/EPA SW-846 3050B

Client: Occu-Tec, Inc. Attn: Justin Arnold Lab Order ID: 71913761 2604 NE Industrial Drive, Suite 230 Date Received: 05/23/2019

2604 NE Industrial Drive, Suite 230

North Kansas City, MO 64117

Date Received:
Date Reported:

North Kansas City, MO 64117 Date Reported: 06/06/2019

Project: 919083.001 GFC Page: 1 of 8

Sample ID	Description	Area		Reporting	Concentration	Concentration
Lab Sample ID	Lab Notes	(ft ²)	*Element	Limit (µg)	(μg)	(μg/ft ²)
			Ag	0.50	< 0.50	< 0.50
	2 nd Floor		As	2.0	< 2.0	< 2.0
103-W-01	Column F33		Ba	0.75	0.99	0.99
	Floor	1	Cd	0.050	0.079	0.079
			Cr	0.50	< 0.50	< 0.50
71913761IPW_1			Pb	0.25	0.90	0.90
719137011F W_1			Se	1.3	< 1.3	< 1.3
	2 nd Floor Column G35 Desk		Ag	0.50	< 0.50	< 0.50
		1	As	2.0	< 2.0	< 2.0
103-W-02			Ва	0.75	1.7	1.7
			Cd	0.050	0.10	0.10
			Cr	0.50	0.52	0.52
71913761IPW_2			Pb	0.25	0.75	0.75
/1915/01IPW_2			Se	1.3	< 1.3	< 1.3
			Ag	0.50	< 0.50	< 0.50
	2 nd Floor		As	2.0	< 2.0	< 2.0
103-W-03	Column H32		Ba	0.75	< 0.75	< 0.75
	Table	1	Cd	0.050	< 0.050	< 0.050
			Cr	0.50	< 0.50	< 0.50
71913761IPW_3			Pb	0.25	< 0.25	< 0.25
/1913/011FW_3			Se	1.3	< 1.3	< 1.3

Melissa Ferrell

Analyst

Lab Director

^{*} SAI is AIHA ELLAP accredited for Pb only for dust wipe metals.





NIOSH 7300/EPA SW-846 3050B

Client: Occu-Tec, Inc. Attn: **Justin Arnold** Lab Order ID: 71913761 **Date Received:** 05/23/2019

2604 NE Industrial Drive, Suite 230

North Kansas City, MO 64117 **Date Reported:** 06/06/2019 919083.001 GFC Page: 2 of 8 **Project:**

Sample ID	Description	Area		Reporting	Concentration	Concentration
Lab Sample ID	Lab Notes	(ft ²)	*Element	Limit (µg)	(μg)	(μg/ft ²)
			Ag	0.50	< 0.50	< 0.51
	2 nd Floor		As	2.0	< 2.0	< 2.1
103-W-04	Column B32		Ba	0.75	< 0.75	< 0.77
	Window Sill	0.972	Cd	0.050	0.11	0.11
			Cr	0.50	< 0.50	< 0.51
71913761IPW_4			Pb	0.25	< 0.25	< 0.26
7191370111 W_4			Se	1.3	< 1.3	< 1.3
	2 nd Floor Column B32 Stairwell Floor		Ag	0.50	< 0.50	< 0.50
		1	As	2.0	< 2.0	< 2.0
103-W-05			Ba	0.75	< 0.75	< 0.75
			Cd	0.050	< 0.050	< 0.050
			Cr	0.50	< 0.50	< 0.50
71913761IPW_5			Pb	0.25	0.72	0.72
/1913/011F W_3			Se	1.3	< 1.3	< 1.3
			Ag	0.50	< 0.50	< 0.50
			As	2.0	< 2.0	< 2.0
103-W-06	1 st Floor Colum J32 Floor		Ba	0.75	0.85	0.85
		1	Cd	0.050	< 0.050	< 0.050
			Cr	0.50	< 0.50	< 0.50
71913761IPW_6			Pb	0.25	< 0.25	< 0.25
/1913/011F W_0			Se	1.3	< 1.3	< 1.3

(b) (6) Melissa Ferrell Analyst Lab Director

^{*} SAI is AIHA ELLAP accredited for Pb only for dust wipe metals.





NIOSH 7300/EPA SW-846 3050B

Client: Occu-Tec, Inc.

. 220

Attn:

Justin Arnold

Lab Order ID:

71913761

2604 NE Industrial Drive, Suite 230 North Kansas City, MO 64117 Date Received: Date Reported:

05/23/2019 06/06/2019

Project: 919083.001 GFC

Page:

3 of 8

Sample ID	Description	Area		Reporting	Concentration	Concentration
Lab Sample ID	Lab Notes	(ft ²)	*Element	Limit (µg)	(µg)	(μg/ft ²)
			Ag	0.50	< 0.50	< 0.51
	1st Floor		As	2.0	< 2.0	< 2.1
103-W-07	Column J36		Ва	0.75	1.8	1.9
	Window Sill	0.972	Cd	0.050	0.079	0.081
			Cr	0.50	< 0.50	< 0.51
71913761IPW_7			Pb	0.25	< 0.25	< 0.26
/1913/01IPW_/			Se	1.3	< 1.3	< 1.3
			Ag	0.50	< 0.50	< 0.50
	1 st Floor Column G34 Floor	1	As	2.0	< 2.0	< 2.0
103-W-08			Ва	0.75	1.1	1.1
			Cd	0.050	0.061	0.061
			Cr	0.50	< 0.50	< 0.50
71913761IPW_8			Pb	0.25	0.53	0.53
/1913/01IPW_8			Se	1.3	< 1.3	< 1.3
			Ag	0.50	< 0.50	< 0.50
	1st Floor		As	2.0	< 2.0	< 2.0
103-W-09	Column B38		Ва	0.75	1.3	1.3
	Floor	1	Cd	0.050	0.061	0.061
			Cr	0.50	< 0.50	< 0.50
71913761IPW_9	UDW O		Pb	0.25	0.66	0.66
/1913/011F W_9			Se	1.3	< 1.3	< 1.3

Melissa Ferrell

Analyst

Lab Director

^{*} SAI is AIHA ELLAP accredited for Pb only for dust wipe metals.





05/23/2019

Date Received:

NIOSH 7300/EPA SW-846 3050B

Client: Occu-Tec, Inc. Attn: Justin Arnold Lab Order ID: 71913761

2604 NE Industrial Drive, Suite 230

North Kansas City, MO 64117

Project: 919083.001 GFC

Date Reported: 06/06/2019
Page: 4 of 8

Sample ID	Description	Area		Reporting	Concentration	Concentration
Lab Sample ID	Lab Notes	(ft ²)	*Element	Limit (µg)	(μg)	(μg/ft ²)
			Ag	0.50	< 0.50	< 0.50
	1 st Floor		As	2.0	< 2.0	< 2.0
103-W-10	Column B38		Ba	0.75	2.2	2.2
	Desk	1	Cd	0.050	0.20	0.20
			Cr	0.50	< 0.50	< 0.50
71913761IPW_10			Pb	0.25	2.7	2.7
719137011F W_10			Se	1.3	< 1.3	< 1.3
	1 st Floor Column B21 Stair Tread		Ag	0.50	< 0.50	< 0.50
		1	As	2.0	< 2.0	< 2.0
103-W-11			Ba	0.75	12	12
			Cd	0.050	0.35	0.35
			Cr	0.50	2.8	2.8
71913761IPW_11			Pb	0.25	17	17
719137011PW_11			Se	1.3	< 1.3	< 1.3
			Ag	0.50	< 0.50	< 0.50
	1 st Floor		As	2.0	< 2.0	< 2.0
103-W-12	Column H2		Ba	0.75	< 0.75	< 0.75
	Desk	1	Cd	0.050	0.12	0.12
			Cr	0.50	< 0.50	< 0.50
71913761IPW_12			Pb	0.25	< 0.25	< 0.25
/1913/011FW_12			Se	1.3	< 1.3	< 1.3

Melissa Ferrell

Analyst

Lab Director

^{*} SAI is AIHA ELLAP accredited for Pb only for dust wipe metals.





Date Received:

71913761

05/23/2019

NIOSH 7300/EPA SW-846 3050B

Client: Occu-Tec, Inc. Attn: Justin Arnold Lab Order ID:

2604 NE Industrial Drive, Suite 230 North Kansas City, MO 64117

North Kansas City, MO 64117 Date Reported: 06/06/2019

Project: 919083.001 GFC Page: 5 of 8

Sample ID	Description	Area		Reporting	Concentration	Concentration
Lab Sample ID	Lab Notes	(ft ²)	*Element	Limit (µg)	(μg)	(μg/ft ²)
			Ag	0.50	< 0.50	< 0.50
	1st Floor		As	2.0	< 2.0	< 2.0
103-W-13	Column C6 –		Ва	0.75	1.9	1.9
	Desk	1	Cd	0.050	0.39	0.39
			Cr	0.50	0.72	0.72
710127611DW 12			Pb	0.25	3.3	3.3
71913761IPW_13			Se	1.3	< 1.3	< 1.3
			Ag	0.50	< 0.50	< 0.50
	1 st Floor Column B12 Stair Tread	1	As	2.0	< 2.0	< 2.0
103-W-14			Ba	0.75	3.6	3.6
			Cd	0.050	0.26	0.26
			Cr	0.50	0.87	0.87
71913761IPW_14			Pb	0.25	3.7	3.7
/1913/011PW_14			Se	1.3	< 1.3	< 1.3
			Ag	0.50	< 0.50	< 0.50
	1st Floor		As	2.0	< 2.0	< 2.0
103-W-15	Column D14 Server		Ba	0.75	6.6	6.6
	Equipment	1	Cd	0.050	15	15
			Cr	0.50	2.5	2.5
71913761IPW_15			Pb	0.25	9.7	9.7
/1915/011PW_15			Se	1.3	< 1.3	< 1.3

Melissa Ferrell

Analyst

Lab Director

^{*} SAI is AIHA ELLAP accredited for Pb only for dust wipe metals.





05/23/2019

Date Received:

NIOSH 7300/EPA SW-846 3050B

Client: Occu-Tec, Inc. Attn: Justin Arnold Lab Order ID: 71913761

2604 NE Industrial Drive, Suite 230

North Kansas City, MO 64117 Date Reported: 06/06/2019

Project: 919083.001 GFC Page: 6 of 8

Sample ID	Description	Area		Reporting	Concentration	Concentration
Lab Sample ID	Lab Notes	(ft ²)	*Element	Limit (µg)	(μg)	(μg/ft ²)
			Ag	0.50	< 0.50	< 0.50
			As	2.0	< 2.0	< 2.0
103-W-16	Freight Elevator Floor		Ва	0.75	< 0.75	< 0.75
		1	Cd	0.050	0.11	0.11
			Cr	0.50	< 0.50	< 0.50
71913761IPW_16			Pb	0.25	0.74	0.74
/1913/011PW_10			Se	1.3	< 1.3	< 1.3
	2 nd Floor Column B6 Window Sill		Ag	0.50	< 0.50	< 0.51
		0.972	As	2.0	< 2.0	< 2.1
103-W-17			Ва	0.75	< 0.75	< 0.77
			Cd	0.050	0.20	0.21
			Cr	0.50	< 0.50	< 0.51
71913761IPW_17			Pb	0.25	0.64	0.66
/1913/011PW_1/			Se	1.3	< 1.3	< 1.3
			Ag	0.50	< 0.50	< 0.50
	2 nd Floor		As	2.0	< 2.0	< 2.0
103-W-18	Column G5		Ba	0.75	< 0.75	< 0.75
	Desk	1	Cd	0.050	0.13	0.13
			Cr	0.50	< 0.50	< 0.50
71913761IPW_18			Pb	0.25	< 0.25	< 0.25
/1913/011F W_10			Se	1.3	< 1.3	< 1.3

Melissa Ferrell

Analyst

Lab Director

^{*} SAI is AIHA ELLAP accredited for Pb only for dust wipe metals.





Date Received:

71913761

05/23/2019

NIOSH 7300/EPA SW-846 3050B

Client: Occu-Tec, Inc. Attn: Justin Arnold Lab Order ID:

2604 NE Industrial Drive, Suite 230

North Kansas City, MO 64117

Project: 919083.001 GFC

Date Reported: 06/06/2019
Page: 7 of 8

Sample ID	Description	Area		Reporting	Concentration	Concentration
Lab Sample ID	Lab Notes	(ft ²)	*Element	Limit (µg)	(μg)	(μg/ft ²)
			Ag	0.50	< 0.50	< 0.50
	2 nd Floor		As	2.0	< 2.0	< 2.0
103-W-19	Column G6 –		Ba	0.75	< 0.75	< 0.75
	Floor	1	Cd	0.050	< 0.050	< 0.050
			Cr	0.50	< 0.50	< 0.50
71913761IPW_19			Pb	0.25	< 0.25	< 0.25
719137011F W_19			Se	1.3	< 1.3	< 1.3
	2 nd Floor Column E14 Floor		Ag	0.50	< 0.50	< 0.50
		1	As	2.0	< 2.0	< 2.0
103-W-20			Ba	0.75	< 0.75	< 0.75
			Cd	0.050	< 0.050	< 0.050
			Cr	0.50	< 0.50	< 0.50
71913761IPW_20			Pb	0.25	< 0.25	< 0.25
/1913/011F W_20			Se	1.3	< 1.3	< 1.3
			Ag	0.50	< 0.50	
			As	2.0	< 2.0	
103-W-21	Blank		Ba	0.75	< 0.75	
		-	Cd	0.050	< 0.050	
			Cr	0.50	< 0.50	
71913761IPW_21			Pb	0.25	< 0.25	
/1913/011F W_21			Se	1.3	< 1.3	

Melissa Ferrell

Analyst

Lab Director

^{*} SAI is AIHA ELLAP accredited for Pb only for dust wipe metals.





05/23/2019

Date Received:

NIOSH 7300/EPA SW-846 3050B

Client: Occu-Tec, Inc. Attn: Justin Arnold Lab Order ID: 71913761

2604 NE Industrial Drive, Suite 230

North Kansas City, MO 64117

Project: 919083.001 GFC

Date Reported: 06/06/2019
Page: 8 of 8

Sample ID	Description	Area (ft²)	*Element	Reporting	Concentration	Concentration
Lab Sample ID	Lab Notes			Limit (µg)	(μg)	(μg/ft ²)
103-W-22	Blank	-	Ag	0.50	< 0.50	
			As	2.0	< 2.0	
			Ba	0.75	< 0.75	
			Cd	0.050	< 0.050	
			Cr	0.50	< 0.50	
710127611DW 22			Pb	0.25	< 0.25	
71913761IPW_22			Se	1.3	< 1.3	

Melissa Ferrell

Analyst

Lab Director

^{*} SAI is AIHA ELLAP accredited for Pb only for dust wipe metals.



Scientific Analytical Institute, Inc. 4604 Dundas Dr. Greensboro, NC 27407

4604 Dundas Dr. Greensboro, NC 27407 Phone: 336.292.3888 Fax: 336.292.3313 www.sailab.com lab@sailab.com

Lab Use Only Lab Order ID:	7191376
Client Code: _	

Company Contact Information	Industrial Hygiene Test Types					
Company: OCCU-TEC Inc.	Contact: Justin Arnold			Silica as Alpha Quartz (XSZ)* With Respirable Dust (XDZ)		
Address: 2604 NE Industrial Drive, Suite 230	Phone □:816-810-3276			Silica as Cristobalite (XSC)*		
	4-3478	Silica as Tridymite (XST)*				
Troiti Transas Sity, MS 5177		Silica as	With Respirable Dust (XDT) s Alpha Quartz, Cristobalite, Tridym			
Email :jarnold@occutec.com				(XSA)*		
Billing/Invoice Information	Turn Arou	nd Times^	Silica B	ulk (XSI)*		
SAME	90 Min.	48 Hours	Bulk Ph	ase ID/Whole Rock (XUK)		
Company:	3 Hours	72 Hours	Total Do	ust Method 0500 (GTD)		
Contact:	6 Hours			pirable Dust OSH Method 0600 (GRD)		
Address:	12 Hours	120 Hours	Ours PCM NIOSH 7400-A Rules (PCM)			
	24 Hours	144⁺Hours ■	B Rule	es (PCB) TWA (PTA)		
	or certain test types	TEM NIOSH 7402 (Asbestos) (TNI)				
PO Number:			(Note if	lent Chromium (OSHA ID-215) from spray paint operations)		
Project Name/Number: 919083.001 GFC				(NIOSH 7300) (Specify Metals Comments)		
-			Other 6	010 C	M	
			*	Modified NIOSH 7500/OSHA ID 14	2	
Sample ID # Description/L	ocation	Volume/A	rea	Comments	1	
103-W-01 2nd floor Column F3	3 Floor	1 SF	į,	Ag, As, Ba, Cd, Gr, Pb	, Se	
103-W-02 2nd floor (dunn 635		ISF		Ag, As, Ba, Cd, Cr, Pb	o, Se	
103-W-03 2m floor Column H32		ISF		Ag, As, Ba, Cd, Cr, Pt	, Se	
103-W-04 2nd floor Column B3	Z Window Si	11 10" × 14"	1	Ag, As, Ba, Cd, Cr, Pt	o, Se	
103-W-05 2nd Floor Column B3Z	. Stairwell floo	- 1 SF		Ag, As, Ba, Cd, Cr, Pt	o, Se	
103-W-09 15+ Cloor Column 132	floor	186		Ag, As, Ba, Cd, Cr, Pt	o, Se	
103-W-07 15+ floor Column J34	Window Sill	10" x 16	O " × 4 1 Ag, As, Ba, Cd, Cr, Pb		o, Se	
103-W-08 15T floor Column 63	4 floor	ISF	ISF Ag, As, Ba, Cd, Cr, P		o, Se	
103-W-09 13- floor Column B3	15F	15F Ag, As, Ba, Cd, Cr		o, Se		
1	38 Desk	15f	Ag, As, Ba, Cd,		o, Se	
103-W-11 15- Floor Column B	1 15F			o, Se		
103-W-12 1st floor Column H2 Desk			15F Ag, As, Ba, Cd		o, Se	
103-W-13 1st Hoor Column C	6 - Desk	18F		Ag, As, Ba, Cd, Cr, Pt	o, Se	
				Total # of Samples		
	/Time	Received	by	Date/Ti	me	
(b) (6)	(b)	(6)				
5-17	77				0:361	
ccepted		Pageof	<u>U</u>			
				A-F-018 EX	CP: 2/4/2021	

Rejected



Scientific Analytical Institute, Inc. 4604 Dundas Dr. Greensboro, NC 27407

4604 Dundas Dr. Greensboro, NC 27407 Phone: 336.292.3888 Fax: 336.292.3313 www.sailab.com lab@sailab.com

Lab Use Only Lab Order ID:	

Sample ID #	Description/Location	Volume/Area	Comments
103-W-14	15+ Cloor Column BIZ Stain Trend	186	Ag, As, Ba, Cd, Cr, Pb, Se
103-W-15	15t floor Column 014 server agained	+ 15F	Ag, As, Ba, Cd, Cr, Pb, Se
103-W-14	Freight Elevator Clost	ISF	Ag, As, Ba, Cd, Cr, Pb, Se
103-W-17	2" floor Column Ble Window 5:11	10" x 14"	Ag, As, Ba, Cd, Cr, Pb, Se
103-W-18	2nd floor Column 65 Desk	156	Ag, As, Ba, Cd, Cr, Pb, Se
103-W-19	2nd floor (dans 66 - Floor	1 SF	Ag, As, Ba, Cd, Cr, Pb, Se
103-W-20	2" floor Column E14 floor	ISF	Ag, As, Ba, Cd, Cr, Pb, Se
63-4-21	BLANK	NA	Ag, As, Ba, Cd, Cr, Pb, Se
103-W-ZZ	BLANK	NA	Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pesp,e

Appendix C Qualifications and Licenses

STATE OF MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES

LEAD OCCUPATION LICENSE REGISTRATION

Issued to:

Justin E. Arnold

The person, firm or corporation whose name appears on this certificate has fulfilled the requirements for licensure as set forth in the Missouri Revised Statutes 701.300-701.338, as long as not suspended or revoked, and is hereby authorized to engage in the activity listed below.

Lead Risk Assessor

Category of License

6/11/2018 Issuance Date: 6/11/2020 **Expiration Date:**

120611-300003622 License Number:





Randall W. Williams, MD, FACOG Director Department of Health and Senior Services

Lead Licensing Program, PO Box 570, Jefferson City, MO 65102