

2604 NE Industrial Drive, Suite 230 North Kansas City, Missouri 64117 Telephone: 816.231.5580

Fax: 816.231.5641 www.occutec.com

June 12, 2019

Diane Czarnecki Industrial Hygienist Facilities Management Division GSA Public Buildings Service - Heartland Region U.S. General Services Administration 2300 Main Street, Kansas City, MO 64108

RE: Goodfellow Federal Center
Metals in Settled Dust Sampling – Building 110
4300 Goodfellow Boulevard
St. Louis, Missouri 63120
OCCU-TEC Project No. 919083

Dear Ms. Czarnecki:

Thank you for the opportunity to assist the General Services Administration (GSA) with the metals in settled dust sampling investigation of Building 110 located at the Goodfellow Federal Center (GFC), in St. Louis, Missouri. OCCU-TEC, Inc. (OCCU-TEC) understands that the purpose of the investigation was to provide additional sampling data of existing environmental conditions that are present at GFC that could adversely impact the health and safety of building occupants as well as workers at the facility. The following report summarizes the sample collection activities and the laboratory analytical results of samples submitted.

On May 28, 2019, a team of OCCU-TEC personnel including a Missouri licensed lead risk assessor conducted settled dust sampling for the presence of seven of the Resource Conservation and Recovery Act (RCRA) target metals (lead, arsenic, barium, cadmium, total chromium, selenium, and silver) from various surfaces within tenant-occupied areas within the building. The purpose of this testing was to further characterize the presence and concentration of target metals in common tenant-occupied areas of the building.

The proposed sampling scheme, the number of samples, the sample distribution and general methodology was developed by GSA and OCCU-TEC. Specific sample locations were determined by OCCU-TEC personnel while on-site.

Metals in Settled Dust Sampling

Metals in settled dust sampling was conducted within only within tenant-occupied areas.

Dust wipe sampling was conducted in accordance with ASTM Standard E1728-16: Standard Practice for Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Lead Determination. ASTM Standard E1728-16 is consistent with the methodology described in the Housing and Urban Development Guidelines and 40 CRF 745.63. The Brookhaven National Laboratory's Surface Wipe Sampling Procedure (IH75190) was also used as a guideline.

Dust wipe sampling for the target metals was conducted on a variety of representative surfaces that have the potential of being disturbed by building occupants. A representative surface area of approximately one square foot (1 SF) was measured and delineated with pre-fabricated, disposable templates. The dust wipe samples were collected using dedicated dust wipe cloths meeting ASTM standards. Each individually wrapped. Each sample was collected over a measured sampling area. Then, the wipe was rough again in a direction perpendicular to the first wipe orientation. The wipe samples were then placed into labeled, clean laboratory-supplied plastic centrifuge tubes with screw on caps. Dust wipe samples were submitted to Scientific Analytical Institute, Inc. (SAI) in Greensboro, North Carolina for Inductively Coupled Plasma (ICP) analysis of metals analysis using Environmental Protection Agency (EPA) method SW846 350B/7420.

Results of the dust wipe samples collected from the building indicate that fourteen (14) of twenty (20) samples contained concentrations of target metals above laboratory detection limits. The following table identifies the range of results for each of the seven metals that were analyzed. Samples with a "<" sign indicate that the results were below the reportable limit.

Analysis	Lowest	Highest
	Concentration	Concentration
	(μg/sq. ft.)	$(\mu g/sq. ft.)$
Silver	< 0.50	< 0.50
Arsenic	<2.0	2.4
Barium	< 0.75	7.0
Cadmium	< 0.050	1.6
Total Chromium	< 0.50	25.0
Lead	< 0.25	56.0
Selenium	<1.3	<1.3

The samples collected did not contain target metals above the Brookhaven recommended levels.

OCCU-TEC appreciates the opportunity to work with GSA on this project. If you have any questions concerning this report, or if we may be of any additional service, please feel free to contact us.

Sincerely,



Justin Arnold, CIEC Environmental Scientist





(b) (6)

Kevin Heriford Environmental Operations Manager (QA/QC)

Appendices:

- A Sample Summary Table
- B Laboratory Analysis Reports
- C Licenses





Appendix A Sample Summary Table

Sample Number	Location	Area Description	Analyte	Result	Units	Recommended Limits
			Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	< 2.00	μg/ft²	** 62
			Barium	< 0.75	μg/ft²	
110-W-01	Lower Level K3	Desk Cabinet	Cadmium	< 0.05	μg/ft²	** 31
			Chromium	< 0.50	μg/ft²	
			Lead	< 0.25	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft²	
			Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	< 2.00	μg/ft²	** 62
			Barium	< 0.75	μg/ft²	
110-W-02	Lower Level H2	Floor	Cadmium	0.10	μg/ft²	** 31
			Chromium	< 0.50	μg/ft²	
			Lead	0.88	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft²	
			Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	2.40	μg/ft²	** 62
			Barium	70.00	μg/ft²	
110-W-03	Lower Level B7	Top of Equipment	Cadmium	1.60	μg/ft²	** 31
			Chromium	25.00	μg/ft²	
			Lead	56.00	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft ²	
			Silver	< 0.50	μg/ft ²	* 139/9.3
			Arsenic	< 2.00	μg/ft ²	** 62
			Barium	1.70	μg/ft ²	
110-W-04	Lower Level E9	Floor	Cadmium	0.06	μg/ft ²	** 31
			Chromium	< 0.50	μg/ft²	
			Lead	0.50	μg/ft ²	** 200/40
			Selenium	< 1.30	μg/ft²	
			Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	< 2.00	μg/ft²	** 62
			Barium	< 0.75	μg/ft ²	
110-W-05	Lower Level A9	Window Sill	Cadmium	0.09	μg/ft ²	** 31
	201101 20101713		Chromium	< 0.50	μg/ft ²	
			Lead	< 0.25	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft ²	200740
			Silver	< 0.50		* 120/0.2
					μg/ft²	* 139/9.3 ** 63
			Arsenic	< 2.00	$\mu g/ft^2$	** 62
440.14/.06	Laurent aval 540	Fl	Barium	< 0.75	μg/ft²	٠ د ين
110-W-06	Lower Level F10	Floor	Cadmium	0.058	μg/ft²	** 31
			Chromium	< 0.50	μg/ft²	
			Lead	< 0.25	μg/ft²	** 200/40
			Selenium	< 1.30	$\mu g/ft^2$	

Sample Number	Location	Area Description	Analyte	Result	Units	Recommended Limits
			Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	< 2.00	μg/ft²	** 62
			Barium	< 0.75	μg/ft²	
110-W-07	Lower Level E11	Conference Table	Cadmium	0.086	μg/ft²	** 31
			Chromium	< 0.50	μg/ft²	
			Lead	< 0.25	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft²	
			Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	< 2.00	μg/ft²	** 62
			Barium	1.60	μg/ft²	
110-W-08	Lower Level B14	Floor	Cadmium	< 0.05	μg/ft²	** 31
			Chromium	< 0.50	μg/ft²	
			Lead	1.10	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft²	
			Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	< 2.00	μg/ft²	** 62
	Lower Level K13	Desk Cabinet	Barium	< 0.75	μg/ft²	
110-W-09			Cadmium	< 0.05	μg/ft²	** 31
			Chromium	< 0.50	μg/ft²	
			Lead	0.51	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft²	
			Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	< 2.00	μg/ft²	** 62
			Barium	3.30	μg/ft²	
110-W-10	Lower Level P15	Stairwell Floor	Cadmium	0.072	μg/ft²	** 31
			Chromium	0.58	μg/ft²	
			Lead	1.50	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft²	
			Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	< 2.00	μg/ft²	** 62
			Barium	< 0.75	μg/ft²	
110-W-11	Upper Level F10	Table	Cadmium	< 0.05	μg/ft²	** 31
			Chromium	< 0.50	μg/ft²	
			Lead	< 0.25	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft²	
			Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	< 2.00	μg/ft²	** 62
			Barium	< 0.75	μg/ft²	
110-W-12	Upper Level L12	Floor	Cadmium	< 0.05	μg/ft²	** 31
			Chromium	< 0.50	μg/ft²	T
			Lead	< 0.25	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft²	

Sample Number	Location	Area Description	Analyte	Result	Units	Recommended Limits
			Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	< 2.00	μg/ft²	** 62
			Barium	< 0.75	μg/ft²	
110-W-13	Upper Level P14	Window Sill	Cadmium	0.08	μg/ft²	** 31
			Chromium	< 0.50	μg/ft²	
			Lead	0.52	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft²	
			Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	< 2.00	μg/ft²	** 62
			Barium	2.60	μg/ft²	
110-W-14	Upper Level E15	Stairwell Floor	Cadmium	0.076	μg/ft²	** 31
			Chromium	< 0.50	μg/ft²	
			Lead	0.26	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft²	
			Silver	< 0.50	μg/ft²	* 139/9.3
	Upper Level A14	Desk	Arsenic	< 2.00	μg/ft²	** 62
			Barium	< 0.75	μg/ft²	
110-W-15			Cadmium	< 0.05	μg/ft²	** 31
			Chromium	< 0.50	μg/ft²	
			Lead	< 0.25	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft²	
			Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	< 2.00	μg/ft²	** 62
			Barium	< 0.75	μg/ft²	
110-W-16	Upper Level E12	Floor	Cadmium	< 0.05	μg/ft²	** 31
			Chromium	< 0.50	μg/ft²	
			Lead	0.40	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft²	
			Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	< 2.00	μg/ft²	** 62
			Barium	< 0.75	μg/ft²	
110-W-17	Upper Level D10	Desk	Cadmium	< 0.05	μg/ft²	** 31
			Chromium	< 0.50	μg/ft²	
			Lead	< 0.25	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft²	
			Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	< 2.00	μg/ft²	** 62
			Barium	< 0.75	μg/ft²	
110-W-18	Upper Level F8	Floor	Cadmium	< 0.05	μg/ft²	** 31
			Chromium	< 0.50	μg/ft²	
			Lead	0.40	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft²	

Sample Number	Location	Area Description	Analyte	Result	Units	Recommended Limits
			Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	< 2.00	μg/ft²	** 62
			Barium	< 0.75	μg/ft²	
110-W-19	Upper Level J3	Desk	Cadmium	< 0.05	μg/ft²	** 31
			Chromium	< 0.50	μg/ft²	
			Lead	< 0.25	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft²	
			Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	< 2.00	μg/ft²	** 62
			Barium	3.30	μg/ft²	
110-W-20	Upper Level G32	Stairwell Floor	Cadmium	0.14	μg/ft²	** 31
			Chromium	< 0.50	μg/ft²	
			Lead	1.30	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft²	
			Silver	< 0.50	μg	* 139/9.3
			Arsenic	< 2.00	μg	** 62
			Barium	< 0.75	μg	
110-W-21	FB		Cadmium	< 0.05	μg	** 31
			Chromium	< 0.50	μg	
			Lead	< 0.25	μg	** 200/40
			Selenium	< 1.30	μg	
			Silver	< 0.50	μg	* 139/9.3
			Arsenic	< 2.00	μg	** 62
110-W-22			Barium	< 0.75	μg	
	FB		Cadmium	< 0.05	μg	** 31
			Chromium	< 0.50	μg	** 200/10
			Lead	< 0.25	μg	** 200/40
			Selenium	< 1.30	μg	

^{*} Recommended Limits based on Table 3 (BNL Surface Wipe Criteria for Metals) of the Brookhaven Surface Wipe Sampling Procedure (IH75190), Rev 19: 3/4/14

^{**} Recommended Limits based on Attachment 9.3 (Required & Recommended Surface Wipe Criteria) - Brookhaven Surface Wipe Sampling Procedure (IH75190), Rev 23: 6/23/17 Indicates results at or above REL

Appendix B

Laboratory Analytical Reports





NIOSH 7300/EPA SW-846 3050B

Client: Occu-Tec, Inc.

2604 NE Industrial Dr. Ste 230

North Kansas City, MO 64117

Project: 919083.001 GFC

Attn: Justin Arnold

Lab Order ID: Date Received: 71914397 05/30/2019

Date Received:

Date Reported:

05/30/2019 06/10/2019

Page: 1 of 8

Sample ID	Description	Area		Reporting	Concentration	Concentration
Lab Sample ID	Lab Notes	(ft ²)	*Element	Limit (µg)	(μg)	(μg/ft²)
			Ag	0.50	< 0.50	< 0.50
			As	2.0	< 2.0	< 2.0
110-W-01	LL K3 – desk cabinet		Ba	0.75	< 0.75	< 0.75
		1	Cd	0.050	< 0.050	< 0.050
			Cr	0.50	< 0.50	< 0.50
71914397 <i>IPW_1</i>			Pb	0.25	< 0.25	< 0.25
/191439/IF W_I			Se	1.3	< 1.3	< 1.3
			Ag	0.50	< 0.50	< 0.50
			As	2.0	< 2.0	< 2.0
110-W-02	LL H2 – floor		Ba	0.75	< 0.75	< 0.75
		1	Cd	0.050	0.10	0.10
			Cr	0.50	< 0.50	< 0.50
71914397 <i>IPW</i> _2			Pb	0.25	0.88	0.88
/191439/IPW_2			Se	1.3	< 1.3	< 1.3
			Ag	0.50	< 0.50	< 0.50
			As	2.0	2.4	2.4
110-W-03	LL B7 – top of equipment		Ba	7.50	70.	70.
equipment	1	Cd	0.050	1.6	1.6	
			Cr	0.50	25	25
71914397 <i>IPW_3</i>			Pb	0.25	56	56
/191439/IFW_3			Se	1.3	< 1.3	< 1.3

Melissa Ferrell

Analyst

Lab Director

^{*} SAI is AIHA ELLAP accredited for Pb only for dust wipe metals.





NIOSH 7300/EPA SW-846 3050B

Client: Occu-Tec, Inc.

2604 NE Industrial Dr. Ste 230

North Kansas City, MO 64117 919083.001 GFC **Project:**

Attn: **Justin Arnold** Lab Order ID:

71914397

Date Received: Date Reported: 05/30/2019 06/10/2019

Page:

2 of 8

Sample ID	Description	Area		Reporting	Concentration	Concentration
Lab Sample ID	Lab Notes	(ft ²)	*Element	Limit (µg)	(μg)	(μg/ft²)
			Ag	0.50	< 0.50	< 0.50
			As	2.0	< 2.0	< 2.0
110-W-04	LL E9 - floor		Ba	0.75	1.7	1.7
		1	Cd	0.050	0.057	0.057
			Cr	0.50	< 0.50	< 0.50
71914397 <i>IPW_4</i>			Pb	0.25	0.50	0.50
/191439/IF W_4			Se	1.3	< 1.3	< 1.3
			Ag	0.50	< 0.50	< 0.50
	LL A9 – window sill		As	2.0	< 2.0	< 2.0
110-W-05			Ba	0.75	< 0.75	< 0.75
		1	Cd	0.050	0.093	0.093
			Cr	0.50	< 0.50	< 0.50
71914397 <i>IPW_5</i>			Pb	0.25	< 0.25	< 0.25
/191439/IPW_3			Se	1.3	< 1.3	< 1.3
			Ag	0.50	< 0.50	< 0.50
			As	2.0	< 2.0	< 2.0
110-W-06	LL F10 - floor		Ba	0.75	< 0.75	< 0.75
		1	Cd	0.050	0.058	0.058
			Cr	0.50	< 0.50	< 0.50
71914397 <i>IPW</i> _6			Pb	0.25	< 0.25	< 0.25
/191439/IFW_0			Se	1.3	< 1.3	< 1.3

Melissa Ferrell	(b) (b)
Analyst	Lab Director

^{*} SAI is AIHA ELLAP accredited for Pb only for dust wipe metals.





NIOSH 7300/EPA SW-846 3050B

Client: Occu-Tec, Inc.

2604 NE Industrial Dr. Ste 230

North Kansas City, MO 64117

Project: 919083.001 GFC

Attn: Justin Arnold

Lab Order ID:

71914397

Date Received: Date Reported: 05/30/2019 06/10/2019

Page:

3 of 8

Sample ID	Description	Area		Reporting	Concentration	Concentration
Lab Sample ID	Lab Notes	(ft ²)	*Element	Limit (µg)	(μg)	(μg/ft²)
			Ag	0.50	< 0.50	< 0.50
	LL E11 –		As	2.0	< 2.0	< 2.0
110-W-07	conference		Ba	0.75	< 0.75	< 0.75
	table	1	Cd	0.050	0.086	0.086
			Cr	0.50	< 0.50	< 0.50
71914397 <i>IPW_7</i>			Pb	0.25	< 0.25	< 0.25
/191439/IF W_/			Se	1.3	< 1.3	< 1.3
			Ag	0.50	< 0.50	< 0.50
	LL B14 – floor		As	2.0	< 2.0	< 2.0
110-W-08			Ва	0.75	1.6	1.6
		1	Cd	0.050	< 0.050	< 0.050
			Cr	0.50	< 0.50	< 0.50
71914397 <i>IPW</i> _8			Pb	0.25	1.1	1.1
/191439/IPW_0			Se	1.3	< 1.3	< 1.3
			Ag	0.50	< 0.50	< 0.50
			As	2.0	< 2.0	< 2.0
110-W-09	LL K13 – desk cabinet		Ba	0.75	< 0.75	< 0.75
		1	Cd	0.050	< 0.050	< 0.050
			Cr	0.50	< 0.50	< 0.50
71914397 <i>IPW_9</i>			Pb	0.25	0.51	0.51
/191439/IFW_9			Se	1.3	< 1.3	< 1.3

Melissa Ferrell

Analyst

Lab Director

^{*} SAI is AIHA ELLAP accredited for Pb only for dust wipe metals.





NIOSH 7300/EPA SW-846 3050B

Client: Occu-Tec, Inc.

2604 NE Industrial Dr. Ste 230

North Kansas City, MO 64117

Project: 919083.001 GFC

Attn: Justin Arnold

Lab Order ID:

71914397

Date Received:
Date Reported:

05/30/2019 06/10/2019

Page:

4 of 8

Sample ID	Description	Area		Reporting	Concentration	Concentration
Lab Sample ID	Lab Notes	(ft ²)	*Element	Limit (µg)	(μg)	(μg/ft ²)
			Ag	0.50	< 0.50	< 0.50
			As	2.0	< 2.0	< 2.0
110-W-10	LL P15 – stairwell floor		Ba	0.75	3.3	3.3
		1	Cd	0.050	0.072	0.072
			Cr	0.50	0.58	0.58
71914397 <i>IPW_10</i>			Pb	0.25	1.5	1.5
/191439/IF W_10			Se	1.3	< 1.3	< 1.3
			Ag	0.50	< 0.50	< 0.50
	UL F10 – table) – table	As	2.0	< 2.0	< 2.0
110-W-11			Ва	0.75	< 0.75	< 0.75
			Cd	0.050	< 0.050	< 0.050
			Cr	0.50	< 0.50	< 0.50
71914397 <i>IPW_11</i>			Pb	0.25	< 0.25	< 0.25
/191439/IPW_11			Se	1.3	< 1.3	< 1.3
			Ag	0.50	< 0.50	< 0.50
			As	2.0	< 2.0	< 2.0
110-W-12	UL L12 – floor		Ba	0.75	< 0.75	< 0.75
		1	Cd	0.050	< 0.050	< 0.050
			Cr	0.50	< 0.50	< 0.50
71914397 <i>IPW_12</i>			Pb	0.25	< 0.25	< 0.25
/191439/IFW_12			Se	1.3	< 1.3	< 1.3

Melissa Ferrell	(b) (b)
Analyst	Lab Director

^{*} SAI is AIHA ELLAP accredited for Pb only for dust wipe metals.





NIOSH 7300/EPA SW-846 3050B

Client: Occu-Tec, Inc.

2604 NE Industrial Dr. Ste 230

North Kansas City, MO 64117

Project: 919083.001 GFC

Attn: Justin Arnold

Lab Order ID:

71914397

Date Received: Date Reported:

05/30/2019 06/10/2019

Page:

5 of 8

Sample ID	Description	Area		Reporting	Concentration	Concentration
Lab Sample ID	Lab Notes	(ft ²)	*Element	Limit (µg)	(µg)	(μg/ft ²)
			Ag	0.50	< 0.50	< 0.50
			As	2.0	< 2.0	< 2.0
110-W-13	UL P14 – window sill		Ва	0.75	< 0.75	< 0.75
		1	Cd	0.050	0.080	0.080
			Cr	0.50	< 0.50	< 0.50
71914397 <i>IPW_13</i>			Pb	0.25	0.52	0.52
/191439/IF W_13			Se	1.3	< 1.3	< 1.3
			Ag	0.50	< 0.50	< 0.50
			As	2.0	< 2.0	< 2.0
110-W-14	UL E15 – stairwell floor	1	Ba	0.75	2.6	2.6
			Cd	0.050	0.076	0.076
			Cr	0.50	< 0.50	< 0.50
71914397 <i>IPW_14</i>			Pb	0.25	0.26	0.26
/191439/IF W_14			Se	1.3	< 1.3	< 1.3
			Ag	0.50	< 0.50	< 0.50
			As	2.0	< 2.0	< 2.0
110-W-15	UL A14 – desk		Ba	0.75	< 0.75	< 0.75
		1	Cd	0.050	< 0.050	< 0.050
			Cr	0.50	< 0.50	< 0.50
71914397 <i>IPW_15</i>			Pb	0.25	< 0.25	< 0.25
/171437/IF W_I3			Se	1.3	< 1.3	< 1.3

Melissa Ferrell	(b) (b)
Analyst	Lab Director

^{*} SAI is AIHA ELLAP accredited for Pb only for dust wipe metals.





NIOSH 7300/EPA SW-846 3050B

Client: Occu-Tec, Inc.

2604 NE Industrial Dr. Ste 230

North Kansas City, MO 64117

Project: 919083.001 GFC

Attn: Justin Arnold

Lab Order ID:

71914397

Date Received: Date Reported: 05/30/2019 06/10/2019

Page:

6 of 8

Sample ID	Description	Area		Reporting	Concentration	Concentration
Lab Sample ID	Lab Notes	(ft ²)	*Element	Limit (µg)	(µg)	(μg/ft ²)
			Ag	0.50	< 0.50	< 0.50
			As	2.0	< 2.0	< 2.0
110-W-16	UL E12 - floor		Ba	0.75	< 0.75	< 0.75
		1	Cd	0.050	< 0.050	< 0.050
			Cr	0.50	< 0.50	< 0.50
71914397 <i>IPW_16</i>			Pb	0.25	0.40	0.40
/191439/IPW_10			Se	1.3	< 1.3	< 1.3
			Ag	0.50	< 0.50	< 0.50
			As	2.0	< 2.0	< 2.0
110-W-17	UL D10 - desk		Ва	0.75	< 0.75	< 0.75
		1	Cd	0.050	< 0.050	< 0.050
			Cr	0.50	< 0.50	< 0.50
71914397 <i>IPW_17</i>			Pb	0.25	< 0.25	< 0.25
/191439/IPW_1/			Se	1.3	< 1.3	< 1.3
			Ag	0.50	< 0.50	< 0.50
			As	2.0	< 2.0	< 2.0
110-W-18	UL F8 - floor	1	Ba	0.75	< 0.75	< 0.75
			Cd	0.050	< 0.050	< 0.050
			Cr	0.50	< 0.50	< 0.50
71914397 <i>IPW_18</i>			Pb	0.25	0.40	0.40
/191439/IFW_18			Se	1.3	< 1.3	< 1.3

Melissa Ferrell	(b) (6)
Analyst	Lab Director

^{*} SAI is AIHA ELLAP accredited for Pb only for dust wipe metals.





NIOSH 7300/EPA SW-846 3050B

Client: Occu-Tec, Inc.

2604 NE Industrial Dr. Ste 230

North Kansas City, MO 64117

Project: 919083.001 GFC

Attn: Justin Arnold

Lab Order ID:

71914397

Date Received: Date Reported:

05/30/2019 06/10/2019

Page:

7 of 8

Sample ID	Description	Area		Reporting	Concentration	Concentration
Lab Sample ID	Lab Notes	(ft ²)	*Element	Limit (µg)	(µg)	(μg/ft ²)
			Ag	0.50	< 0.50	< 0.50
			As	2.0	< 2.0	< 2.0
110-W-19	UL J3 - desk		Ba	0.75	< 0.75	< 0.75
		1	Cd	0.050	< 0.050	< 0.050
			Cr	0.50	< 0.50	< 0.50
71914397 <i>IPW_19</i>			Pb	0.25	< 0.25	< 0.25
/191439/1F W_19			Se	1.3	< 1.3	< 1.3
			Ag	0.50	< 0.50	< 0.50
			As	2.0	< 2.0	< 2.0
110-W-20	UL G2 – stairwell floor		Ba	0.75	3.3	3.3
		1	Cd	0.050	0.14	0.14
			Cr	0.50	< 0.50	< 0.50
71914397 <i>IPW_20</i>			Pb	0.25	1.3	1.3
/191439/IF W_20			Se	1.3	< 1.3	< 1.3
			Ag	0.50	< 0.50	
			As	2.0	< 2.0	
110-W-21	FB		Ba	0.75	< 0.75	
		-	Cd	0.050	< 0.050	
			Cr	0.50	< 0.50	
71914397 <i>IPW_21</i>			Pb	0.25	< 0.25	
/191439/IF W_21			Se	1.3	< 1.3	

Melissa Ferrell

Analyst

Lab Director

^{*} SAI is AIHA ELLAP accredited for Pb only for dust wipe metals.





05/30/2019

NIOSH 7300/EPA SW-846 3050B

Client: 71914397 Occu-Tec, Inc. Attn: **Justin Arnold** Lab Order ID:

> 2604 NE Industrial Dr. Ste 230 **Date Received:** North Kansas City, MO 64117

Date Reported: 06/10/2019 919083.001 GFC Page: **Project:** 8 of 8

Sample ID	Description	Area		Reporting	Concentration	Concentration
Lab Sample ID	Lab Notes	(ft ²)	*Element	Limit (µg)	(µд)	(μg/ft²)
			Ag	0.50	< 0.50	
			As	2.0	< 2.0	
110-W-22	FB		Ba	0.75	< 0.75	
		-	Cd	0.050	< 0.050	
			Cr	0.50	< 0.50	
71914397 <i>IPW_22</i>			Pb	0.25	< 0.25	
/191439/IFW_22			Se	1.3	< 1.3	

(b) (6) Melissa Ferrell Lab Director Analyst

^{*} SAI is AIHA ELLAP accredited for Pb only for dust wipe metals.



Scientific Analytical Institute, Inc. 4604 Dundas Dr. Greensboro, NC 27407

4604 Dundas Dr. Greensboro, NC 27407 Phone: 336.292.3888 Fax: 336.292.3313 www.sailab.com lab@sailab.com

Lab Use Only Lab Order ID:	7914397
Client Code: _	

Company Contact Inf	ompany Contact Information			Industrial Hygiene Test Types	
Company: OCCU-TEC In			Arnold	Silica as Alpha Quartz (XSZ)*	
	<u> </u>			With Respirable Dust (XDZ) Silica as Cristobalite (XSC)*	
Address: 2604 NE Industria				With Respirable Dust (XDC) Silica as Tridymite (XST)*	
North Kansas City	, MO 64117	Fax : 816-99	4-3478	With Respirable Dust (X	(DT)
		Email :jarnold@	occutec.com	Silica as Alpha Quartz, Cristobalite, Tri (XSA)*	dymite
				With Respirable Dust (X	(DA)
Billing/Invoice Inform	nation	Turn Arou	nd Times	Silica Bulk (XSI)*	
SAME 🔳		90 Min. 🔲	48 Hours	Bulk Phase ID/Whole Rock (XUK)	
Company:		3 Hours	72 Hours	Total Dust NIOSH Method 0500 (GTD)	
Contact:	•	6 Hours 🔲	96 Hours	Respirable Dust NIOSH Method 0600 (GRD)	
Address:		12 Hours 🔲	120 Hours	PCM NIOSH 7400-A Rules (PCM)	
		24 Hours 🔲	144⁺Hours □	B Rules (PCB) TWA (PT	A) 🔲
		^TATs not available f	or certain test types	TEM NIOSH 7402 (Asbestos) (TNI)	
PO Number:				Hexavalent Chromium (OSHA ID-215) (Note if from spray paint operations)	
Project Name/Number:91	19083.001 GFC			Metals (NIOSH 7300) (Specify Metals Under Comments)	
				Other 6010 C	[X
Sample ID # 110 - W-01	Description/I	sk cubinet	151	Ag, As, Ba, Cd, Cr, Ag, As, Ba, Cd, Cr,	Pb, Se
tion I i I i	163- des 112- fla 112- fla 112- fla 159- fla 169- WY 10- fla 1613- de 1613- de 1613- de 1615- fla 1613- de	ok cubinet or of equipment adamsill por of tuble or sk cabinet stairwell fl	1 5- st st st st our st	Ag, As, Ba, Cd, Cr,	Pb, Se
110-W-01 LL 10-W-02 LL 10-W-03 LL 10-W-04 LL 10-W-06 LL 110-W-06 LL 110-W-06 LL	163- des 112- fla 112- fla 112- fla 159- fla 160- fla 161- con 1613- de 1613- de 1613- de 1613- de 1613- de	ok cubinet or of equipment adamsill por of tuble sor sk cubinet stairwell fl		Ag, As, Ba, Cd, Cr,	Pb, Se
10-W-01 LL 10-W-02 LL 10-W-03 LL 10-W-04 LL 10-W-06 LL 10-W-06 LL 110-W-09 LL 110-W-09 LL 110-W-10 LL 110-W-11 UL 110-W-12 UL	163- des 112- fla 112- fla 112- fla 159- fla 169- WY 10- fla 1613- de 1613- de 1613- de 1615- fla 1613- de	sk cubinet por of equipment adamsill por of table sk cabinet sk cabinet stairwell fl		Ag, As, Ba, Cd, Cr,	Pb, Se
10-W-01 LL 10-W-02 LL 10-W-03 LL 10-W-04 LL 10-W-06 LL 10-W-06 LL 10-W-06 LL 10-W-06 LL	163- des 112- fla 112- fla 112- fla 159- fla 160- fla 161- con 1613- de 1613- de 1613- de 1613- de 1613- de	ok cubinet or of equipment adamsill por of tuble sor sk cubinet stairwell fl		Ag, As, Ba, Cd, Cr,	Pb, Se
10-W-01 LL 10-W-02 LL 10-W-03 LL 10-W-04 LL 10-W-06 LL 10-W-06 LL 110-W-09 LL 110-W-09 LL 110-W-10 LL 110-W-11 UL 110-W-12 UL	163- des 112- fla 112- fla 112- fla 113- fla 113- de 113- de 113- de 113- de 111- fla 111- fla 111- wind	ok cubinet or of equipment adamsill por of table sor sk cabinet sk cabinet stairwell fle or low sill		Ag, As, Ba, Cd, Cr, Total # of Samples	Pb, Se
110-W-01 LL 10-W-03 LL 10-W-03 LL 10-W-04 LL 10-W-06 LL 110-W-07 LL 110-W-09 LL 110-W-10 LL 110-W-11 UL 110-W-12 UL	163- des 112- fla 112- fla 112- fla 113- fla 113- de 113- de 113- de 113- de 111- fla 111- fla 111- wind	ok cubinet or of equipment adamsill por of table sor sk cabinet sk cabinet stairwell fl		Ag, As, Ba, Cd, Cr, Total # of Samples by Date/1	Pb, Se
10-W-01 LL $10-W-03$ LL $10-W-03$ LL $10-W-06$ LL $10-W-06$ LL $10-W-06$ LL $10-W-09$ LL $10-W-09$ LL $10-W-10$ LL $10-W-11$ UL $10-W-13$ UL Relinquished by	C3- des H2- flo B7- top F9- flo A9- wir F10- flo B14- flo K13- de P14- wind	ok cubinet		Ag, As, Ba, Cd, Cr, Total # of Samples by Page Page	Pb, Se



Scientific Analytical Institute, Inc. 4604 Dundas Dr. Greensboro, NC 27407 Phone: 336.292.3888 Fax: 336.292.3313 www.sailab.com lab@sailab.com

Lab Use Only Lab Order ID:	71914397
Client Code: _	

Sample ID #	Description/Location	Volume/Area	Comments
110-11-14	UL 1=15 - Stairwell floor	1 sf	Ag, As, Ba, Cd, Cr, Pb, Se
110-11/15	UL A14 - desle	15	Ag, As, Ba, Cd, Cr, Pb, Se
110-14-16	UL ELZ-Floor	1 sf	Ag, As, Ba, Cd, Cr, Pb, Se
110-W-17	UL NIO- desk	154	Ag, As, Ba, Cd, Cr, Pb, Se
111)-W-18	UL F8 - Floor	154	Ag, As, Ba, Cd, Cr, Pb, Se
110-11/-19	UL J3- desle	154	Ag, As, Ba, Cd, Cr, Pb, Se
110-111-20	111 62 - Staismell flour	1 8	Ag, As, Ba, Cd, Cr, Pb, Se
110-11-21	I-B	NA	Ag, As, Ba, Cd, Cr, Pb, Se
110-W-22	FB	11/4	Ag, As, Ba, Cd, Cr, Pb, Se
110 00 000	1	NIA	Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
depth of the same of the same of			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pb, Se
			Ag, As, Ba, Cd, Cr, Pesp,e
			Page of

Appendix C Qualifications and Licenses

STATE OF MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES

LEAD OCCUPATION LICENSE REGISTRATION

Issued to:

Justin E. Arnold

The person, firm or corporation whose name appears on this certificate has fulfilled the requirements for licensure as set forth in the Missouri Revised Statutes 701.300-701.338, as long as not suspended or revoked, and is hereby authorized to engage in the activity listed below.

Lead Risk Assessor Category of License

Issuance Date: 6/11/2018
Expiration Date: 6/11/2020

License Number: 120611-300003622





Randall W. Williams, MD, FACOG
Director
Department of Health and Senior Services

Lead Licensing Program, PO Box 570, Jefferson City, MO 65102