

2604 NE Industrial Drive, Suite 230 North Kansas City, Missouri 64117 Telephone: 816.231.5580

Fax: 816.231.5641 www.occutec.com

June 12, 2019

Diane Czarnecki Industrial Hygienist Facilities Management Division GSA Public Buildings Service - Heartland Region U.S. General Services Administration 2300 Main Street, Kansas City, MO 64108

RE: Goodfellow Federal Center

Metals in Settled Dust Sampling – Building #141C

4300 Goodfellow Boulevard

St. Louis, Missouri 63120

OCCU-TEC Project No. 919083

Dear Ms. Czarnecki:

Thank you for the opportunity to assist the General Services Administration (GSA) with the metals in settled dust sampling investigation of Building #141C located at the Goodfellow Federal Center (GFC), in St. Louis, Missouri. OCCU-TEC Inc. (OCCU-TEC) understands that the purpose of the investigation was to provide additional sampling data of existing environmental conditions that are present at GFC that could adversely impact the health and safety of building occupants as well as workers at the facility. The following report summarizes the sample collection activities and the laboratory analytical results of samples submitted.

On May 30, 2019, a team of OCCU-TEC personnel including a Missouri licensed lead risk assessor conducted settled dust sampling for the presence of seven of the Resource Conservation and Recovery Act (RCRA) target metals (lead, arsenic, barium, cadmium, total chromium, selenium, and silver) from various surfaces within tenant-occupied areas within the building. The purpose of this testing was to further characterize the presence and concentration of target metals in common tenant-occupied areas of the building.

The proposed sampling scheme, the number of samples, the sample distribution and general methodology was developed by GSA and OCCU-TEC. Specific sample locations were determined by OCCU-TEC personnel while on-site.

#### Metals in Settled Dust Sampling

Metals in settled dust sampling was conducted within only within tenant-occupied areas.

Dust wipe sampling was conducted in accordance with ASTM Standard E1728-16: Standard Practice for Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Lead Determination. ASTM Standard E1728-16 is consistent with the methodology described in the Housing and Urban Development Guidelines and 40 CRF 745.63. The Brookhaven National Laboratory's Surface Wipe Sampling Procedure (IH75190) was also used as a guideline.

Dust wipe sampling for the target metals was conducted on a variety of representative surfaces that have the potential of being disturbed by building occupants. A representative surface area of approximately one square foot (1 SF) was measured and delineated with pre-fabricated, disposable templates. The dust wipe samples were collected using dedicated dust wipe cloths meeting ASTM standards. Each dust wipe cloth was pre-moistened and individually wrapped. Each sample was collected by wiping in a back and forth "S" pattern over a measured sampling area. Then, the wipe wipe again in a direction perpendicular to the firm where then placed into labeled, clean laboratory-supplied bes with screw on caps. Dust wipe samples were submitted to Scientific Analytical Institute, Inc. (SAI) in Greensboro, North Carolina for Inductively Coupled Plasma (ICP) analysis of metals analysis using Environmental Protection Agency (EPA) method SW846 350B/7420.

Results of the dust wipe samples collected from the building indicate that both of the two (2) samples contained concentrations of target metals above laboratory detection limits. The following table identifies the range of results for each of the seven metals that were analyzed. Samples with a "<" sign indicate that the results were below the reportable limit.

Analysis	Lowest	Highest
	Concentration	Concentration
	(μg/sq. ft.)	$(\mu g/sq, ft.)$
Silver	< 0.50	< 0.50
Arsenic	<2.0	<2.0
Barium	19	39
Cadmium	0.76	7.8
Total Chromium	1.8	5.3
Lead	24	43
Selenium	<1.3	<1.3

All of the samples collected contained measurable levels of target metals. However, no concentrations exceeded the recommended exposure limits (RELs) above the regulatory or Brookhaven recommended levels.

OCCU-TEC appreciates the opportunity to work with GSA on this project. If you have any questions concerning this report, or if we may be of any additional service, please feel free to contact us.

#### Sincerely,

(b) (6)

Justin Arnold, CIEC Environmental Scientist



(b) (6)

Kevin Heriford Environmental Operations Manager (QA/QC)

#### Appendices:

- A Sample Summary Table
- B Laboratory Analysis Reports
- C Licenses

#### Appendix A Sample Summary Table

Goodfellow Federal Center - Building # 141C - Wipe Sample Data						
Sample Number	Location	Area Description	Analyte	Result	Units	Recommended Limits
		Center of Room	Silver	< 0.50	μg/ft²	* 139/9.3
			Arsenic	< 2.00	μg/ft²	** 62
			Barium	39.00	μg/ft²	
141C-W-01	Floor		Cadmium	7.80	μg/ft²	** 31
			Chromium	5.30	μg/ft²	
			Lead	43.00	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft²	
	Field Blank	door	Silver	< 0.50	ft <sup>2</sup>	* 139/9.3
			Arsenic	< 2.00	ft <sup>2</sup>	** 62
			Barium	< 0.75	ft <sup>2</sup>	: === === === === === == == == == == ==
141C-W-02			Cadmium	< 0.05	ft <sup>2</sup>	** 31
			Chromium	< 0.50	ft <sup>2</sup>	
			Lead	< 0.25	ft <sup>2</sup>	** 200/40
			Selenium	< 1.30	ft <sup>2</sup>	
			Silver	< 0.50	μg/ft²	* 139/9.3
	Top of Cabinet	Northeast Wall	Arsenic	< 2.00	μg/ft²	** 62
			Barium	19.00	μg/ft²	
141C-W-03			Cadmium	0.76	μg/ft²	** 31
			Chromium	1.80	μg/ft²	
			Lead	24.00	μg/ft²	** 200/40
			Selenium	< 1.30	μg/ft²	

<sup>\*</sup> Recommended Limits based on Table 3 (BNL Surface Wipe Criteria for Metals) of the Brookhaven Surface Wipe Sampling Procedure (IH75190), Rev 19: 3/4/14

<sup>\*\*</sup> Recommended Limits based on Attachment 9.3 (Required & Recommended Surface Wipe Criteria) - Brookhaven Surface Wipe Sampling Procedure (IH75190), Rev 23: 6/23/17 Indicates results at or above REL

## Appendix B

Laboratory Analytical Reports



#### Dust Wipe Metals Concentration by Inductively-Coupled Plasma Analysis (ICP)



NIOSH 7300/EPA SW-846 3050B

Client: Occu-Tec, Inc.

100 NW Business Park Ln.

Riverside, MO 64150 Project: 919083.001 GFC Attn: Justin Arnold

Lab Order ID:

71914624

Date Received: Date Reported:

05/31/2019 06/10/2019

Page:

1 of 1

Sample ID	Description	Area		Reporting	Concentration	Concentration	
Lab Sample ID	Lab Notes	(ft <sup>2</sup> )	*Element	Limit (µg)	Concentration (μg)	(μg/ft <sup>2</sup> )	
			Ag	0.50	< 0.50	< 0.50	
			As	2.0	< 2.0	< 2.0	
141C-W-01	141C – Floor	1	Ba	0.75	39	39	
			Cd	0.050	7.8	7.8	
			Cr	0.50	5.3	5.3	
71914624IPW_1			Pb	0.25	43	43	
719140241F W_1			Se	1.3	< 1.3	< 1.3	
			Ag	0.50	< 0.50		
		-	As	2.0	< 2.0		
141C-W-02	FB		Ва	0.75	< 0.75		
			Cd	0.050	< 0.050		
			Cr	0.50	< 0.50		
71914624IPW_2			Pb	0.25	< 0.25		
/19140241PW_2			Se	1.3	< 1.3		
			Ag	0.50	< 0.50	< 0.50	
	141C – Cabinet Top	1	As	2.0	< 2.0	< 2.0	
141C-W-03			Ba	0.75	19	19	
			Cd	0.050	0.76	0.76	
			Cr	0.50	1.8	1.8	
71014624IDW 2			Pb	0.25	24	24	
71914624IPW_3			Se	1.3	< 1.3	< 1.3	

Melissa Ferrell	(b) (6)
Analyst	Lab Director

Unless otherwise noted blank sample correction was not performed on analytical results. This report relates only to the samples tested and may not be reproduced, except in full, without the written approval of SAI. MDLs are available upon request. Time-weighted average (TWA) calculations are based on customer supplied data and valid only for samples included in the specified TWA group. Scientific Analytical Institute participates in the AIHA ELPAT program. ELPAT Laboratory ID: 173190.

<sup>\*</sup> SAI is AIHA ELLAP accredited for Pb only for dust wipe metals.



## Scientific Analytical Institute, Inc. 4604 Dundas Dr. Greensboro, NC 27407

4604 Dundas Dr. Greensboro, NC 27407 Phone: 336.292.3888 Fax: 336.292.3313 www.sailab.com lab@sailab.com

Lab Use Only Lab Order ID:	14674
Client Code:	142
Chem code.	

Company Con	tact Information			Industrial Hygiene Test Typ	pes	
Company: OCCU-TEC Inc.		Contact: Justin Arnold		Silica as Alpha Quartz (XSZ)*  With Respirable Dust (XDZ		
Address: 2604 NE Industrial Drive, Suite 230		Phone □:816-810-3276		Silica as Cristobalite (XSC)*  With Respirable Dust (XDC)		
	as City, MO 64117	Fax :816-994-3	478	Silica as Tridymite (XST)*  With Respirable Dust (XDT)		
		Email :jarnold@occu	MGC.COIII	Silica as Alpha Quartz, Cristobalite, Tridym		
				(XSA)*  With Respirable Dust (XDA)		
Billing/Invoice Information		Turn Around	Times <sup>^</sup>	Silica Bulk (XSI)*		
SAME		90 Min.		Bulk Phase ID/Whole Rock (XUK)		
Company:		3 Hours		Total Dust NIOSH Method 0500 (GTD)		
Contact:		6 Hours		Respirable Dust NIOSH Method 0600 (GRD)		
Address:		12 Hours	Hours 🔳	PCM NIOSH 7400-A Rules (PCM)		
		24 Hours	Hours 🗌	B Rules (PCB) TWA (PTA)		
		^TATs not available for cert	in test types	TEM NIOSH 7402 (Asbestos) (TNI)		
PO Number:				Hexavalent Chromium (OSHA ID-215) (Note if from spray paint operations)		
Project Name/Nu	mber:919083.001 GFC			Metals (NIOSH 7300) (Specify Metals Under Comments)		
				Other 6010 C	<b>\(\)</b>	
				* Modified NIOSH 7500/OSHA ID 14.	2	
Sample ID #	Description/L	ocation	V <u>olume/A</u> re	a   Comments		
141C-W-01	141C- flo	000	155	Ag, As, Ba, Cd, Cr, Pb	Se	
116. 1 1 = 3				0,	, 00	
411-W-DL	FB		NA	Ag, As, Ba, Cd, Cr, Pb		
416-W-02	1416 - Cabo		MA 156		, Se	
416-W-03	FB		MA Ls£	Ag, As, Ba, Cd, Cr, Pb	, Se , Se	
416-W-07	FB		M/A Ls£	Ag, As, Ba, Cd, Cr, Pb Ag, As, Ba, Cd, Cr, Pb	o, Se o, Se o, Se	
416-W-03	FB		M/A Ls£	Ag, As, Ba, Cd, Cr, Pb Ag, As, Ba, Cd, Cr, Pb Ag, As, Ba, Cd, Cr, Pb	o, Se o, Se o, Se o, Se	
416-W-07 1416-W-03	FB	net top	MA Ls£	Ag, As, Ba, Cd, Cr, Pb Ag, As, Ba, Cd, Cr, Pb Ag, As, Ba, Cd, Cr, Pb Ag, As, Ba, Cd, Cr, Pb	o, Se o, Se o, Se o, Se o, Se	
416-W-07 1416-W-03	FB		MA Ls£	Ag, As, Ba, Cd, Cr, Pb Ag, As, Ba, Cd, Cr, Pb	o, Se o, Se o, Se o, Se o, Se o, Se	
411-W-DX	FB	net top  Acce		Ag, As, Ba, Cd, Cr, Pb Ag, As, Ba, Cd, Cr, Pb	o, Se o, Se o, Se o, Se o, Se o, Se o, Se	
411-W-DL 1411-W-03	141c - cabo	net top		Ag, As, Ba, Cd, Cr, Pb Ag, As, Ba, Cd, Cr, Pb	o, Se o, Se o, Se o, Se o, Se o, Se o, Se	
411-W-DL 1411-W-03	141c - cabo	net top  Acce		Ag, As, Ba, Cd, Cr, Pb	o, Se o, Se o, Se o, Se o, Se o, Se o, Se o, Se o, Se	
411-W-DL 1411-W-03	141c - cabo	net top  Acce		Ag, As, Ba, Cd, Cr, Pb	o, Se o, Se o, Se o, Se o, Se o, Se o, Se o, Se o, Se o, Se	
411-W-DX 1411-W-03	141c - cabo	net top  Acce		Ag, As, Ba, Cd, Cr, Pb	o, Se o, Se o, Se o, Se o, Se o, Se o, Se o, Se o, Se o, Se	
411-W-DK	141c - cabo	net top  Acce		Ag, As, Ba, Cd, Cr, Pb	o, Se o, Se	
Relinqu	IHIC-cabo	Time		Ag, As, Ba, Cd, Cr, Pb	o, Se o, Se	
-	IHIC-cabo	net top  Acce	ted [	Ag, As, Ba, Cd, Cr, Pb Total # of Samples	o, Se o, Se	
Relinque (6)	ished by Date	Time	ted [	Ag, As, Ba, Cd, Cr, Pb Total # of Samples	o, Se o, Se	

# Appendix C Qualifications and Licenses

## STATE OF MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES

## **LEAD OCCUPATION LICENSE REGISTRATION**

Issued to:

### Justin E. Arnold

The person, firm or corporation whose name appears on this certificate has fulfilled the requirements for licensure as set forth in the Missouri Revised Statutes 701.300-701.338, as long as not suspended or revoked, and is hereby authorized to engage in the activity listed below.

#### Lead Risk Assessor

Category of License

6/11/2018 Issuance Date: 6/11/2020 **Expiration Date:** 

120611-300003622 License Number:





Randall W. Williams, MD, FACOG Department of Health and Senior Services